

RECORD

98655-96956

857

R

200

Bools # 95

Start No. 53636

End No. 53926



Standard Miniature Blank Book

No. 665 $9\frac{1}{2} \times 6$ 120 Pages Units

No. 667 $9\frac{1}{2} \times 6$ 200 Pages Units

No. 668 $9\frac{1}{2} \times 6$ 300 Pages Units

Made in the Following Rulings

Journals, Day or Cash Books, Double \$ and Cts.

S. E. Ledgers, \$ and Cts.

Double Entry Ledgers

Records with Margin Line

When ordering give Number and Ruling desired

Made in U. S. A.

A Boorum & Pease Product

1971 England

1

Mar. 12 Monk's Wood
Experimental Station

Old field just east (?) of
station - about 5-6 acres,
surrounded by hedges.

Gray clay soil.
~~Open to show~~ stand of tall
herbs and shrubs in a
continuous grass ground
layer. One of the grass species,
a fine mat-former with a
coarser erect species or two
from the ground cover.

A low arching *Rubus*
is generally common except
in the sparser areas.

A tall *Rosa*, to 2.5 m very
common. *Dipsacus sylvestris*
locally abundant, to 5 m tall.
A very few *Quercus* of *petraea*
about 2 m, with orange branching leaves.
Epilobium sp. (or spp.) 1-1.5 m
abundant, also *Cirsium* cf.
avenae. In some parts the
grass ground cover is replaced
by a hybridized moss with
green rosettes of *Daucus* (?) sp.,
Cirsium sp.?, *Dryopteris* sp.,
plus a few other green rosettes.
Very occasional saplings of
Fraxinus sp., *Quercus robur* (?)
(leafless), a thorny *Pyrus* (?), and
perhaps other trees or shrubs. A

1971 England

dry grass to 0.8 m forms occasional tufts, and a conspicuous gregarious grass with white dry wide leaves and ~~for~~ rather close panicles, forms patches, esp. in low spots.

The Rubus has non ridged canes, purple, very spiny, ~~partially~~ becoming procumbent or prostrate, a few leaves persisting white beneath, purple or rarely green above.

Mammal (deer??) droppings, and bird (pheasant? or chicken) droppings common.

Mar. 14 - auto trip Cambridge to Stretham and Wicken Fen

Flat land - low chalk "ridge" with reddish brown silty soil. Hedges, a few orchards, many pastures & plowed fields. In distance to north north west slightly higher ground which is Jurassic ~~of~~ green sand (glaucinitic) "islands" in the low, formerly wet ground. The low ground was formerly covered by

" meres", shallow open-water ponds, now drained.

Stretham.

Stretham Mere - gray fine soil.

River Cam.

Slight elevation - a Jurassic coral reef.

Wicken

Wicken Fen - owned by National Trust.

Large area of peatland covered by a mosaic of tall scrub or scrub forest of dense Rhamnus, Salix, Acer, etc. and patches of marsh or, rather, bog, of Phragmites and, locally, Cladium, 1-2 m tall. This grass is periodically harvested for thatch.

Scattered in the scrub are occasional Betula alba showing a tremendous range of habit - upright almost fastigiate branching to pendulous. Very occasional Fraxinus.

Water table essentially at surface of peat.

Maintained thus artificially against the too effective drainage of the agricultural land round about, which has

sunken even to below sea level by decomposition of the peat.

A Dutch style windmill, originally from Adventurers Fen, reconstructed here by the Trust. Said to be the last remaining of the thousands of "windpumps" originally used to drain the fens.

A thatched tower "hide" provided for bird watching.

The Wicken Fen group maintains and protects the fen, provides guide-booklets, etc.

The scrub is cut periodically to avoid succession to oak forest.

Wicken north through Soham over somewhat higher Jurassic land. Through Qua Fen and the Hasse - black peaty soil on low ground. Rows of large *Ulmus*, *Populus*, etc. All land cultivated.

Prickwillow

"Rottens" are old riverbeds of mineral sediments winding across the peat lands left now as slight ridges

by the subsidence of the drained peat lands. Light colored against the black peat soil. Less fertile than peat.

ELY is on a very large Jurassic "island". Peat land largely used for sugar beet and market gardening.

Ouse River channelized between levees and water level substantially higher than the peatland surface.

No hedges in peat lands. Land too valuable.

Houses ~~of~~ frequently built on "rotten"; more substantial than peat for foundations. Some of the rotten have archaeological remains of a number of levels on them.

Flocks of gulls are rather frequent on plowed peatland.

Deep ditches frequent, water table well below surface.

Approaching Mildenhall we left fenland and got onto slightly higher chalk land. Church built of flints.

R.F. Airbase - Mildenhall.

Flint construction here is of angular fragments rather than of nodules, ~~and~~ much more crowded.

Mildenhall - very irregular knolly surface, stabilized dunes of glacial sand.

East of Mildenhall extensive planted pine forest and ^{some} mixed hardwood, largely birch. Road lined by pine. Gorse along road and in hedges and forest edges. Patches of pines.

Rolling heathland and vast *Pteridium* stands. All of this - pine, heath, bracken, on glacial sands on top of chalks. Planted pine stands perhaps 20-25 cm dbh 10-15 m tall, very small oaks, 1-2 m, with persistent orange dead leaves common under pines. Patches and edges of birch.

Wangford Warren (Suffolk Naturalists Club).

Rolling area of partially stabilized, partly active dunes, tending to be grass or *Carex* covered, patches of birch, mostly weeping a few scattered very small pines and oaks, *Sambucus*.

Large areas principally stabilized by mosses & *Cladonia*.

Much denser *Carex* sod, plants 20-25 cm tall.

Total relief perhaps 8-10 m.

Brandon - much flint construction. Pine forest & birch forest, planted. Grimes Graves road. Sand heaths.

Dense pine plantation, trees to 30 cm dbh 20 m tall.

Large open area - Grimes Graves. ~~Chalk~~ Chalk slope covered by 50 cm[±] of aeolian sand, the grooves in the chalk surface, normal to slope strike, are reflected in stripes of *Calluna*.

"Graves" themselves an area of dimpled terrain, appearing like sink-holes, but excavation shows they are vase-shaped holes with horizontal shafts radiating, following flint nodule layers in chalk - pits 20 m deep. Ancient flint quarries. Spread over top of low rise.

Calluna stripes are of order of 3 m wide, grass stripes 4 m[±]. Chalk is 1 m or more below the *Calluna*, 15 cm[±] below the grass.

Thetford - large area of pine forest on sand on chalk.
~~Thetford~~

West, Suffolk tourist
some bits of heather.
mostly open pasture
with rows of trees. Gorse.
Heather, but open.

Then RAF Honington ^{1.5 mi} W of Barnham
a large fenced area
basically a dense short
grass matrix with
areas of fairly dense
heath 0.5-1 m tall with
small openings with deep
moss, slopes with
somewhat irregular
heath stripes, upper
part of very wide
knoll with scattered
Ulex clumps, 1-2 m tall
few large spreading oaks
50-200 m apart. Scattered
over the whole clumps
of Cytisus 2-2.5 m tall.
Grass said to be recent
clearing, but it seems
the gorse must be at
least several years old.
Flints abundant.
Much moss in grass.
Grass to west on
gentle slope with
no shrubs at all.
Calluna stripes on
very gentle slopes.
A few sheep.

West of this near Newmarket
road, Elveden, rather
old mixed woods, patches
with large and small fields
and patches of pine plantings.
A trimmed pine hedge along
Newmarket-London road south
of Elveden, for several
miles on one or both sides
of road. Guinness property.
Large heath area.

Fields separated by tree
hedges, mostly pine.

about 12 mi. ^{NE} of Newmarket.

3 mi ~~SE~~ NE Mildenhall.

Same general landscape
mosaic, at first more
fields, then predominantly
forest plantings.

5 road intersection near
Barton Mills.

Now mostly fields with
hedges, small patches of wood.
Light gray-brown soil on fine
chalk with only small flints.
Chalk quarries.

Rows and patches of conifers,
some birch. Hedgers conspicuous
climbing roadside trees.

Then, large fields, few
hedges, some patches of wood.
gently rolling land. Few
hedges because of race-horse
breeding and riding, large pastures.

north of Newmarket.
 strips of deciduous trees.
 Newmarket. large houses
 in large lots.

west to Cambridge
 strips of trees between
 fields and along roads.
 some hedges.

large fields.
 soil reddish brown, then
 light gray, all on chalk.
 Hedges trimmed very low.

Mar. 14 - Wangford Warren,
 Norfolk

~~the~~ semi-stabilized
 sand dunes

- 53636 Cladonia
 37 Cladonia
 38 Cladonia
 39 Cladonia
 40 Cladonia
 41 (moss)

for all of above - contributing
 to stabilizing of

~~Mar. 14 1 1/2 mi n.w. of Barnham~~
 Mar. 14 near Gimmes Graves,
 Norfolk

in "Calluna stripes" on
 gently sloping chalk covered
 with sand

- 42 (moss)
 common

Santa Catalina I

H I

Porella navicularis (Lehm. & Lindb.) Lindb.

England

53641

Polytrichum piliferum Hedw.

53642

Pleurozium schreberi (Brid.) Mitt.

53644 a

"

"

53645 a

"

"

+ *Hypnum cupressiforme* Hedw.

northwest Newmarket.
 strips of deciduous trees.
 Newmarket. large houses
 in large lots.

west to Cambridge
 strips of trees between
 fields and along roads.
 some hedges.

large fields.
 soil reddish brown, then
 light gray, all on chalk.
 Hedges trimmed very low.

Mar. 14 - Wangford Warren,
 Norfolk

~~the~~ semi-stabilized
 sand dunes

- 53636 Cladonia
- 37 Cladonia
- 38 Cladonia
- 39 Cladonia
- 40 Cladonia
- 41 (moss)

for all of above - contributing
 to stabilizing of

Mar. 14 1 1/2 mi n.w. of Barnham
 Mar. 14 near Gimmes Graves,
 Norfolk

in "calluna stripes" on
 gently sloping chalk covered
 with sand

- 42 (moss)
- ~~42~~ common

12

1971 England

53643

Calluna vulgaris
dominant

Mar. 14 - 1 1/2 mi n.w. of Barnham,
Suffolk
in small open spots in
Calluna heath

44 (moss)
45 (moss)

13

~~Norfolk~~ Suffolk

dwarf shrub 30-40 cm tall.



forming deep loose cushions
forming deep loose cushions

Mar. 21 Roland Bull Run Mt.

Quartzite cliffs

Evergreens abundant
on cliffs, scarcely any
away from them -

- ✓ *Pinus pungens*
- ✓ *Pinus virginiana*
- ✓ *Kalmia latifolia*

Plants with photosynthetic stems

- ✓ *Smilax rotundifolia*
- ✓ *Vaccinium vacillans*

March 28 - Roland

2 seepy areas where springs issue from base of mts. and very small streams come down off lower slopes, one on each side of Roland Center. In one a large *Vaccinium* 2.5 m, near the other a smaller bush. In bud but no flowers opening. In each a small clump of *Lycopodium lucidulum* and in each a small stand of *Chrysosplenium*; this in areas just below springs, absent from wet places fed by streamlets.

Mar. 28 - north branch of Broad Run, 2 miles west of Thoroughfare Gap bottom land woods on clay flats

53643 *Ulmus americana*
occasional

8 44 *Ulmus*

Mar 28 - Roland Center, west base Bull Run Mts, 2 mi n.w. of Thoroughfare Gap

45 *Chrysosplenium americanum*
very local in wet place fed by springs.

north branch Broad Run

bottom - land forest locally swampy.

American elm occasional, elm with corky bark rare, both in flower. Red maple in full flower.

2 wood-ducks in stream.

tree 12 m tall, bark flaky, without corky ridges; anthers deep purple
spreading tree 6 m tall, bark with corky ridges; anthers maroon.

prostrate; flowers green.

Mar. 31 - left Dulles Airport
for San Francisco 9:15 am
crossed Blue Ridge at 9:23.

Bull Run Mts. Blue Ridge,
Massanutten, Alleghenies -
Hardwood forest brown,
Evergreens ~~on~~ mostly the
west, northwest and southwest
slopes. This pattern become
less pronounced in Alleghenies,
where, indeed, evergreens
become somewhat less common,
especially in the western
ridges. Locally still common
but general aspect is brown.

West of ~~the~~ the last
main continuous ridge
is an area of rather irregular
mountainous country with
broken ridges - some snow
here. A few large coniferous
patches here, especially in the
snowy uplands. No particular
pattern. Still slight emphasis
on conifers on west slopes in
draws.

One last rather continuous
range, with a river cutting
through it westward, then
turning north. Somewhat
hilly piedmont country. Another
small crooked river running
n.s.

This complicated hilly country

Inter
DE-8
right side.

9:51

extends far to the west, to
the Ohio River, running
south and curving west,
looping north, back
south - crossed it over a
large town where there is a
major affluent from the east.
Country west of river less
hilly but still not level -
about half wooded - less
so a bit to north.

9:58

A mega-meander pattern
outlined by a broad belt of
almost completely cleared
land with only a small
meandering stream in it -
joining a similar but
much more marked
north-south belt of completely
cleared intensively farmed
light colored land with a
somewhat meandering large
river, this belt very flat in
otherwise hilly mostly wooded
country. West of it wooded
hills with ~~cleared~~ valley bottoms
forming a striking dendritic
pattern, main stream
running northeast.

10:01

West of this the hills rapidly
dwindle and the proportion of
cleared land correspondingly
increases.

10:03

almost completely cleared from here on.

10:05

crossed Ohio River again now flowing slightly northwest then west, then swinging northwest. Country rather hilly on both sides, esp. the Kentucky side, somewhat wooded.

10:08

A higher wooded clump of mts., Ohio River goes more northerly, for some distance, then more westerly. Northern Kentucky is very complicated - hilly. River comes south again.

10:12

then westward. Similar hilly country on both sides, about 50% wooded, less so westward. Follow river slightly meandering westward. Not much bottomland along most of it, except on inner sides of curves.

10:16

crossed river (Ohio R.).

Land much more checkerboard pattern, 75% cleared.

Level country, rivers trending south south west. Considerable woods along river and in several patches of hills, also trending same direction.

10:21

Fair-sized braided river, very closely meandering, through a clear valley.

Then an area of patches of wooded hills just to north, with a large reservoir in west

part (Knobs Country?)

10:25

60 E. + 80% wooded low hilly country

10:26

Large reservoir and south of it an extremely complex maze of roads - elongate buildings along many of them - military establishment?

10:28

Small river with extremely complex meander pattern with many oxbows scattered over a broad level plain, all cleared. From here on mostly cleared except for a few tiny woodlots.

10:31

Prob. Wabash R. Mostly agricultural land west of it, but appearing somewhat scabby and eroded. Drainage trending s.s.e. to a generally e.-w. stream with many oxbows, swinging n.w. and w.-n.w.

Meander and oxbow patterns very visible at this season.

10:36

Rather regular agricultural checkerboard except for s.w. trending valleys that are partly wooded. Visibility gradually deteriorating in a grayish haze or thin cloud layer.

10:39

Major s.w. n.e. highway.

Agricultural pattern continues with some wooded land irregularly left along valley bottoms.

10:43 Such wooded valleys become numerous, running s.w. toward Mississippi north of St. Louis.

10:50 Crossed Mississippi flowing almost eastward below confluence of Missouri, which forms a complex delta of wooded bars and elongate ponds and channels.

10:52 Both rivers run parallel n.e. Missouri has some wooded bottom land.

Westward quite a bit of wooded country mixed with agricultural land. Dendritic patterns.

10:58 Visibility gone.

12:30 Base of Rockies - Pike's Peak.

Mts here very largely not wooded, a patchily so with open to dense conifer stands. Little snow. Large bare interior valleys before massive high snow-covered ranges reached.

The valleys ^{between} the higher ranges much more wooded and lack the bare rocky areas farther east.

12:49 Farther west there are again large bare valleys.

1:05 A large river winding through a red desert, in a gorge.

605-112

This area is about the most extensive desert roadless area I have seen. Much cut by gorges - probably the reason. Captain said it ~~is~~ (or includes) Arches Nat. Monument.

Westward spectacular erosion in red rocks.

1:20

Rough country with large accumulations of snow in valleys and depressions, these often speckled, as though just the tops of trees were showing. Higher ridges and peaks with little snow.

1:37²

Large dry lake, almost white, in middle distance to north.

Then vast desert area with a few roads but little disturbance, scattered ranges of low mountains with open forest or scrub. Much higher snow-covered ranges ahead.

Many other dry lakes westward

1:53

a cluster of black-rimmed pools in a dry lake.

2:31

In ~~hills~~ foothills north of Altamont Pass a localized display of a deep yellow flower - from air like spilled chrome yellow paint.

South of Altamont Pass
on San Joaquin side, the
north slopes of lateral ridges
have sparse trees or large
shrubs and are grassy
moderate slopes; south
slopes are treeless, rocky
and eroded-looking.

Apr. 2 Lawai Valley -
Pacific Tropical Botanic
Garden

A series of ravines
cut in sloping sugar
cane land, ~~red~~ volcanic
soil on flow basalt,
wooded with secondary
thickets of

Psidium guajava

Eugenia cumini

Hibiscus tiliaceus

Schinus terebinthifolius

Leucaena leucocephala

Casuarina equisetifolia

Pithecellobium dulce

Terminalia catappa

Thevetia peruviana

Lamanea saman

Cassia surattensis

Melia azedarach

vines:

Passiflora edulis

Passiflora sp.

Ipomoea indica

Canavalia cathartica

Cardiospermum halimifolium

Ditryogramma triangularis

Portulaca olerace

Canna

Ipomoea cairica

L.

Agave Fourcraea foetida

Euphorbia carthagenensis

Albizia falcataria
Shatthodes canhamii
Morinda citrifolia
Psidium cattleianum
Ficus microcarpa
Recurvum communis

Xanthium
Blanchea obovata
Erechtites hieracifolia
Conyza bonariensis

herbs & suffrutescent herbs:

~~Nephrolepis~~

Nephrolepis cf. *multiflora*

Phyllanthus urinaria

Stachytarpheta urticifolia

Stachytarpheta dichotoma?

Emilia javanica

Polypodium scolopendria

Lida acuta

Plantago major

Centella asiatica

Commelina diffusa

Coix lacryma jobi

Amaranthus spinosus

Triumfetta semitriloba

~~for~~ *Paspalum conjugatum*

Paspalum fimbriatum

Malachra

Cassia occidentalis

Cyperus rotundus

Abutilon

Mimosa pudica

Cynodon dactylon

Eleusine indica

Gomphocarpus physocarpus

Vernonia cinerea

Digitaria cf. *pruriens* *ciliaris*

Elephantopus mollis

Oxalis

Rivina humilis

Sonchus oleraceus

Chloris barbata

Kalanchoe

Bidens pilosa

1971 Hawaiian Is

April. 2 [Lawai Valley (Pacific
Tropical Botanic Garden)]

open sloping volcanic soil

- 53646 *Nephrolepis multiflora* (Roth.) Juncz
(3) common on road cut
(2) 47 *Phyllanthus debilis* ~~sp. nov.~~
common in roadside ditch

April 2 - [Piper Beach
grounds of Sheraton Kona Hotel]

- (2) 43 *Ruppia maritima* var. *pacifica* St. J. & F.
abundant, rooted, in
small probably artificial
pond, not conspicuously blackish
at least in rainy period

- ⑥ 49 *Wedelia trilobata*
planted as bedding plant

April 3 - Lawai Valley above
Pacific Tropical Botanic garden.

- (4) 50 *Rubus moluccanus*
very local in pasture

April 3 - [Lawai Valley
(Pacific Tropical Botanic Garden)]
in irregular mosaic of
secondary vegetation

- 51 *Digitaria*
very local in ravine near water

150m

erect, pubescens white

erect

prostrate, creeping
rooting at nodes, flowers
bright yellow

200 m

rhizomatous, canes arching;
sterile. low here, but
in another patch said to be
up to 4-5 m tall, tangled.

above Pump 6

100 m

decumbent, spreading, rooting
at nodes.

(to page B2)

April 2 - Lawai Kai -
Allerton garden

Very manicured jungle
with great range of
introduced trees, shrubs,
vines, herbs.

April 2 - Poipu Beach,
(Sheraton Kauai hotel)
flora of basalt rock
strand with storm
beaches much vegetated

Pluchea indica
Ipomoea pes-caprae ssp. *brasilense*
Lescurium portulacastrum
Sporobolus virginicus
Thespesia populnea
Scaevola taccada
Ipomoea indica
Leucaena leucocephala
Lonchocarpus oleraceus
Casuarina equisetifolia
Jacquemontia sandwicensis
Eragrostis tenella
Euphorbia glomerata
Solanum nigrum
Euphorbia hirta
Tournefortia argentea
Sida fallax

These on a 40 m stretch
of rock strand, without
penetrating back into
low scrub vegetation
on storm beach farther
than could be seen from
edge.

~~53651 Malachra~~

[same - Big Valley

53652 Malachra

⑥ local patch in moist valley bottom

④ 53 Thevetia peruviana (L.) Pers.
abundantly naturalized
in valley bottom and lower
slopes.[same - below administration
area⑦ 54 Stachytarpheta dichotoma
common on weedy roadside⑩ 55 Phyllanthus ^{debiolis} ~~massianus~~ L.
very common④ 56 Passiflora
climbing in tall thicketApr. 4 - 1.8 mi. s.w. of Polihale State Park
west side of Island
on sand dunes just back of beach⑦ 57 ~~Ipomoea~~ Ipomoea stolonifera
very locally abundant in swales
between dunes⑧ 58 Cassytha filiformis
locally abundant blanketing
small trees

120 m

sparsely branched suffrut-
escent herb 3 m tall, flowers
bright yellow.Lactiferous shrub 3 m
tall, flowers bright yellow.

175 m

herb up to 1.6 m tall,
flowers medium blue.
(with S. urticifolia but
no intermediates seen)
erectextensive vine, bracts
whitish green, petals
and sepals with dark red
spots, outer corona pinkish
red inner corona blue
violetprostrate stems buried
leaf blades flat on sand, corolla
white, closed at 4 pmstems green to orange, green
where partly shaded;
flowers white. (to 1.36)

April 4 - Polihale State Park

land dunes covered by
half-dead *Prosopis*, open
areas with *Verbesina*
encelioides, *Portulaca*
cyanosperma, extensive
mats of *Vitex ovata*.

Cenchrus echinatus, *Setaria*
verticillata, *Solanum nigrum*
Solanum lycopersicum,
Sporobolus virginicus
Scaevola taccada

(n) *Digitaria* sp., *Boerhaavia*,
Leucaena kurocephala
Chenopodium murale
Waltheria indica, *Conitis*
javanica, *Sida fallax*,
Dodonaea viscosa, *Sonchus*
oleraceus

1.8 mi. w of Polihale

Ipomoea stolonifera

~~*Ipomoea*~~

Cassytha filiformis

April 4 - [Polihale State Park
west side of island]
on sand dunes just back
of beach

- 53659 *Portulaca cyanosperma* Egler
(8) very common in openings
- (8) 60 *Sida fallax* Walp.
common in openings and
dwarf scrub
- (10) 61 *Boerhavia cf. repens* L.
common in openings
- (4) 62 *Solanum lycopersicum* L.
common very locally in opening
- (4) 63 *Vitex ovata*
very common on seaward
part of dunes

April 5 - Lihue
planted or spontaneous
in roadside clumps of forest,

- (5) 64 *Macaranga* ♀
(5) 65 *Macaranga* ♂
(4) 66 *Macaranga* (young)

prostrate, fleshy, roots
thickened, corollae deep
magenta purple, closed
at 5:30-6:00 p.m.

- depressed shrub, corollae
~~are~~ broadly campanulate,
somewhat reddish in center.
creeping stems radiating
from thickened root,
climinate; leaves whitish
beneath, flowers white
(all plants seen had white flowers)
aromatic; flowers yellow,
fruit green.
- woody stems prostrate,
forming very large mats,
flowering branches erect,
corollae bluish purple.

trees to 10m tall.

" " " " "

April 7 - Honolulu, Palama,
near Palama Elementary School

- 5366a *Lynedrella gusebachii*
(3) abundant along fences
and in lawns

April 9 - Haleakala Road,
west slope of Haleakala

- (1) 67 *Vaccinium reticulatum* Lm.
very common in open scrub
- (6) 68 *Vaccinium reticulatum* Lm.
very common in rather
dense scrub.

prostrate to ascending,
flowers yellow.

Maui

- 6500' leaves slightly dull glaucous,
shrubs 0.4 - 0.8 m tall, flowers
pendent, red with pale
green lobes. (4 plants represented)
- 8000' shrub 0.8 m tall, leaves
slightly dull glaucous,
2440 m flowers pendent, reddish to
greenish red (on same bush), lobes
pale green; ripe fruit dark
red. (all specimens from same bush)

April 10 - Haleakala Road 6500'±

Lepechinia locality - the road-widening did not eliminate the *Lepechinia* plants - 2 are still present on the top of the road cut.

Another substantial clump is on an east slope 30-50 m in from the road. Full flower.

Open scrub, *Styphelia* dominant, *Vaccinium* common, a few *Lophora* bushes, *Pteridium*, *Coprosma*, *ernodioides*, *Polypodium*, *Pellucidum*, *Asplenium*, *adiantum-nigrum*, *Pellaea*, *ternifolia* (12), *Anthoxanthum*, *Holcus*, etc. *Hypochaeris radicata*

Small gulch - walls have *Lophora* in some abundance, a few *Coprosma montana*, a few *Dodonaea*, 1 shrubby *Dubautia* considerable *Eupatorium adenophorum* badly galled but still flowering. a few small *Santalum*

Crater Rim, Haleakala

Many or most of the *Dubautia* shrubs in the main visitor center area are dead or almost so.

April 11 - visited Colin Fenno's place, Kula. 4000'

Several very healthy *Lepechinia* plants in his garden, very vigorously flowering. not a bad ornamental - reddish mauve flowers. seeds from 6500' on slope above - see p. 40.

Many handsome *Proteaceae* flowering - *Protea*, *Leucospermum*, *Leucadendron*, etc. Also some interesting *Myrtaceae* from Australia.

April 12 - flight Kahului - Hilo 9:55 am

Forest on slopes of Haleakala bet. Hailu and Hana seems generally in poor condition - patches of *Gleichenia* are abundant.

Gulches below Hailu in cane areas have strings of *Aleurites*. Would be worth looking into.

Much snow on Mauna Kea, down to probably 10,000', some also on Mauna Loa but not down as far.

Along Hamakua Coast w of Hilo much floating bagasse out a mile or so. Much silt at mouth of one large canyon about half way bet. Laupahoehoe and Hilo. Many bare fields above. Waterfalls conspicuous along this section, pouring into ocean. Quite a bit of bagasse close in, toward Hilo.

Volcano Road

Just below 3000', *Tritonia* very orange - apparent effect of SO₂.

Kilauea Iki Overlook

Lycopodium cernuum in not unhealthy condition, though slightly yellowish.

Just before Puhimau on Chain of craters road, in depression with many old dead *Lehua* trees, almost all small *Lehua* killed by frost in ~~Dec.~~ 1969

Hilina Pali road, at

burned area Kipuka Nene

Kobria and *Alphitonia* planted in edge of kipuka of very large *Metrosideros* - both fruiting.

In burned area *Setaria geniculata*?, *Phrysalis peruviana*, *Ucholaena*, *Agrostis arenacea*, *Stachys tarpheta* *dichotoma*, *Lantana lanceolata* (roadside), *Lantana* abundant

Salvia coccinea

Budora filosa less common

1971

April 12 Puhimau Crater

Schuettia no. 4 dead ^{leaves & twigs gone}

no 4 dead

dead, leaves still on

no 3 ~~off~~ (toward crater
from 4, 2 m from crater)dead, no leaves but
small twigs still on)

no. 5 - living

many twigs dead,

esp. lower ones, but

living growth very

leafy, dark green,

healthy looking.

upper part very few

dead twigs.

no 8 ? (pieces of tag

on ground but

lacking number)

tree about in

condition of no 5.

no 7 healthy with

a few dead twigs all

the way up and

leading shoot dead

some flowering

Anemone papaverica occasional
around Puhimau.

	Pages
Lawai Kai, Allerton Garden, Poipu Beach, (Sheraton Kauai Hotel) ... (Description) ..	30-31
Polihale State Park ... (description) ...	34
Polihale State Park west side of island, Lihue, Honolulu, Palama, Haleakala 53659-53668	36-39
Haleakala Road, Crater Rim, flight Kahului-Hilo, slopes of Haleakala bet. Haiku & Hana, Mauna Kea, along Hamakua Coast w of Hilo, Volcano Rd, Kilauea Iki Overlook, Puhimau on Chain of Craters road, Hilina Pali road, at burned area Kipuku Nene, Puhimau Crater, Kipuka Puaua . (description)	40-47
Kilauea Iki Overlook, Puhimau Crater, Chain of Craters Rd, Kipuka Nene, Hilina Pali Rd, Kipuka Puaua, Kipuka Ki, Mauna Loa Strip Rd 53669-53691	48-53
Mauna Loa Strip Road, Kipuka Ki, old Pahoehoe slope, Lookout, Kipuka Ki & K. Puaua Puhimau Hot Spot (description) ...	54-57
Mauna Loa Strip Road, Lookout, Acacia koa forest, Road to Bird Park from Kilauea, Puhimau Crater, Chain of Craters Rd, Kalapana Beach 53692-53709	58-61
Road to Kalapana from Olaa, Kamaile Flow, Kalapana Beach (description)	62-65 & 68

New Orleans, Mississippi River at Audubon
Park, Belize, Roberton Island, Tobacco
Pass, southwest pass of Clouery's Reef,

(continue)

heavy over
scattered dead twigs
many epiphytic twigs.

Collection & Field Note Book

No. 95 (Cont.)

Mar. 12, 1971 - Dec. 24, 1971

(53636 - 53926)

PagesEngland

Monk's Wood Experimental Sta, auto trip	66-67
Cambridge to Stretham & Wicken Fen,	
Wicken north through Soham, N.S. Airbase	70-71
-Mildenhall, Wangford Warren, Grimes	
Graves, West Suffolk, Barnham, near	
Newmarket road, Elvenden, northeast of	78-79
Newmarket Strips, west of Cambridge	
Strips (description)	2-10
Wangford Warren, Grimes Graves, Norfolk	
Barnham, Suffolk 53636-53645	10-13

Virginia

Roland, Bull Run Mts, Fauquier Co.	
..... (description)	14-17
North br. of Broad Run, west of Thorough-	
fare Gap, Roland Ctr., w. base Bull Run	
Mts. 53643-53645	16-17
Va. to Calif. (Hawaii trip) Bull Run Mts.,	
Blue Ridge, Kentucky-Ohio-Indiana-Illinois,	
California, South of Altamont Pass, on San	
Joaquin side (description)	18-24

Hawaii

Lawai Valley, Pacific Tropical Botanic	
Garden (description)	26-27
Lawai Valley (Pacific Tropical Botanic	
Garden, Poipu Beach, grounds of Sheraton	
Kauai Hotel, Big Valley, Polihale State	
Park 53646-53658	28-29
	32-33

Pages

Lawai Kai, Allerton Garden, Poipu Beach,	
(Sheraton Kauai Hotel) ... (Description) ..	30-31
Polihale State Park ... (description) ...	34
Polihale State Park west side of island,	
Lihue, Honolulu, Palama, Haleakala	
..... 53659-53668	36-39
Haleakala Road, Crater Rim, flight	
Kahului-Hilo, slopes of Haleakala bet.	
Haiku & Hana, Mauna Kea, along Hamakua	
Coast w of Hilo, Volcano Rd, Kilauea Iki	
Overlook, Puhimau on Chain of Craters road,	
Hilina Pali road, at burned area Kipuku Nene,	
Puhimau Crater, Kipuka Puauia . (description)	40-47
Kilauea Iki Overlook, Puhimau Crater,	
Chain of Craters Rd, Kipuka Nene, Hilina	
Pali Rd, Kipuka Puauia, Kipuka Ki, Mauna	
Loa Strip Rd 53669-53691	48-53
Mauna Loa Strip Road, Kipuka Ki, old	
Pahoehoe slope, Lookout, Kipuka Ki & K. Puauia	
Puhimau Hot Spot (description) ...	54-57
Mauna Loa Strip Road, Lookout, Acacia koa	
forest, Road to Bird Park from Kilauea,	
Puhimau Crater, Chain of Craters Rd,	
Kalapana Beach 53692-53709	58-61
Road to Kalapana from Olaa, Kamaile Flow,	
Kalapana Beach (description)	62-65
	& 68

(continue)

new log
healthy tree with a few
scattered dead twigs
many epiphytic twigs.

Collection & Field Note Book

No. 95 (Cont'd)

Mar. 12, 1971 - Dec. 24, 1971

(53636 - 53926)

	Pages
Kalapana, Kilauea Rd, below Naulu Forest, Kamaile Flow near Pahoa .. 53710-53716	66-67
<u>Virginia</u>	
Roland, s.w. base of Bull Run Mts., n.w. of Thoroughfare Gap, 53717-53718	70-71
Roland Ctr., s.w. slope Bull Run Mts., 2 mi. n.w. Thoroughfare Gap, Sleepy Hollow, 1 mi. s. of Falls Church 53723-53724	78-79
<u>Finland</u>	
Trip to Finland--toured Helsinki, Saarinen Estate, trip to Jyvaskyla, Saarijarven, Pyhahakki Natural Park, Amsterdam (description)	72-77 80-81
<u>Finland-Massachusetts</u>	
Pyhahakki Natural Park, near Saarijarven, Jyvaskyla, Sunderland Cascades, Franklin Co., Mass. 53719-53722	78-79
<u>New York-Orleans Co.</u>	
west of Sweden Ctr., just north of Jackson Rd (description)	82-83
<u>Massachusetts</u>	
Leverett Coke Ovens, Rattlesnake Gutter, Sunderland Cascades, Wharton Brook State Park (description)	84-85
Trip to Ceylon (description)	86
<u>Indonesia - Java - Bali</u>	
Tjibojung, Sangeh ... (description)	88-89

Australia

trip from Canberra-- Bungandore, Manar Creek n.w. of Braidwood, e. of Bungandore Warri Bridge, Shoalhaven Rd, Endrick River, Pigeon House Range, Tianjana Falls, Milton, Yaccumigarrah Cr., Kialoa State Forest, Cockwhy Cr., s.w. of Termeil, Bateman's Bay, Clyde Mt. (description)	90-95
Manar Cr., Durran Durra & Marlow, Warri Bridge, Shoalhaven River, Pigeon House Range, Tianjana Falls, Milton, Kialoa State Forest, Bateman's Bay, Clyde Mt., Tidbinbilla 53725-53763	96-103

Hawaii

West side of Kahului Bay, Kula (description)	104-105
West side of Kahului Bay, Haleakala Ranch pasture 53764-53772	106-107

Virginia

Roland, Fauquier Co. 53773	108-109
Trip to Roland, Rt. 66 bet. Beltway & Gainesville (description)	112

E.U.S.

Flight to St. Louis, crossing Blue Ridge, south of Front Royal .. (description) ...	110
--	-----

Louisiana - British Honduras

New Orleans, Mississippi River at Audubon Park, Belize, Robertson Island, Tobacco Pass, southwest pass of Glover's Reef,	
--	--

(continue)

around human

114.6 V new log
healthy tree with a few
scattered dead twigs
many epicormic twigs

Collection & Field Note Book

No. 95 (Cont'd)

Mar. 12, 1971 - Dec. 24, 1971

(53636 - 53926)

	<u>Pages</u>
Southwest Cay II & I, Long Cay, Small Cay, (description)	114-123
Small Cay (Long Cay North), Long Cay 53774-53808	124-127 130-131 134-135
Glover's Reef, flight around & Across atoll, Northeast Cay (description)	128-129 132-135
Northeast Cay, Long Cay, Southwest Cay I 53809-53858	136-141 144-147
Northeast Cay, air trip to Lighthouse Reef, Southwest II Cay, Southwest Cay I (description)	142-143 148-153
Southwest Cay I, Southwest Cay II, West Channel, Long Cay 53859-53910	154-163
Boat trip to Leeward Reef, Middle Cay (description)	164-167
Middle Cay, Long Cay 53911-53926	168-171
Massachusetts Shutebury, Frankling Co. (description)	174-177

	<u>Pages</u>
Lowell Kai, Allerton Garden, Palpu Beach, (Shutebury Road Hotel) ... (description) ...	30-31
Pollhale State Park ... (description) ...	34
Pollhale State Park west side of island, Lihue, Kauai, Palapa, Haleakala 53809-53808	34-35
Haleakala Road, Crater Rim, flight Kahului-Hilo, slopes of Haleakala Mt. Haleakala, Mauna Kea, along Hamakua Coast w of Hilo, Volcano Rd, Kilauea Iki Overlook, Puhimau on Chain of Craters road, Hilina Valley road, at burned area Kipuka Nene, Puhimau Crater, Kipuka Puaia ... (description) ...	40-41 42-43 44-45 46-47 48-49 50-51 52-53 54-55 56-57 58-59 60-61 62-63 64-65 66-67 68-69 70-71 72-73 74-75 76-77 78-79 80-81 82-83 84-85 86-87 88-89 90-91 92-93 94-95 96-97 98-99 100-101 102-103 104-105 106-107 108-109 110-111 112-113 114-115 116-117 118-119 120-121 122-123 124-125 126-127 128-129 130-131 132-133 134-135 136-137 138-139 140-141 142-143 144-145 146-147 148-149 150-151 152-153 154-155 156-157 158-159 160-161 162-163 164-165 166-167 168-169 170-171 172-173 174-175 176-177 178-179 180-181 182-183 184-185 186-187 188-189 190-191 192-193 194-195 196-197 198-199 200-201 202-203 204-205 206-207 208-209 210-211 212-213 214-215 216-217 218-219 220-221 222-223 224-225 226-227 228-229 230-231 232-233 234-235 236-237 238-239 240-241 242-243 244-245 246-247 248-249 250-251 252-253 254-255 256-257 258-259 260-261 262-263 264-265 266-267 268-269 270-271 272-273 274-275 276-277 278-279 280-281 282-283 284-285 286-287 288-289 290-291 292-293 294-295 296-297 298-299 300-301 302-303 304-305 306-307 308-309 310-311 312-313 314-315 316-317 318-319 320-321 322-323 324-325 326-327 328-329 330-331 332-333 334-335 336-337 338-339 340-341 342-343 344-345 346-347 348-349 350-351 352-353 354-355 356-357 358-359 360-361 362-363 364-365 366-367 368-369 370-371 372-373 374-375 376-377 378-379 380-381 382-383 384-385 386-387 388-389 390-391 392-393 394-395 396-397 398-399 400-401 402-403 404-405 406-407 408-409 410-411 412-413 414-415 416-417 418-419 420-421 422-423 424-425 426-427 428-429 430-431 432-433 434-435 436-437 438-439 440-441 442-443 444-445 446-447 448-449 450-451 452-453 454-455 456-457 458-459 460-461 462-463 464-465 466-467 468-469 470-471 472-473 474-475 476-477 478-479 480-481 482-483 484-485 486-487 488-489 490-491 492-493 494-495 496-497 498-499 500-501 502-503 504-505 506-507 508-509 510-511 512-513 514-515 516-517 518-519 520-521 522-523 524-525 526-527 528-529 530-531 532-533 534-535 536-537 538-539 540-541 542-543 544-545 546-547 548-549 550-551 552-553 554-555 556-557 558-559 560-561 562-563 564-565 566-567 568-569 570-571 572-573 574-575 576-577 578-579 580-581 582-583 584-585 586-587 588-589 590-591 592-593 594-595 596-597 598-599 600-601 602-603 604-605 606-607 608-609 610-611 612-613 614-615 616-617 618-619 620-621 622-623 624-625 626-627 628-629 630-631 632-633 634-635 636-637 638-639 640-641 642-643 644-645 646-647 648-649 650-651 652-653 654-655 656-657 658-659 660-661 662-663 664-665 666-667 668-669 670-671 672-673 674-675 676-677 678-679 680-681 682-683 684-685 686-687 688-689 690-691 692-693 694-695 696-697 698-699 700-701 702-703 704-705 706-707 708-709 710-711 712-713 714-715 716-717 718-719 720-721 722-723 724-725 726-727 728-729 730-731 732-733 734-735 736-737 738-739 740-741 742-743 744-745 746-747 748-749 750-751 752-753 754-755 756-757 758-759 760-761 762-763 764-765 766-767 768-769 770-771 772-773 774-775 776-777 778-779 780-781 782-783 784-785 786-787 788-789 790-791 792-793 794-795 796-797 798-799 800-801 802-803 804-805 806-807 808-809 810-811 812-813 814-815 816-817 818-819 820-821 822-823 824-825 826-827 828-829 830-831 832-833 834-835 836-837 838-839 840-841 842-843 844-845 846-847 848-849 850-851 852-853 854-855 856-857 858-859 860-861 862-863 864-865 866-867 868-869 870-871 872-873 874-875 876-877 878-879 880-881 882-883 884-885 886-887 888-889 890-891 892-893 894-895 896-897 898-899 900-901 902-903 904-905 906-907 908-909 910-911 912-913 914-915 916-917 918-919 920-921 922-923 924-925 926-927 928-929 930-931 932-933 934-935 936-937 938-939 940-941 942-943 944-945 946-947 948-949 950-951 952-953 954-955 956-957 958-959 960-961 962-963 964-965 966-967 968-969 970-971 972-973 974-975 976-977 978-979 980-981 982-983 984-985 986-987 988-989 990-991 992-993 994-995 996-997 998-999 1000-1001 1002-1003 1004-1005 1006-1007 1008-1009 1010-1011 1012-1013 1014-1015 1016-1017 1018-1019 1020-1021 1022-1023 1024-1025 1026-1027 1028-1029 1030-1031 1032-1033 1034-1035 1036-1037 1038-1039 1040-1041 1042-1043 1044-1045 1046-1047 1048-1049 1050-1051 1052-1053 1054-1055 1056-1057 1058-1059 1060-1061 1062-1063 1064-1065 1066-1067 1068-1069 1070-1071 1072-1073 1074-1075 1076-1077 1078-1079 1080-1081 1082-1083 1084-1085 1086-1087 1088-1089 1090-1091 1092-1093 1094-1095 1096-1097 1098-1099 1100-1101 1102-1103 1104-1105 1106-1107 1108-1109 1110-1111 1112-1113 1114-1115 1116-1117 1118-1119 1120-1121 1122-1123 1124-1125 1126-1127 1128-1129 1130-1131 1132-1133 1134-1135 1136-1137 1138-1139 1140-1141 1142-1143 1144-1145 1146-1147 1148-1149 1150-1151 1152-1153 1154-1155 1156-1157 1158-1159 1160-1161 1162-1163 1164-1165 1166-1167 1168-1169 1170-1171 1172-1173 1174-1175 1176-1177 1178-1179 1180-1181 1182-1183 1184-1185 1186-1187 1188-1189 1190-1191 1192-1193 1194-1195 1196-1197 1198-1199 1200-1201 1202-1203 1204-1205 1206-1207 1208-1209 1210-1211 1212-1213 1214-1215 1216-1217 1218-1219 1220-1221 1222-1223 1224-1225 1226-1227 1228-1229 1230-1231 1232-1233 1234-1235 1236-1237 1238-1239 1240-1241 1242-1243 1244-1245 1246-1247 1248-1249 1250-1251 1252-1253 1254-1255 1256-1257 1258-1259 1260-1261 1262-1263 1264-1265 1266-1267 1268-1269 1270-1271 1272-1273 1274-1275 1276-1277 1278-1279 1280-1281 1282-1283 1284-1285 1286-1287 1288-1289 1290-1291 1292-1293 1294-1295 1296-1297 1298-1299 1300-1301 1302-1303 1304-1305 1306-1307 1308-1309 1310-1311 1312-1313 1314-1315 1316-1317 1318-1319 1320-1321 1322-1323 1324-1325 1326-1327 1328-1329 1330-1331 1332-1333 1334-1335 1336-1337 1338-1339 1340-1341 1342-1343 1344-1345 1346-1347 1348-1349 1350-1351 1352-1353 1354-1355 1356-1357 1358-1359 1360-1361 1362-1363 1364-1365 1366-1367 1368-1369 1370-1371 1372-1373 1374-1375 1376-1377 1378-1379 1380-1381 1382-1383 1384-1385 1386-1387 1388-1389 1390-1391 1392-1393 1394-1395 1396-1397 1398-1399 1400-1401 1402-1403 1404-1405 1406-1407 1408-1409 1410-1411 1412-1413 1414-1415 1416-1417 1418-1419 1420-1421 1422-1423 1424-1425 1426-1427 1428-1429 1430-1431 1432-1433 1434-1435 1436-1437 1438-1439 1440-1441 1442-1443 1444-1445 1446-1447 1448-1449 1450-1451 1452-1453 1454-1455 1456-1457 1458-1459 1460-1461 1462-1463 1464-1465 1466-1467 1468-1469 1470-1471 1472-1473 1474-1475 1476-1477 1478-1479 1480-1481 1482-1483 1484-1485 1486-1487 1488-1489 1490-1491 1492-1493 1494-1495 1496-1497 1498-1499 1500-1501 1502-1503 1504-1505 1506-1507 1508-1509 1510-1511 1512-1513 1514-1515 1516-1517 1518-1519 1520-1521 1522-1523 1524-1525 1526-1527 1528-1529 1530-1531 1532-1533 1534-1535 1536-1537 1538-1539 1540-1541 1542-1543 1544-1545 1546-1547 1548-1549 1550-1551 1552-1553 1554-1555 1556-1557 1558-1559 1560-1561 1562-1563 1564-1565 1566-1567 1568-1569 1570-1571 1572-1573 1574-1575 1576-1577 1578-1579 1580-1581 1582-1583 1584-1585 1586-1587 1588-1589 1590-1591 1592-1593 1594-1595 1596-1597 1598-1599 1600-1601 1602-1603 1604-1605 1606-1607 1608-1609 1610-1611 1612-1613 1614-1615 1616-1617 1618-1619 1620-1621 1622-1623 1624-1625 1626-1627 1628-1629 1630-1631 1632-1633 1634-1635 1636-1637 1638-1639 1640-1641 1642-1643 1644-1645 1646-1647 1648-1649 1650-1651 1652-1653 1654-1655 1656-1657 1658-1659 1660-1661 1662-1663 1664-1665 1666-1667 1668-1669 1670-1671 1672-1673 1674-1675 1676-1677 1678-1679 1680-1681 1682-1683 1684-1685 1686-1687 1688-1689 1690-1691 1692-1693 1694-1695 1696-1697 1698-1699 1700-1701 1702-1703 1704-1705 1706-1707 1708-1709 1710-1711 1712-1713 1714-1715 1716-1717 1718-1719 1720-1721 1722-1723 1724-1725 1726-1727 1728-1729 1730-1731 1732-1733 1734-1735 1736-1737 1738-1739 1740-1741 1742-1743 1744-1745 1746-1747 1748-1749 1750-1751 1752-1753 1754-1755 1756-1757 1758-1759 1760-1761 1762-1763 1764-1765 1766-1767 1768-1769 1770-1771 1772-1773 1774-1775 1776-1777 1778-1779 1780-1781 1782-1783 1784-1785 1786-1787 1788-1789 1790-1791 1792-1793 1794-1795 1796-1797 1798-1799 1800-1801 1802-1803 1804-1805 1806-1807 1808-1809 1810-1811 1812-1813 1814-1815 1816-1817 1818-1819 1820-1821 1822-1823 1824-1825 1826-1827 1828-1829 1830-1831 1832-1833 1834-1835 1836-1837 1838-1839 1840-1841 1842-1843 1844-1845 1846-1847 1848-1849 1850-1851 1852-1853 1854-1855 1856-1857 1858-1859 1860-1861 1862-1863 1864-1865 1866-1867 1868-1869 1870-1871 1872-1873 1874-1875 1876-1877 1878-1879 1880-1881 1882-1883 1884-1885 1886-1887 1888-1889 1890-1891 1892-1893 1894-1895 1896-1897 1898-1899 1900-1901 1902-1903 1904-1905 1906-1907 1908-1909 1910-1911 1912-1913 1914-1915 1916-1917 1918-1919 1920-1921 1922-1923 1924-1925 1926-1927 1928-1929 1930-1931 1932-1933 1934-1935 1936-1937 1938-1939 1940-1941 1942-1943 1944-1945 1946-1947 1948-1949 1950-1951 1952-1953 1954-1955 1956-1957 1958-1959 1960-1961 1962-1963 1964-1965 1966-1967 1968-1969 1970-1971 1972-1973 1974-1975 1976-1977 1978-1979 1980-1981 1982-1983 1984-1985 1986-1987 1988-1989 1990-1991 1992-1993 1994-1995 1996-1997 1998-1999 2000-2001 2002-2003 2004-2005 2006-2007 2008-2009 2010-2011 2012-2013 2014-2015 2016-2017 2018-2019 2020-2021 2022-2023 2024-2025 2026-2027 2028-2029 2030-2031 2032-2033 2034-2035 2036-2037 2038-2039 2040-2041 2042-2043 2044-2045 2046-2047 2048-2049 2050-2051 2052-2053 2054-2055 2056-2057 2058-2059 2060-2061 2062-2063 2064-2065 2066-2067 2068-2069 2070-2071 2072-2073 2074-2075 2076-2077 2078-2079 2080-2081 2082-2083 2084-2085 2086-2087 2088-2089 2090-2091 2092-2093 2094-2095 2096-2097 2098-2099 2100-2101 2102-2103 2104-2105 2106-2107 2108-2109 2110-2111 2112-2113 2114-2115 2116-2117 2118-2119 2120-2121 2122-2123 2124-2125 2126-2127 2128-2129 2130-2131 2132-2133 2134-2135 2136-2137 2138-2139 2140-2141 2142-2143 2144-2145 2146-2147 2148-2149 2150-2151 2152-2153 2154-2155 2156-2157 2158-2159 2160-2161 2162-2163 2164-2165 2166-2167 2168-2169 2170-2171 2172-2173 2174-2175 2176-2177 2178-2179 2180-2181 2182-2183 2184-2185 2186-2187 2188-2189 2190-2191 2192-2193 2194-2195 2196-2197 2198-2199 2200-2201 2202-2203 2204-2205 2206-2207 2208-2209 2210-2211 2212-2213 2214-2215 2216-2217 2218-2219 2220-2221 2222-2223 2224-2225 2226-2227 2228-2229 2230-2231 2232-2233 2234-2235 2236-2237 2238-2239 2240-2241 2242-2243 2244-2245 2246-2247 2248-2249 2250-2251 2252-2253 2254-2255 2256-2257 2258-2259 2260-2261 2262-2263 2264-2265 2266-2267 2

Collection & Field Note Book

No. 95

Mar. 12, 1971 - Dec. 24, 1971

(53636 - 53926)

PagesEngland


Monk's Wood Experimental Sta, auto trip
 Cambridge to Stretham & Wicken Fen, 66-67
 Wicken north through Soham, N.S. Airbase
 -Mildenhall, Wangford Warren, Grimes
 Graves, West Suffolk, Barnham, near 70-71
 Newmarket road, Elvenden, northeast of
 Newmarket Strips, west of Cambridge
 Strips (description) 2-10 78-79
 Wangford Warren, Grimes Graves, Norfolk
 Barnham, Suffolk 53636-53645 10-13

Virginia

Roland, Bull Run Mts, Fauquier Co.
 (description) 14-17 77
 North br. of Broad Run, west of Thorough-
 fare Gap, Roland Ctr., w. base Bull Run
 Mts. 53643-53645 16-17 80-81
 Va. to Calif. (Hawaii trip) Bull Run Mts.,
 Blue Ridge, Kentucky-Ohio-Indiana-Illinois, 78-79
 California, South of Altamont Pass, on San
 Joaquin side (description) 18-24 82-83

Hawaii

Lawai Valley, Pacific Tropical Botanic
 Garden (description) 26-27 84-85
 Lawai Valley (Pacific Tropical Botanic
 Garden, Poipu Beach, grounds of Sheraton
 Kauai Hotel, Big Valley, Polihale State
 Park 53646-53658 28-29 86
 Vilabong, Sogoh (description) 32-33 89



No. 11 new tag -
 almost dead, with a
 scattering of dull reddish
 leafy twigs throughout
 entire basal branch with most
 twigs still alive, but very
 reddish dull yellow.

No. 12 new tag
 healthy tree with a few
 scattered dead twigs
 many epicormic twigs.

1971

April 12 Puhimau Crater


Schuettia no. 4 dead ^{leaves & twigs gone}

no 4 dead

dead leaves still on

no 3 ~~off~~ (toward crater
from 4, 2 m from crater)dead, no leaves but
small twigs still on)

no. 5 - living

many twigs dead,
esp. lower ones, but
living growth very
leafy, dark green,
healthy looking.
upper part very few
dead twigs.no 8 ? (pieces of tag
on ground but
lacking numbrs.
tree about in
condition of no 5.no 7 healthy with
a few dead twigs all
the way up and
leading shoot dead
some flowering*Anemone papaverica* occasional
around Puhimau.No. 11 new tag -
almost dead, with a
scattering of dull reddish
leafy twigs throughout
entire basal branch with most
twigs still alive, but very
reddish dull yellow.No. 12 new tag ^{new}
healthy tree with a few
scattered dead twigs
many epicormic twigs.

No. 13 Healthy tree with quite a few dead twigs throughout but mostly back on branches no epicormic twigs, rather sparse.

No. 14 new tag. almost dead top dead a few clumps of very red-yellow epicormic twigs healthy sprouts near base.

No. 15 Healthy large (10 m) tree, a few dead twigs throughout, some healthy basal branches, but no epicormic shoots.

No 16 Very leafy, but almost dead except for one healthy basal branch. Branch toward crater slightly more healthy than rest of upper part of tree.

Apr. 13 road to Kipuka Puaulu
cow droppings on road.

April 13 - Kipuka Puaulu

photo
Hibiscus giffardianus in good flower - tree now about 10-12 m tall, another at least 2/3 as high, 4 saplings, unbranched, seen. *H. hualalaiensis* gone.

Two sides of fence back of park striking contrast. Inside ferns, *Miconia* esp., luxuriant, abundant healthy seedlings of *Coprosma*, *Psychotria*, etc. No bark damage. No pig rooting.

Outside almost all *Coprosma* seedlings dead, bark removed up to 1-1.5 m. Ferns much less luxuriant, absent in places. Much pig rooting.

fence only a hog fence with one wire above it.

In rooted places *koa* seedlings are common, locally also *Coprosma* seedlings, now taller than *koa*.

Geranium carolinianum v. *australe* abundant in relatively recent pig rootings, comes in before grass.

(to page 54)

April 12 - Kilauea Iki Overlook

- 53669 *Dubautia scabra* var. *scabra*
 common in edges of
 Metrosideros forest

April 12 - Puhi-mao Crater,
 Chain of Craters Road
 in open, degraded
 Metrosideros forest

- 70 *Vaccinium reticulatum* Sm.
 very common

- 71 fungus
~~April 12~~ on recently dead
 Metrosideros trunks

- 72 fungus
 on dead Metrosideros
 trunks dead some time

April 12 - Kipuka Pene,
 Hiking Pali Road
 in edges of patch of
 tall Metrosideros trees

- 73 *Dubautia scabra* var. *scabra*
 very common

- 3700' low sprawling shrub,
 flowers white.

3750'

dwarf
 shrub to 3-4 dm tall,
 leaves stiff, bright green,
 somewhat ~~glabrous~~.
 glossy, flowers red,
 ellipsoid.

weak dwarf shrub,
 flowers white.

April 12 - Kipuka Nene,
~~Chain~~ Hilina Pali Road
 in edges of patch of
 tall Metrosideros trees

- 53674 *Kokia drynarioides*
 small planted trees
- (2) 75 *Alphitonia ponderosa* Hb.
 small probably planted trees
- (2) 76 *Bromus rigidus*
 local
- (2) 77 *Digitaria*
 local
- (2) 78 *Setaria geniculata*
 very common in burned
 over area

April 12 - Hilina Pali Road,
 between Kipuka Nene and
 Chain-of-Craters Road.

(2) 79 *Scaevola kilauea* Degener
 local in open Metrosideros
 forest on lava flows

April 12 - Hilina Pali
 in rock crevices
 on cliff

- (2) 80 *Nephrolepis multiflora* (Roh.) Jant.
 occasional
- (4) 81 *Sphenomeria chinensis* (L.) Maxon
 occasional, also on coarse
 talus

2925'

890m



tree 4 m tall.

tree 4 m tall, fruit green.

depressed to ascending

culms spreading
 to ascending, ~~se~~
 leaves slightly glaucous

3300'

1000m

depressed shrub,
 fruit black, fleshy, glossy.
 (seed sent to Pacific Tropical
 Botanic Garden)

7500-2250'

460-685m

leaves very crisped in
 texture.

- 53682 *Galinsoga parviflora* Cav.
 (3) on ledges below top of cliff
 (3) 83 *Galinsoga parviflora* Cav.
 in deep cavities in talus
 (5) 84 *Galinsoga parviflora* Cav.
 on bank above trail, abundant
 (3) 85 *Galinsoga parviflora* Cav.
 on trail below top of cliffs
 (2) 86 *Galinsoga parviflora* Cav.
 on trail part way down cliff.

April 13 - Kipuka Puaulu
 in semi-open forest

- (4) 87 *Dryopteris*
 locally common
 (5) 88 *Geranium carolinianum* var. *australe*
 abundant, especially
 where pigs have been rooting
 (1) 89 *Urera sandwicensis*
 rare

April 13 - lava flow just
 below Kipuka Ki
 in tall *Metrosideros* forest

- (6) 90 *Osteomeles anthyllidifolia* Lindl.
 common

April 13 - Mauna Loa Strip Road about
 Kipuka Ki

- (5) 91 *Stachytarpheta dichotoma* HBK.
 locally abundant in grassland

rays white

rays white

rays white

rays white

rays white

4000'

1220m



large rosette from
 erect rhizome, fronds
 spreading to strongly
 ascending.

weak-stemmed, from a
 thickened root; flowers light pink.

slender tree 4-5 m tall,
 young buds only.

4140'

1260m

procumbent mat-forming
 shrub, several m long,
 flowers white.

4200'

1280m

suffrutescent herb or shrub 1-2 m
 tall, flowers medium blue, stems black.

Apr. 13 - meadow to right
just after start of
Mauna Loa Strip Road.

Half dozen *Hibiscadelphus*
hualalaiensis, several
Pittosporum boomeri sp.
2 *Hibiscadelphus gibbardianus*
(fl. & fr.) planted.

Scattered *Myrsine*
lapindus. 1 large *Metrosideros*
in and around meadow. Several
small *Pipturus* and
Pisonia cf. *rockii*?, *Lophos.*

Ground cover of *Holcus*
very dense, with *Pteridium*,
Cornelina, *Cyperus brevifolius*,
Poa compressa,
locally *Geranium*, *Verbena*
littoralis, *Rubus penetrans*,
Hesperis matronalis (rare)

Pigs have rooted intensively
but very locally, esp. under
Lapindus.

1-2 plants *Lonicera arborescens*

No *Hydrocotyle* seen

A few cow droppings - fresh.

Lava flow (aa) below
Kipuka Ki - partly scrub-
covered, *Dodonaea*, *Styphelia*,
sparse small *Metrosideros*,
occasional *Vaccinium*,
occasional *Polypodium pallidum*.

Part of this flow, or an
adjacent one, has large
Metrosideros, considerable
fairly large *Dodonaea*,
a large leaved, fairly
large *Wilstroemia* is
occasional, *Osteria*
abundant, an elongate
procumbent form;
Psilotum nudum rare,
Carex walpolei abundant

6200' - Old palihoehoe slope -

mosaic of patches of acacia
koa forest, *Styphelia-Vaccinium*
scrub and *Deschampsia australis*
bunch grass.

Most *Vaccinium* here is
V. peleanum, with bluish
stiff leaves, dark maroon-purple
flowers, bushes to 2 m tall.

Some *V. reticulatum*, bright
green, lower stature.

6640 Lookout

Styphelia - variable complex.
Vaccinium peleanum

6000' Enclosure 10x100m
on slope, partly open *Styphelia*
scrub with *Deschampsia*,
partly *koa* forest.

fenced in ~~1965~~ July 1969

grass much thinner
outside, no *koa* sprouts,
abundant sprouts to 1m
inside, thick grass.

5000' *Styphelia* scrub with
koa
Pteridium
Vaccinium 2 sp.
Deschampsia
Dodonaea

above this several hundred ft.
a forest of *Dodonaea*

Bet. *Kipuka K.* and *K. Piccola*
along roadside *Bulbostylis*
capillaris and *Asplenium* sp.

Puhimau Nat Spot.

Nephrolepis multiflora (on stumps, on ground)
Metrosideros collina (on stumps)
Psilotum nudum (on stumps) (ground)
Cyperus polystachyos
Fimbristylis dichotoma var.
Tricholdena rosea
Digitaria chinensis
Bulbostylis capillaris (dead) (also living)
Andropogon virginicus
Portulaca sclerocarpa
Waltheria indica
Passiflora conjugata
Pteris "longifolia"
Buddleia asiatica
Euphorbia hirta (dwarfed)
Ophioglossum
Arundina graminifolia
Lycopodium complanatum
Sphenocarpus chinensis
Ageratum conyzoides
Sacciolepis indica
Vaccinium reticulatum (top of tiny rock peak)
Elaphoglossum reticulatum (on stumps)
Dodonaea viscosa
Styphelia tameiameia
Spathoglottis plicata
Pityrogramma celomelanos
Lindsaea ensiformis
Emilia javanica
Conyza can.

Anemone japonica nearby

April 13 - Mauna Loa Strip Road,
Lookout

in scrub alternating
with koa forest on gentle slope

53692 *Styphelia*
common

④ 93 *Styphelia*
common

4 93a *Styphelia*
common

April 13 - Mauna Loa Strip Road,
in Acacia koa forest

② 94 *Parmelia*
on horizontal branches of
~~tree~~ tree, common

② 95 *Usnea*
abundant on branches
and twigs of trees

① 96 *Vaccinium pelcanum* Schott.
common in scrub in openings

④ 97 same - in open scrub
Styphelia tameiameia
dominant

April 13 - Road to Bird Park
from Kilauea

in open scrub on ash-covered lava

⑤ 98 *Vaccinium reticulatum* Lm.
common

③ 99 *Nephrolepis multiflora* (Poeb.) J. J. Smith
very local in filled lava crack

6650'

2025m



shrub 1.5 m tall, flowers white.

shrub 1.5 m tall, flowers white.
shrub 1.5 m tall, " "

6200'

1890m



~~shrub 1.5 m tall, flowers white.~~

shrub 1.5 m tall, leaves
glaucous, flowers maroon

6100'

1860m

shrub 2 m tall, flowers
white.

1250m



dwarf shrub 3-4 dm tall,
leaves bright green, flowers
blood red with green lobes,
tube somewhat swollen.
fronds erect.

April 13 - hot spot below
Puhimau Crater, Chain of Craters Road
nearly bare hot earth
with many fumaroles

- 53700 (3) *Nephrolepis multiflora* (Roxb.) Jarrett
in crack on low stump
- (6) 01 *Fimbristylis dichotoma* var.
abundant on
- (12) 02 *Ophioglossum*
locally common around
mouths of fumaroles
- (1) 03 *Pteris*
around mouth of fumarole
- (1) 04 *Pteris*
around mouth of fumarole
- (1) 05 *Pteris*
around mouth of fumarole
- (1) 06 *Lindsaea ensiformis*?
very rare, mouth of fumarole
- (5) 07 *Nephrolepis multiflora* (Roxb.) Jarrett
in local dense stands,
very common
- (3) 08 *Nephrolepis multiflora* (Roxb.) Jarrett
abundant around a fumarole
in cooler ground near edge
of open area

April 14 Kalapana Beach, Tuna
in freshwater pond back of
dunes

- (4) 09 *Egeria densa* Bail
abundant

3600'
1100 m



fronds erect

leaves curved, prostrate,
stems prostrate

det Jarrett, 1976 fronds erect

det Jarrett, 1976

0 m

loosely rooted or floating, flowers
white, emerged,

April 14 - Road to Kalapana
from Oloa.

Cecropia obtusifolia has
spread along road for
some miles from Oloa (76)

Melochia umbellata also.

Several small *Cecropia* along
road. 4 m tall in places
15-20 m from road. Larger
branched one farther on and
a colony at 77.6 One large one
at 78.7 80. several fair size
side of road.

83.9 Pahoa

photos Original vent of 1955 flow
(where old house & store were)
Rocks now light gray with
a luxuriant growth of
Stereocaulon vulcani
to 3-4 cm tall.

- a *Neckerolespis multiflora*
 - c *Arundina graminifolia* (fl.)
 - c *Metrosideros collina* (5-10 m) (fl.)
 - c *Andropogon virginicus*
 - o *Melastoma malabathricum* (fl.)
 - r *Rhacopilum* (very sheltered spot)
 - a (moss) very common in cracks
 - o *Psilotum nudum* (fl.)
 - r *Eupatorium riparium*
 - r *Sadleria cyathoides* (sheltered)
 - r *Pluchea odorata* (fl.)
- a number of others

species in disturbed area along rd.

Mimosa pudica

Cassia leschenaultiana

Nesmodium canum

Lycopodium complanatum

Machaderia angustifolia

Sacciolepis indica

Spathoglottis plicata

Pityrogramma calomelanos

(spreading up slope along path)

lower end of this flow has
no lichens or other plants.

At Papaya factory

quite a few seedlings *Cecropia*

& 1-1.5 m on road embankment

1 *Manihot glaziovii* sapling

2-3 m. unbranched.

Upper road across Kamaile Flow 1955

photos

photo of Kipuka

Kalapana Beach

Coconuts planted ~~on~~ most
of dunes. *Ipomoea pes-caprae*.

Fresh water pond seaward
of road has abundant *Egeria*

photos

Place where flow cut road -
lava flowed 100-200 m down road.
No noticeable effect on vegetation
for more than 1 or at most 3 m
from edge of flow.

Apr. 14 - where 1971 flow
cut Kalanianaʻe - Kilanui Road
below Naulu Forest
in dry low scrub near edge
of lava flow

53710

Indigofera tinctoria
at edge of lava (survived at
exact spot where *suffruticosa*
was killed)

(24)

11 *Indigofera suffruticosa*
near edge of lava flow
(dead branch killed where *tinctoria*
survived.)

same - ^{lava} plain for 1 mi to from
sea

(6)

12 *Portulaca*
occasional in ash and cinder
pockets on pahoehoe flow.

(3)

13 *Fimbristylis hawaiiensis*
occasional in ash pockets on
pahoehoe flow

(6)

14 *Passiflora foetida* L. var.
occasional in small depressions
in pahoehoe flow

April 14 - cone at head of ¹⁹⁵⁵ Kamaile Flow
near Pahoa
on surface of ~~the~~ pahoehoe lava

(1)

15 *Chaetomitrium lanuginosum*
very rare, only 2 tufts seen in sheltered spot.

(2)

16 (moss)
very common

flowers salmon or old-rose
to

shrub 1 m tall, fls salmon or
old-rose

fleshy, bronze, subterete leaves,
fusiform roots, rose-pink
flowers, closed at 2 pm

rounded cushions

no capsules seen.

Lambucus mexicanus
naturalized several places
along Volcano Rd. and also at
Kapohe.

Cecropia on road to Kapohe
where *Albizia* is.

Area near ¹⁹⁷¹ ~~Kapohe~~ lava flow
4 discernable belts of vegetation
between sea and road - distance
of about a mile, old Kapohe.

for
list
see
p. 65

1. near sea, from cliff back 100 m
or so *Fimbristylis cymosa* is very
noticeable but sparse, with
a few other plants, especially
in sheltered spots with some
ash accumulation.

2. inland from this a belt with
extremely sparse vegetation.

3. a wide belt of sparse
vegetation with *Nephrolepis*
prominent in cracks, *Bulbostylis*,
Waltheria, *Cassia* in patches
of ash in depression, *Heteropogon*,
Vernonia, etc. also in cracks.

4. a somewhat steeper slope,
about 100-200 m wide below
road. This has essentially
the same species as belt 3 but
the vegetation is closed and most
species are more abundant.

Possibly a few additional ones not noticed.

April 24 - Roland, S.W. base
of Bull Run Mts. 2 mi. N.W. of
Thoroughfare Gap

in small swampy area
between two streamlets in
deciduous forest

x
53717 *Vaccinium atrococcum*
very local

x
(2) 18 *Vaccinium atrococcum*
very local, bank of stream

A few wild flowers
in bloom

x *Dentaria laciniata*

~~Thalictrum~~

x *Thalictrum thalictroides*
Viola sp.

x *Languenaria canadensis*
(almost past flowering)

x *Lilium caroliniana*

x *Lindera benzoin*

x *Arisaema atrovirens*

shrub 1.5 m tall, branchlets
brownish; corollas greenish
white.

shrub 3 m tall, branchlets
green; corollas cream white.

June 25 — trip to Finland
Left Washington about 6:30 a.m.
missed connection in N.Y.

Left N.Y. at about 12:40 a.m.,
arrived London 12:15. Left London
Heathrow at 1:50 p.m. High clouds
and bad visibility.
Arrived Helsinki about 5:45.

Helsinki is built on a
substrate of pink granite
variegated with black, outcropping
in low rounded bosses here
and there.

Left Hotel Vaakuna at 11:20.
Toured Helsinki.

The Sibelius monument,
in Sibelius Park is outstanding.

Drive from Sibelius Park
to follows the
east side of Lake

through a mosaic of mixed
needle-leaf evergreen forest and
broad-leaf deciduous forest
and cultivation on a
rolling expanse of low
granite bosses with
depressions filled with
morainal material, this
cultivated or in meadow
with many wild-flowers.
Much of the forest is a
transition between broad
leaf ~~deciduous~~ and needle-

leaf. Regeneration in
openings seems mostly
Betula, *Populus*, *Alnus*, *Falix*,
which are the principal
genera in the broad-leaf
forest. Conifers are
Picea abies, *Pinus sylvestris*.

Saarinen estate

Very pleasing architectural
and landscape complex.
Outdoor sculpture exhibit—
very modern, many pieces
so far out or so artificial as
to be not pleasing, but
some superb examples.

Acer platanoides

Lyranga spp.

and many smaller ornamental
shrubs and herbs,
in addition to the pines, birches,
spruces, etc.

In surrounding ^{wood} forest a
ground cover of *Vaccinium* spp.

Trip to Jyväskylä through
a continuation of the rolling
worn-down granite ~~at~~
catena of knolls of hard
rock and depressions with
morainal sand and gravel.
Total relief probably not
more than 30 m or so. Same
improved gradient of forest types.

Wild or semi-wild trees:

Pinus sylvestris
Picea abies

Betula alba (s.l.)

Populus tremula

Sorbus aucuparia

Alnus

Acer pseudoplatanus

Acer platanoides

Salix

June 26

Laarjälven
 Lummasaari

Pine-birch forest with
 ground cover of *Vaccinium myrtillus*,
V. vitis-idaea, with

Platanthera bifolia

Geranium sylvaticum

Veronica chamaedris

Linnaea borealis

Melampyrum

Pyrola rotundifolia

P. uniflora

P.

Lycopodium complanatum

June 30 Pyhäjärvi Natural Park

Mixed dense forest -
 broad-leaf and needle-leaf
 trees to 30 m tall 1-3 dm dbh,
 trees 1-3 m apart. Has been
 no cutting in 300 years, but
 occasional fires.

Pinus sylvestris

Picea abies

Populus tremula

Betula pubescens

Sorbus aucuparia

Alnus

- dense ground cover
 a of *Vaccinium myrtillus*
 c *V. vitis-idaea*
 o *Rubus saxatilis*
 lc *Thelypteris dryopteris*
 r *Athyrium*
 c *Maianthemum*
 r *Calluna vulgaris*
 r *Trientalis europaea*
 r *Salix*
 lc *Convallaria majalis*
 lc *Solidago virgaurea*

Large old pines
 from before fires. Some dead.

Acc. Prof. Mikhala the
 large *Pinus sylvestris*
 (up to 4 dm dbh), some of
 them dead, are relicts from
 before the 3 forest fires.
 After the fires birch, aspen
 and perhaps some pine
 came up. The mixed forest
 thus established was
 gradually invaded by
Picea, which, without
 further fires, will gradually
 replace the birch and aspen,
~~gradually~~ then even the pine,
 forming a dominantly
 spruce forest. In the
 present forest, fairly
 well along in this succession

but still definitely
 a mixed forest, has
 many fallen trees, of
 all sizes. These are
 covered with moss,
Vaccinium, etc.

July 3 - Left Jyväskylä at 7:30 p.m.
 weather very clear.

For the first part of the
 trip, the proportion of forest
 in the mosaic is as much as
 90%, with cleared areas near
 lakes and roads. Toward
 Helsinki it decreases to
 perhaps 75-85%, still largely
 following roads. Lakes ~~are~~
 scarce, forest more unbroken
 around them. A large bog -
 filled in lake. Proportion of
 forest becoming less, but still
 more than 50%.

July 4 Left Helsinki at 11:50 a.m. for
 Amsterdam ~~via Copenhagen~~.

Mosaic of forest, grain fields and
 lakes, perhaps 50-45-5%, the
 knolls wooded, the flat ground
 cultivated. Some of the patches
 of wood thin, with rock
 showing through, more as flight
 progresses, also proportion of
 cultivation increases to perhaps 50-60%.

June 30 - Pyhäjärvi Natural
Park, near Saarijärven
in semi-open managed
~~Picea forest~~ Pinus-
Betula forest with dense
ground layer

Labels
done
through
53714

53719

Linnaea borealis L.

locally very common

1 ✓ 20

Lycopodium clavatum L.
very local

July 2 - Jyväskylä,
university campus

1 ✓ 21

Caragana

planted as an ornamental

July 25 - Sunderland Cascades
low beccia cliff with
moss and ferns, beside waterfall

1 ✓ 22

Woodia

July 31 - Roland Center,
s.w. slope Bull Run mts.,
2 mile n.w. Thoroughfare Gap
Fauquier Co.

②

23

Galinsoga

weed near dwelling,
along garden fence

①

24

Galinsoga

Aug. 4 Sleepy Hollow, 1 mi. n. of Falls Church
in weedy garden patch

trailing, scapes erect,
flowers pinkish-white, fragrant.
rhizomes superficial but
buried in moss layer,
not very extensive.

shrub 2.5 m tall with
many stems from base.
fruit immature

Franklin Co. Mass.

rays white.

rays white

July 4 flight ctd.

12:05

Then proportion of water increased very much.

12:08

The land gradually changed into an archipelago of a myriad of small islands. These are mostly very thinly wooded and rocky.

12:10-11

Then tiny ones with scarcely any vegetation.

12:14

Then the islands get larger - the largest partly cultivated or grazed, partly rocky and thinly vegetated. Several small towns.

12:15

The archipelago ends abruptly. Another ahead in distance.

12:17

This is rather the Estonian coast similar mosaic to southern Finland. Larger proportion of cultivated land and of water than most of the ~~far~~ southern Finnish landscape, but proportion of forest increasing southward.

12:40

Visibility becoming very poor.

12:58

A large city.

Land mostly cultivated, sea a short distance to right.

1:07

A large lake, then the sea but no visibility - fog.

1:30 ~~1:20~~

Land glimpsed dimly through the fog.

1:16

Series of sand flats and bars, ending in curved section of barrier beach.

1:26

Then open sea. Crossed Dutch coast - section of barrier beach. Completely cultivated landscape away from coast.

1:29

Turned sharp right.

1:30

Crossed a complicated estuary with sand flats.

~~Crossed~~

Most of flight from Amsterdam to N.Y. over clouds with no visibility. However, crossing western Greenland ~~was~~ visibility was reasonably good. The ice-cap seemed very flat, but along western margin a rugged mountain range protrudes through it, with peaks and slopes free from snow and ice. Western side has very little ice or snow, but in the fjords floating ice is abundant, also outside in Davis Strait. Ice blocks are not evenly distributed. Certain patches have them very dense. In sparser areas they seemed to be more or less linearly ~~rather~~ arranged east and west.

1971 New York

July 23 - ^{about} 1.5 miles west of
Sweden Center, just
north of Jackson Rd.

Small hillock about
8-10 m high surrounded
by cultivated fields.

Hill is apparently an
erosion remnant of
bedded limestone containing
abundant fossils.

Collections made and
delivered to Gus Cooper,
U.S.N.M.

Orleans Co.

July 25 Leverett Lake Ovens,
head of Rattlesnake Gutter
2 large charcoal ovens
near a beautiful stream
and small waterfall.
Ovens have been in use for
150-200 years, abandoned 9 years ago.

Mixed second growth
with *Quercus rubra*, *Fraxinus*,
Acer ~~rubrum~~ nigrum

Small weedy meadow.
Alnus thickets along stream.
Stream is Sawmill River.

Rattlesnake Gutter

Gorge with mixed
hemlocks, yellow birch,
Quercus prinus, *Acer rubrum*, *A.*
nigrum, white birch,
Picea laricina, *Pinus strobus*,
Quercus rubra, *Tilia americana*, *Fraxinus*
with *Kalmia latifolia*,
Hamamelis, *Acer spicatum*,
Rubus odoratus, *Tilia americana*,
Fraxinus, *Acer pennsylvanicum*,
Rhododendron cf. nudiflorum
Good diversity of habitats.

The gorge is about $\frac{3}{4}$ mile
long, opening out below
into a somewhat dissected flat
~~state~~ with white pine
and mixed northern
hardwood. A number of
owners, possibility of preservation.

Sunderland Cascades -

(Mt. Toby Quadrangle 7 $\frac{1}{2}$ ' 4594)

Small stream flowing
over flat beds forming
3 waterfalls about 15-20 ft
high. Ledges with abundant
liverworts, ferns -

Asplenium rhizophyllum
on a low breccia cliff, *Woodsia*?
40 acres northern hardwoods
nice little marsh. Possible
gift to C.R.W.C.

Projects of Conn. R. Watershed
Council.

Wharton Brook State Park
above New Haven near Wallingford.
White Pine plantation. Very
intensively used.

Aug. 4 - Left Dulles 5:45 p.m.
 Aug. 5 Arr. Paris 7:50 a.m.
 Left Paris 11:00 a.m.
 Arr. Athens 2:45 p.m.
 Lv. " 3:30 p.m.

Hills around Athens
 Airport are gray-brown,
 very dry, shrubby
 vegetation sparse on
 slopes, denser on relatively
 level hill-tops and shallow
 ravines.

Golf course very green,
 with open stand of stone
 pines.

4 Arr. Beirut 5 a.m.
 Hills back of Beirut
 are generally wooded or
 heavily bushy, but
 very much built upon.
 Buildings nearly to tops.

Tjibojung - arr. just before
midnight Aug. 11
ornamental

Pinus merkusii
Spathophyllum
Cupressus
Acalypha wilkesiana
Rhoeo spathacea
Calceolarius scutellaroides
Zinnia elegans
Cordyline fruticosa red
Plumeria obtusa
Catharanthus roseus
Cecropia pentandra?
Lithospermum diversifolium (spontan.)
Euphorbia pulcherrima
Antocarpus altilis
Mussaenda philippica cv. *Dona Aurora*
Bougainvillea glabra
Allamanda henderonii
Allamanda cf. cathartica
Caryota urens
Alternanthera betzioides
Cyperus circinalis
Filicium sp.
Gardenia jasminoides
Delonix regia

Largeh -

Grove of *Dipterocarpus* sp.
pure stand, all ~~ages~~ sizes
up to about 1 m dbh.
35 m tall

2 m ^{thick} shrub layer of
Psychotria, *Casuarina*,
Aglaonema, *Ardisia*, etc.
Piper on some tree trunks.
Epiphytes on highest branches.

Perhaps 10 ha, temple near center
Highly intricate masonry and
sculpture, covered and made
green by moss, hepatics, ferns,
Pilea, and other plants. Ground
around temple with *Axonopus*
compressus.

In forest the litter is dense,
mostly *Dipterocarpus* leaves,
very few herbs except a few
ferns along trails. *Clatostemma*
occasional.

Many very tame monkeys
(macaques?) gray.

Aug. 21 - trip from Canberra

~~Rolling~~ Rolling to hilly country
woodland - open scrub forest
with open acacia spp. shrub layer.

Through Gueanbyan

Then "table-land", rolling
slightly less hilly - very open to
semi-closed rather taller Eucalyptus
little undergrowth.

Cleared about 1880±, some
regrowth. Badly eroded hills,
to bedrock.

Around Bungendore is
a large basin with internal
drainage, mostly open.
Lowest point is Lake George -
an intermittent lake. Water
enough for water sports in
rainy periods. Dry, ~~supposed~~
supposedly by evaporation, in
dry periods - then bed grazed by sheep.

Then low-hilly country, closed
to open Eucalyptus forest,
west of Bungendore.

Then another basin, mostly
open.

Rocky scrub with -
Mannar Creek NW of Braidwood
& of Bungendore.

- several Eucalyptus spp.
incl *E. pauciflora* - snow gum -
parallel veined lvs.

photos of *Panicum* spp.
masses caught in fences.

Then very flat mostly
open country, a few
scattered Eucalyptus, some
Pinus planted along fences.

Warri Bridge, Shoalhaven R.

~~Now by road~~

Granite river bed with
Leptospermum. Ravine walls
with mixed scrub, some
Eucalyptus trees. *Lomandra*
(aff. *Xanthorrhoea*) "mat brush"
Acacia sp., *Leptospermum*
Terrace wooded fairly densely.
Surrounding country
cleared woodland.

Braidwood.

* *Salix* along creeks is all
introduced.

No native deciduous trees.

Low hills bet. Dumas

Duma & Marlow

Acacia botryocarpa

Pteridium

roadside in Eucalyptus
forest.

Between Charlezong and Nerige
wooded with Eucalyptus but
large cleared areas - woods fairly
thick but not very tall.

Nerriga is in a large rather flat cleared basin surrounded by wooded hills.

Endrick River - in hills covered by Eucalyptus forest, river lined by Casuarina cunninghamii, 10-15 m tall, shrub layer of Leptospermum, Acacia spp.

Hills with ^{triflor} Eucalyptus forest with some Casuarina sp. & irregular shrub layer of Acacia sp. in flower.

Upper part is flat eroded sandstone with scrub forest of Eucalyptus ^{with} Acacia + Hakea, Leptospermum ^{distyle}, Lepidospermum, Boninia (Rutae), Casuarina ^{distyle}, Grevillea baueri, Dillwynia, Grevillea sp. Leucopogon, Olan, ~~Restio~~, Lomandra flexilis, Caustis, Gleichenia repens, Stylidium, Platysace lanceolata

W. end of Pigeon House Range
Pyroasia
Hymenophyllum
Leucopogon sp. lanceolatus
Censurus

Along Pigeon House Range
heath-like veg. with scattered Eucalyptus. Thin soil on sandstone

Tianjana Falls ^{1600'}
where Tianjana Cr. falls over a very high ~~cliff~~ cliff. Sandstone
Heath-like vegetation with tall Leptospermum with scattered Eucalyptus along creek banks.

Restio
Lepidospermum?
Leucopogon sp.
Acacia sp.
Hakea

Bet. Tianjana Falls
forming generally closed Eucalyptus forest.

1 mi. N of ~~Yattergatta~~ Milton
Yattergatta Cr.
Kennedia ^{ia} unbecunda Vent.
Commersonia fraseri f. gay
Goodenia ovata
shrub

Kialoa State Forest
Cochuby Creek, S. of Termeil
Gleichenia
thick Eucalyptus forest with ^{some} second story of other genera. Livistona australis occasional.
Away from creek the undergrowth thins out and is sparse.

just north of Bateman's Bay
in this forest

Macrozamia
abundant

Pomax umbellata

Clyde Mt, upper slope 2400'

Cyathea

Enyphus monei

in moist Eucalyptus forest
with thick undergrowth.
tree ferns common

Aug. 21 - Manan Creek,
east of Bungendore, northwest of
Braidwood

53725 in open forest on rocky slope

53725 *Eucalyptus pauciflorus*
occasional

① 26 *Eucalyptus*
occasional

Aug. 21 Low hills between
Durrant Duna and Marlow
in roadside in Eucalyptus forest

① 27 *Acacia botryocephala*
occasional

② 28 *Pteridium aquilinum*
common

Aug. 21 - Warri Bridge,
Shoalhaven River

② 29 *Leptospermum*
occasional on irregular
granite river bed, submerged
at high water

Aug. 21 - West end of
Pigeon House Range, east
of Endrick River
on dissected flat
bedded sandstone

① 30 *Platysace lanceolata*
rare

① 31 (lichen)
very common on flat surfaces

small tree with very
light smooth bark.
small tree with rather
dense round crown.

shrub, flowers light yellow.

rhizome deeply buried,
about 5 cm thick.

slender shrub 1 m tall.

2000 -

2200 ft.

600 - 670 m



dwarf shrub 0.5 m tall

(over)

- 53732 *Casuarina distyla*
 (2) common
- (2) 33 *Caustis*
 occasional, very local
- (2) 34 *Hakea*?
 with m.H. Lachet
 common
- (2) 35 *Cassytha*
 occasional, entangling
 other plants
- (1) 36 *Boronia*
 with m.H. Lachet
 very local
- (1) 37 *Grevillea baueri*
 occasional
- (1) 38 *Dillwynia*
 with m.H. Lachet
 occasional
- (1) 39 *Stylidium*
 occasional, local
- (1) 40 (exh.)
 locally common
- (1) 41 *Lomandra flexilis*
 locally common
- (3) 42 *Gleichenia rupestris*
 with m.H. Lachet
 very local in roadside
 ditch
- (5) 43 *Pyrosia*
 on road cut
- (3) 44 *Leucopogon cf. lanceolatum*
- (2) 45 *Hymenophyllum*
 on road cut
- (1) 46 *Persoonia*
- (2) 47 *Leucopogon*
 locally common on flat surface
- (3) 48 *Oxal*
 occasional

shrub up to 3 m tall,
 erect.

erect

shrub, flowers white

purplish brown

dwarf shrub, 3-5 dm tall,
 flowers pinkish white.

shrub to 1 m tall, flowers
 crimson

dwarf shrub, flowers orange.

rosettes rather glaucous.

sterile; very distichous.

forming a dense mat

shrub, flowers white.

fruit green, slightly oblique.

dwarf shrub 2 dm tall,
 flowers pinkish white.

slender erect shrub

about 1 m tall, yellow-green, flowers
 white, buds yellow.

Aug. 21 - ~~at~~ above Tianjana Falls,
Tianjana Creek, west of Samford
in irregular scrub
in open forest on sandstone

1600 ft.

490 m



53749

Restio

(2)

locally common on ~~sandy~~ sandy
stream margin

(3)

50

Bauera

very local on sandy
stream margin

(1)

51

Hakea

occasional

(2)

52

(sedge)

common

(1)

53

Epacris Irichilia kirta L.

occasional

(1)

55

Exocarpos

rare

Aug. 21 - about 2 miles north
of Milton, south of Yattergatta
in roadside scrub in
open Eucalyptus forest

(3)

56

Kennedia rubicunda Vent.

occasional

(3)

57

Gordonia ovata

(1)

58

Olearia

(2)

59

Commersonia fraseri f. gay
common

with
V. Kragina

(1)

60

Aug. 21 Kialoa State Forest,
Cockwhay Creek, south of Termeil
Gleichenia

erect

weak, tangled.

shrub; flowers white

culms terete, erect.

flowers white

strictly erect shrub
2.5 m tall; young growth
yellowish; sterile.

tough ~~twining~~ twiner, flowers
dark maroonish red.

flowers bright yellow

shrub; rays white, disk yellow.

shrub to 2-3 m tall;
flowers white.

erect

Aug. 21 just north of
Bateman's Bay

53761 *Pomax umbellata*
in thin forest

① with
H. Eichler

Aug. 21 - Upper slopes of
Clyde Mt.

62 *Eucryphia moorei*
occasional in thick
moist ~~for~~ Eucalyptus forest
with tree ferns

① with
R. Hoggland

Aug. 22 ~~Liddmont~~ Tidbinbilla
Nature reserve

63 *Cheilanthes tenuifolia*
common on open rocky, grassy
slope, formerly cleared for pasture

①

730m

small tree; leaves very
glaucous beneath.

small erect tufts.

1971 ~~Mar~~ Hawaiian Is

Aug. 31 West side of Kahului Bay
 range of consolidated
 dunes 300 ft wide, with
 thin sand cover
 Irregular patches of
Leucaena & *Prosopis* with
 open dune rock and sand
 between them. *Heteropogon*
 around clumps of bushes.

In openings

Scaevola coriacea~~*Heteropogon*~~*Heterotheca grandifolia**Scaevola taccada**Lipochaeta integrifolia**Nama sandwicensis**Timbristylis cynosu**Waltheria indica**Leucaena leucocephala*

Aug. 31-32 Kula

There has been an extended
 drought - Waikamoi reservoir
 is down to about 2 ft of water.
 Water rationed to 6 hours a
 week.

Mar

Stachytarpheta jamaicensis
Anagallis arvensis
Lido fallax
Bidens
Cenchrus echinatus
Lantana camara
Tridax procumbens

Many dead *Achatinga fulica*,
 a very few of a narrow-spined
 native shell(?) and on landward
 side of dune, in upper edge
 of cemetery, many of a
 low-spined ~~on~~ medium
 sized ~~native~~ species(?), the
 last two collected.

1. *Euglandina rosea*2. *Eulota similis*

both det. by Yoshio Kondo
 who remarked on how soon
 the *Euglandina* (introduced
 about 10 years ago, to control
Achatinga) had become fossil.

Aug. 31 - West side of Kahului Bay.

On slopes of poorly consolidated calcareous sand-dune, with thin loose sand locally.

53764

Nana sandwicensis

common in crevices and pockets of loose sand in open areas

(1)

65

Anagallis arvensis L.

local in edges of brush patches

(1)

66

Passiflora foetida

rare in edges of brushy patches

(1)

67

Sida fallax

very local in small openings

(14)

68

Bidens mauiensis

common in crevices in open areas

(4)

69

Lipochaeta integrifolia

very common in open areas

(14)

70

^{coriacea}
Scaevola coriacea

common in open areas

Aug. 31 Haleakala Ranch pasture below Upper Kula Road, Kula, west slope of Haleakala

in gently sloping pasture land

(4)

71

Abutilon grandifolium

occasional, edge of Acacia thicket

(6)

72

Xanthium

local colony on flat low place

15-30m.

flowers very pale pink, plant prostrate.

seen in dry condition only, clearly behaves as an annual here, climbing, bracts purplish, fruit purplish when ripe. prostrate, flowers faded orange.

main stems prostrate, twisted, scape erect to ascending, flowers yellow.

forming gray mats up to 3-4 dm long; not flowering at this season.

prostrate shrub, ^{rooting at nodes,} forming very loose mats; leaves stiff coriaceous, flat, tending to be held erect; flowers ~~dull yellowish~~ ^{pink} on thick parts outside, thin parts and inside of corolla white; fruit ~~fleshy~~ shiny black.

1000m

shrub ² m tall, flowers orange
aromatic herbs, ^{odor rather like a shrub,} up to 1 m tall, large ones branched.

108

1971 Virginia

Sept. 18 - Roland ^{complete loc.}
_{from # 53645}x
53773

Wolffia

(2)

edges of artificial pond, on mud

Two or three submerged and semi-submerged aquatic plants common in shallower parts. Wolffia on ~~in~~ wet mud at edge of ~~the~~ pond, at least on leeward side.

Fauquier Co.

109

Oct. 15 - flight to St. Louis
crossing Blue Ridge somewhat
south of Front Royal (31000') (alt.)

Patches of forest on Piedmont
show no significant fall
coloring. Some shows up
on Bull Run Mts, but not much.
A little in Blue Ridge, more
as we go west, esp. on a high
complex in the Shenandoah
Mts. (?), but increasing
irregularly, and not
altogether with elevation,
as the most conspicuous
is an area of moderate
elevation in West Va.

Moderate in w. Ohio.

Haziness or what appears
to be smog, a translucent
haziness, noted in eastern
Ohio, increasing irregularly
till about w. Ohio or Indiana
ground is obscured completely.

Oct. 24 - trip to Roland

Route 66 bet. Beltsville and
Gainesville

Color change near its height -
x Nyssa deep scarlet
but leaves largely gone.

x Quercus generally still green
except Q. palustris which
is greenish brown.

x Fraxinus butter yellow
changing to deep purplish or
maroon.

x Liriodendron bright light
chrome yellow.

x Larrea greenish yellow
to deep chrome yellow to
somewhat brownish.

x Acer rubrum light green
to butter-yellow to somewhat
red.

x Cornus florida dull deep
crimson to maroon.

x x Rhus glabra + typhina
vermillion to scarlet,
some plants still partly green.

x Cercis yellowish or
greenish yellow.

x Robinia yellowish green.

x Sassafras greenish yellow
through bright yellow, orange
to scarlet.

Oct. 30 - New Orleans

Mississippi River at Audubon Park - belt of *Sesbania* sp. along ~~levee~~ levee margin - about 3-4 m tall. At this season leafless, abundant pods. Looker purple from a distance but close up not evident where the color comes from. Pods are brown. Some said to remain on until March.

Oct. 31 Belize Br. Honduras

Much natural or semi-natural vegetation within easy reach of city. Mangroves on way from airport.

About 20 mi[±] south of Belize a large area of what appear from a distance to be limestone mogotes.

Large cays just south of passage through ~~group of~~ ^{group of} ~~cap~~ ^{cap} ~~lagoon~~ scrub forest with tall dead snags and trunks protruding up to twice the height of green vegetation. On one are a couple of large buildings.

North of passage are about 12 small cays. First has

a number of buildings of all sizes. A few cocos about as tall ~~as~~ twice as tall as buildings. There are 4 houses no shrubs, some grass.

In the others there is only 1 coco, rather tall. Veg. is mostly mangroves or others, in very poor shape, taller trees mostly dead. Several small remnants are only tangled dead mangroves, water between. Only one of the other 11 cays ~~has~~ has a house, the same one with ^{the} cocos. The entire islets are affected by the hurricane.

Nov. 1 Robertson Island - scrubby forest much damaged by Hurricane Hattie - Many old bare trunks rising above low scrub or scrub forest. An eagle's nest in one old trunk, one eagle sitting on it. 2 other bald eagles sitting on old snags one near the nest.

On a remnant of a mangrove cay north of Simmons Cay 3 brown pelicans on old dead mangrove root crowns.

On cay immediately north-west of Simmons Cay another

eagle's nest on top of a broken-off tree-trunk!
One tall coconut palm on Lammers Cay, also an abandoned house, rather skeletonized.

Occasional flying fish.

The cays near Tobacco Pass have much ~~more~~ taller and more luxuriant vegetation with much fewer dead tree-trunks. Clearly less influenced by Hurricane Hattie.

At 4 p.m. entered the southwest pass of Glover's Reef.

Southwest Cay I is covered by tall coconut trees with only one small clump of shrubs in about the middle of the top of the beach on the pass side. Closer up some other bushes can be seen. Many seedling coconuts.

Southwest Cay I has dense undergrowth on northeast peninsula.

Nov. 2 - Long Cay

no. apparently wrong inf.

Fogged with "Vapona" "dimethyl tulanide" bet. 8:30 and 9:00 a.m. Said to be the most harmless insecticide available. No apparent effect on dragon-flies - Libellula that are flying around in some numbers.

from label on bottle.

active ingredients:
Chlorinated Terphenyl 40%
Aromatic petroleum derivative
2,2-Dichlorovinyl dimethyl
best ingredient phosphate

contains 60% Chlorene.
"Kill Flies Fast"

Fogged yesterday and today, otherwise about once a month.

Shape of peninsula changed by Hurricane Francella 1969 Sept. 2 years ago. Truncated just beyond coconut trees beyond dining room. Seaward coast north of beach-rock straightened out by this storm.

Irregular rubble flat beyond coconut tree on peninsula built up in last 2 years.

Along lagoon shore a considerable row of piles up *Thalassia*, *Syringodium*, *Sargassum*

Amphipods and isopods in it.

bottle (Collected mosquitoes in tent, Chrysomelid in throat of *Hymenocallis*, scarab around light, also other beetles. *Lepisma* in tent.

Colonists on new land at end of peninsula.

Sesuvium portulacastrum

Crocanthus erectus

Euphorbia mesembrianthemifolia

Coccoloba uvifera

Tournefortia graphalodes

Coconut trees at north-east end have pinna tips brown.

Thalassia - *Syringodium* beds from 0.5 to 2 m depths perhaps 2/1 *Thalassia* to *Syringodium* forming a dense deep sod. The blades very conspicuously covered by epiphytic *Melobesia*, *Fosliella* and other small epiphytes. *Diadema antillarum* very common at 1-2 m depths, a few of a short-spined large echinoid and a single large sea-anemone, all living in the sand.

Occasional spots of bare sand about 3 dm diam. This is restricted to an area around pier and southwest of it, (Monarch butterfly around *Hymenocallis* fls.) several seen.

and a spot not far from peninsula. Most of the sandy bottom lagoonward of Long Cay is a pure dense sod of *Thalassia*.

Plants seen (+ collected)

- a *Cocos nucifera* (general ex. pen-
insula)
Hymenocallis littoralis
abundant on back slope of
boulder ridge near beachrocks,
planted along paths in
coconut grove.
- l c fl. *Conocarpus erectus* open
l a fl. *Tournefortia argentea* open
l a fl. *Sporobolus virginicus* open
l c fl. *Suriana maritima* open
c *Cyperus planifolius*
o *Borreria arborescens*
l a *Sesuvium portulacastrum*
o *Eriothala*
l c *Euphorbia mesembrianthemifolia* open
l o *Cordia subcordata*
l *Bumelia*
l o *Thrinax*
l *Fimbristylis cf. cymosa*
a *Ageratum*
r *Melanthera nivea*?
r *Dischrocephala*?
l o *Coccoloba uvifera*
r *Euphorbia* sp.
sterile grass

Nov. 2 Small Cay

Luriana
Tournefortia
Crinum
Casuarina
Euphorbia ~~macrantha~~ ^{macrantha} ~~folia~~
Cyperus planifolius
Ipomoea macrantha
Lesumium portulacastrum
 (2 forms?)
Conocarpus erectus
Euphorbia
Euphorbia
Euphorbia
Borrichia arborescens

Island is a triangular accumulation of cobble-ry rubble a somewhat rounded coral ~~gravel~~, with the smaller angle somewhat prolonged into a curved rather broad blunt spit. On the north side the gravel is smaller and has much sand. The interior of the larger end is a depression of rocks, with dense *Borrichia*. Eastern end is being undercut and ~~is~~ falling down.

6 *Anolis*
 3 Turnstones
 1 Sanderling
 1 Wood pewee
 3 speckled lizards, keel-like tails, slender tail.

The main vegetation is a closed tall scrub (3-4 m) of *Luriana*, varying locally to *Conocarpus*. A few young coconuts, and scattered germinating nuts. A single *Casuarina* seedling, protected by a circle of boulders. 30+ *Crinum* plants. A belt of low *Tournefortia* scrub to 1 m around the margins except where they are undercut.

7-5 typical
all typical
8/26
Nov. 2 - Small Cay (Long Cay North)
on coral sand and gravel

53774. *Sporobolus virginicus* L.

(4) very local in interior small opening on

(4) 75. *Suaeda maritima* L.

dominant in scrub on highest ground

(3) 76. *Paspalum distichum* L.

one tuft seen on open

(4) 77. *Conocarpus erectus* L.

dominant locally in scrub on

(4) 78. *Borreria arborescens* (L.) DC.

dominant in interior depression on

(2) 79. *Cinnamomum*

4 plants only seen on sand on north side, edge of scrub

(2) 80. *Cyperus planifolius* L.C. Rich.

in open coral sand in opening in scrub.

(4) 81. *Cyperus planifolius* L.C. Rich.

occasional on periphery of vegetation

(10) 82. *Euphorbia blodgettii* Engelm. ex Hitchc.

small colony in small opening in tall scrub

(4) 83. *Tournefortia gnaphalodes* (L.) R.Br.

abundant around periphery of vegetated part of island

(5) 84. *Pomoea macrantha* R. & G.

very local in scrub

shrub to 3 m tall, green, petals bright yellow.

diffusely branched shrub 3 m tall.

shrubs 0.5 - 1 m tall, leaves fleshy, glossy green, rays yellow.

tufted

tufted

stems arching, flowers dull yellowish.

mound-like gray shrub, flowers white

twiner, flowers white collapsed in midafternoon

53785. *Philoxerus vermicularis*
local

⑩ 86. *Euphorbia*
locally common in open flat
on north side of island

④ 87. *Euphorbia*
very local on open flat
on north side of island

③ 88. *Euphorbia mesembrianthemifolia* L.
abundant around
periphery of island in open

③ 89. *Portulaca pes-caprae* sp. *brasiliense* (L.) v. Ooststr.
very local on gravel spit

④ 90. *Sesuvium portulacastrum* L.
very common in open
periphery of

Nov. 3 - Long Cay

in coconut grove with
very little undergrowth

⑩ 91. *Thrinax ~~parviflora~~ floridana* Long.
occasional near southwest
end of island, several
mature plants (with inflo.)
and a number of very
small ones, plus very small
seedlings.

⑩ 92. *Fimbristylis cf. cymosa*
common in one area near
southwest end.

① 93. *Dichrocephala* ?? prob. *agratia* but abnormal
very rare on bare sand

prostrate, forming loose
mats, stems brownish red,
leaves sub-fleshy, all seen
sterile. Stems brittle.

stems spreading, somewhat
ascending, dull yellowish
green, lactiferous.

very prostrate
sub-fleshy, gland
appendages white.

stems strongly ascending,
leaves very distichous.

prostrate, all seen
sterile

very fleshy, mat-forming
stems slightly reddish,
flowers light rose pink.

Thrinax parviflora Schultze
Sod. 27
see
Schultze
Schultze
Schultze
75

trunk about 6-8 cm diam,
erect, enlarged at base, up
to 3 m tall, inflo. and buds
axillary, panicle ascending
and arching, specimens
from 2 plants, each 1.5 m tall.

tufted, culms ascending.

heads grayish white,
leaves rather fleshy, (to 1/30)

Nov. 3 - Rain all morning and part of afternoon.

In center of north end of Cay is a great deal of pumice pebbles, one Entada seed, and other items that appear to be drift - 150 m from lagoon and 100 m from sea.

Large area of typical atoll phosphate rock north of marshy area. Bright orange-brown white speckled.

A few ^{large} bushes of Bumelia just inside boulder ridge at edge of marsh. A few small bushes of Cordia sebestena.

Dominant herb layer in most of coconut plantation is Ageratum sp. with some Cyperus planifolius.

The marsh is filled with coconut leaves. Small coconut trees planted on mounds of sand.

Collected small snails on bottom of pumice cobbles. Also some very small insects.

Large patch of Hymenocallis on cobble ridge back of marsh.

Scattered Coccoloba uvifera on back slope of beach ridge.

53794. *Melanthera B. nivalis* (L.) Small?

①

⑩ 95. *Bumelia retusa* Sw.
a few bushes back up
cobble ridge on seaward side

①

96. *Mucuna*
no seedling seen

②

97. *Euphorbia*
occasional

②

98. (fungus)

②

99. (fungus)

② 53 800 (fungus)

all on coconut wood

②

01 (fungus)
on *Thrinax* and coconut wood.

Nov. 5 - Long Cay

F

⑩ 02. *Halodule*small patch in fine
sediments in lagoon just
off hook of north peninsula.

F+5

in open scrub on north
peninsula

⑩

03. *Conocarpus erectus* L.
common

⑩

04. *Borrichia arborescens* (L.) DC.
occasional

⑩

05. *Sporobolus virginicus* L.
locally abundant in opening
and on beach ridge.

⑩

06. *Eriothalis fruticosa* L.
occasional on broken coral

plant 6 dm tall

slightly lactiferous much-
branched shrub 3 m tall,
flowers whitish,
scandentstrictly erect, slightly
arching at tip.

pileus dome-shaped, tan with 2 brown bands, gills white.

pileus bright red, very mucilaginous, gills white.

pileus, gills, and stipe deep tan

pileus, ^{stipe and} gills pale tan.much branched ^{spreading} shrub about
1 1/2 m talllow rounded bush, flowers
yellow.

culms erect from rhizomes

low rounded bush, flowers
white.

Nov. 6 - Flight around and across atoll. 12:40 p.m.

Small amphibious plane
Reef north of NE cays

First part excellent spur and groove seaward margin for a mile or so, then much less so. No sign of an algal ridge. After second curve, good spur and groove again. Thalassia zone in shallow portion, clear sand lagoonward for about twice width of reef + Thalassia zone. Some small sand bars on inner edge of clear zone locally.

Wide shallow area at north end after a fairly wide channel on windward side.

Spur and grooves extend a long distance out from reef flat margin ($\pm 0.5 - 1$ km) into blue water.

Considerable coral along with the Thalassia on reef flat. Clear band in Thalassia around coral patches very

Photos of cays

Reef very patchy at south end. Very conspicuous white band around coral clumps in Thalassia. on reef flat and also on deeper Thalassia beds on lee side.

glover's Reef,

Water holes on both Middle and NW cays.

Leeward side has Thalassia in medium depth water, many circular coral patches in this Thalassia, with clear bands.

Patch reef, in lagoon has coral in crescent shape on windward side sandy area with less coral on leeward. Slope abrupt to deep water.

Nov. 4 Northeast Cay

plants

Cocos nucifera
Eragrostis domingensis ✓
Wedelia triloba ✓
Lesurium
Tournefortia
Erdia sebertana ✓
Conocarpus erecta
Ambrosia hispida ✓
Cyperus planifolius ✓
Erithalis fruticosa
Borreria frutescens
~~*Borreria frutescens*~~
Fimbristylis
Paspalum
Chloris petraea
Euphorbia
Terminalia catappa
Coccoloba
Mussaenda (seedling)
Ernodea littoralis
Chrysobalanus icaco
Bursera simaruba
Euphorbia blodgettii
Euphorbia mercurianthera
Thrinax folia.
Neea choriophylla

F

Nov. 5 - Long Cay

53807

(seedling)

①

on beach of passage at north end

②

08

(fungus)

on coconut log)

Ficus
Paspalum
Acrostichum aureum
Hymenocallis littoralis
Cinnam. sp.
Sapota
 unidentified seedling

mucus pale gray, gills turning
 black

[45]

Nov. 6 - Northeast Cay

in coconut grove

53809

(20)

Terminalia catappa L.

occasional in rather open area

(4) 10. Borreria arborescens (L.) DC.
small patch in

(10) 11. Euphorbia
several plants

(4) 12. Chloris petraea Sw.
very local

(10) 13. Paspalum ~~pleistochyrum~~ Doell.
locally common

(4) 14. Eriothallis fruticosa L.
occasional

(1) 15. Ambrosia cf. cymosa
rare

(1) 16. Polyporus
on rotten coconut log.

(1) 17. Coprinus?
on rotten coconut log

(10) 18. Eragrostis dimingensis (Pers.) Steud.
common locally in low place

(10) 19. Passiflora suberosa L.
occasional

(4) 20. Cyperus planifolius L. C. Rich.
common

(10) 21. Wedelia trilobata (L.) Hitchc.
common

tree 8 m tall, fruit green,
flowers on low elongate
branches near ground,
low tangled bush, leaves
fleshy.

erect shrub 0.8 m tall,
milky.

tufted, culms almost erect.

tangled, fruiting
culms erect.

shrub 1 m tall, fruits turning
pinkish. (Other plants seen
to 1.7 m tall)

white

light yellow.

small tufts, culms
erect, panicles arching.
flowers cream color with
reddish bases to corona segments,
ripe fruit dark blue.

small tufts, culms
somewhat spreading,
prostrate, forming
mats, flowers yellow.

[same - on seaward beach ridge]

53822

(5) *Euphorbia*
small colony on rather
fine ~~coral~~ coral gravel

(1)

23. ~~Bumelia~~ *Euphorbia blodgettii*
on tree roots

(5)

24. *Bumelia retusa* Sw.
one clump

[same - rubble flats along north shore]

(4)

25. *Sporobolus virginicus*
common in rather sandy spots

(4)

26. *Enocarpus erectus*
common, forming thickets

(10)

27. ~~Sporobolus~~ *Ernodea littoralis*
occasional, scattered bushes

(1)

28. *Euphorbia blodgettii* Engelm. ex Hitchc.
rare, on ~~uprooted~~ uprooted
coconut stump.

(1)

29 (seedling)
on top of beach

(10)

30. *Chrysobalanus icaco* L.
occasional, scattered shrubs

(4)

31. *Coccoloba uvifera* L.
occasional ~~etc~~

[same - in *Bumelia* grove in interior of island]

(4)

32. ~~Laguncularia~~ *Nesochlorophylla stand.*
small colony

(4)

33. ~~Porteria~~ *Porteria campechiana*
single plant

prostrate, pale green.

prostrate, stems reddish.

shrub 3m tall, rather
yellowish green, buds only.

spare stand, culms
ascending to erect.

shrubs 3-4m tall.

tangled low mound-like
shrubs, leaves rather fleshy,
flowers purple, fruits orange, fleshy.
~~etc~~ prostrate, stems reddish.

low mound-like shrub.

fruit fleshy.
low shrub, sterile.

shrub 4m tall, sterile.

shrub 5m tall, sterile.

53834 *Bursera simaruba*
 (1) dominant

35

same - ~~on beach~~
 just back of beach
 on lagoon north corner.

(24) 35 *Sesuvium maritimum* L.
 very common, forming mats

(4) 36 *Tournefortia gnaphalodes* (L.) R.Br.
 very common, forming low shrubs

(4) 37 *Euphorbia mesembrianthemifolia*
 very common

(1) 38 ~~(Pav.)~~ *Paspalum pleistachyum* Walt.
 locally common on sand

same - on passage
 beach ridge of cobbles and boulders
 (10) 39 *Cordia sebestena* L.
 common

(10) 40 *Ambrosia hispida* Pursh
 locally abundant
 here and in coconut groves.

Nov. 7 - Northeast Cay
 sand and gravel flats
 back of shore.

(4) 41 *Hymenocallis littoralis* (Jacq.) Halish.
 very local

(1) 42 *Crinum*
 one plant seen

(to p. 144)

small tree to 8 m tall,
 bark red-brown, peeling,
 smooth; sterile.

stems green,
 prostrate, leaves very
 fleshy, ~~flowers~~ glossy,
 flowers rose-pink.
 low spreading gray
 shrub, flowers white.
 stems erect, spreading at tops.

prostrate, forming a
 mat-like sod; ~~sterile~~ sterile.

tree to 7 m tall; flowers
 orange-vermillion.

prostrate, forming a
 loose mat; racemes erect.

small clump, scapes
 compressed, with 2 keels.
 about 1 m tall, flowers
 white; leaves distichous.
 scape about 0.7 m long,
 leaves spirally arranged.

Nov. 7 - Northeast Cay
 Center of islet has
 a mixed forest of *Bursera*
 & coconut with 53832, *Thrinax*,
Coccoloba partly on flat
 rather fine soil, partly
 on rolling mounds of
 broken coral rubble. Some
 humus accumulation, but
 mixed with coral sand
 and pebbles.
 Some phosphate in a pile
 of boulders, but none
 seen in place.

Small water depression
 filled partly with *Acrostichum*.

Mixed scrub on
 boulder ridge
Necq

Bumelia

Cordia

Coccoloba

Tournefortia

Nov. 9 - Air trip to Lighthouse
 Reef. Left 9:15 a.m. Weather
 very still, broken clouds,
 sea glassy.

53843. *Euphorbia blodgettii* Engelm. ex Hitchc.

(10)

abundant locally on
coarse sharp broken coral rubble

(1) 44 (seedling)

on coral sand,

~~45 Ficus~~

very local

same - in scrub on
back slope of wide
coarse coral boulder ridge.

(10) 45. *Ficus ovalis* (Liebm.) Mig.

very local

(10) 46. *Neea choriophylla* Standl.

locally very common

A

same - in *Bursera* grove
in center of island

(1) 47. *Bursera simaruba* L.
dominant

(1) 48. ? *Neea*?

same - around water-hole
near center of the island.

(4) 49. *Acrostichum aureum* L.
common

Nov. 7 - Long Cay
in 2 m. depth water
just off tip of north
peninsula.

(10) 50. *Syringodium filiforme* Kütz.
dominant in *Syringodium* -
Thalassia meadow.

prostrate; stems reddish

A densely branched
shrub 1.5 m tall.
shrubs 4 m tall, inflorescences
pendulous, ripe fruit
red, fleshy.

flowers whitish.

in

rhizome to 0.4 m tall,
bonds 2 m tall.

rhizomes buried;
leaves terete; sterile.

Fri Nov. 7 Northeast Cay

53851 (fungus)

- (2) in litter and humus under
Coccoloba uvifera

#

(2) 52 (fungus)

on rotting log

(1)

52a clavaria

on rotting wood

F. St. Th. 1971

Nov. 9 - Southwest Cay I

D. St. Th. 1971

mangrove swamp

(1)

53. *Batis maritima* L.

common in edge of

(5)

54. *Avicennia germinans* (L.) L.scattered ~~in~~ in open part of

(4)

55. *Laguncularia racemosa*dominant in landward
side of swamp.

#

same - on shingle ridge
on south side -

(5)

56. *Cordia subcordata* ~~sebestena~~ L.

same on lagoon beach

(6)

57. *Borrichia arborescens* (L.) DC.

are large shrub

(2)

58. *Spartina patens* (Ait.) Muhl.

locally dominant back of

To page 154

gills salmon pink, pileus
deeper salmon pink,
stipe salmon changing
downward to yellow.

whole ^{plant} cream-white,
gills slightly darker.

soft cartilaginous, burnt orange
color.

dwarf shrub with
arching stems, fleshy
leaves and fruits.

spreading tree 5-6 m tall,
surrounded by pneumato-
phores, leaves whitish beneath,
sterile.

small sterile tree.
4-5 m tall, leaves green
beneath, surrounded by
club-shaped pneumatophores.

~~at~~ dense rounded shrub
2 m tall; rays yellow.

leaves fleshy
dense stand, rhizome
deeply buried; sterile.

Nov. 9 Arrived ^{over} Lighthouse Reef 9:25 a.m.

Long Cay
Half Moon Cay } seen from
Northern Cay } a distance.
Sandbar Cay
Saddle Cay only a tiny sandbar, ^{barely exposed.}

Lagoon has far fewer patch reefs than at Glover's, but still many. No really deep water seen except Blue Hole, a roughly circular sink lined by a shallow reef with many small rocks breaking the surface.

Made several passes over Half Moon Cay but could not land. Vegetation on small end very sparse coconut grove. Village of several houses here. Dense scrubby forest on large portion somewhat chlorotic. Many red-footed boobies in trees and flying.

photos

A few photos of cay and one of coral patches. (second roll.)

On way back, between lighthouse and Glover's, a waterspout some way to right, sea very calm, a tubular curved funnel ~~the~~ reaching down from a ~~at~~ cloud, apparently nimbus, not very dense, disturbance in water limited to immediate area of lower end of funnel.

Nov. 9 - Southwest II Cay

Mostly rather thinly
planted to coconuts.

Most of area sandy.

Patch of *Rhizophora*
on passage side.

Areas of *Sporobolus*
virginicus near beaches.
Large patch of *Spartina*
with some *Fimbristylis*
near lagoon end of pass.

Patches of *Capraia*,
Ageratum, *Wedelia* here
and there. ~~P~~ Patches
of *Passiflora*. *Rivina*
dominant over much of
interior of coconut grove.
Large patch of *Eriothalis*
near south end.

Only 2 small *Tournefortia*
seen. *Ipomoea macrantha*
common locally in grove.

I. pes-caprae scarce on
s.w. end and south part
of lagoon beach.

Plants:

a	<i>Cocos nucifera</i>
lo	<i>Sporobolus virginicus</i>
l	<i>Paspalum distichum</i>
n	<i>Paspalum</i>
l	<i>Eragrostis domingensis</i>
la	<i>Spartina?</i>
la	<i>Wedelia trilobata</i>
lc	<i>Euphorbia mesembrianthemoides</i>
l	<i>Euphorbia blodgettii</i>
lc	<i>Euphorbia</i> sp.
lc	<i>Conocarpus erectus</i>
n	<i>Terminalia catappa</i>
c	<i>Iresine</i>
c	<i>Portulaca oleracea</i>
la	<i>Capraia biflora</i>
a	<i>Terminalia catappa</i>
lo	<i>Cenchrus pauciflorus</i>
la	<i>Eriothalis fruticosa</i>
la	<i>Hymenocallis</i>
la	<i>Ageratum littorale</i>
la	<i>Rivina humilis</i>
c	<i>Cyperus planifolius</i>
lc	<i>Fimbristylis cf. cymosa</i>
c	<i>Passiflora suberosa</i>
la	<i>Ipomoea macrantha</i>
l	<i>Ipomoea pes-caprae</i>
l	<i>Rhizophora mangle</i>
a	<i>Coccoloba uvifera</i>
n	<i>Tournefortia</i>
lc	<i>Sesuvium portulacastrum</i>
l	<i>Canavalia rosea</i>
l	<i>Luriana maritima</i>

Nov. 9. Southwest Cay # I

Mostly planted to coconuts, but two mangrove swamps, one on north side one on passage.

Photo 10 years old shows coconuts planted in west mangrove swamp and no mangroves except around outer edges.

Euphorbia mesembrianthemifolia
Euphorbia sp.
Spartina
Rhizophora mangle
Avicennia germinans
Lumnitzera racemosa
Conocarpus erectus
Coccoloba nucifera
Fresino
Portulaca lheraeae
Cordia sebestena
Fimbristylis cymosa
Cyperus planifolius
Eragrostis dominguenis
Paspalum distichum
Sporobolus virginicus
Tournefortia gnaphalodes
Eriothalis fruticosa
Capriaria biflora
Ageratum littorale
Andropogon virginicus
Batis maritima
Borrichia arborescens
Passiflora suberosa

Southwest Cay I (ctd.)

same - on passage side,
near mangroves

53359. *Paspalum distichum* ?
 (2) locally abundant

#

same - in sparse coconut
grove near abandoned
dwellings

- (5) 60. *Andropogon ~~virginicus~~ glomeratus* single erect culms
occasional

same - south side
~~on~~ on shingle ridge

- (2) 61. *Tournefortia gnaphalodes* (L.) R.Br.
occasional

F&S

with ~~DR~~ ^{DR} ~~DR~~ ^{DR} same - near dwelling
in open coconut grove

- (1) 62. *Chloris petraea*
 (1) 63. *Eragrostis domingensis* (Pers.) H.B.K.
 (1) 64. *Stachytarpheta jamaicensis*
 (1) 65. *Ageratum* ^{littoralis Gray} ~~maritimum HBK~~
 (1) 66. *Passiflora rubra* L.
 (1) 67. *Capraia biflora*
 (3) 68. *Eriothala fruticosa* L.

with
R. Schreiber

F&S

Nov. 9 Southwest Cay II

- (5) 68a. *Portulaca oleracea* L.
on sandy ground in coconut
grove

sterile

small bushes, all seen
sterile.

flowers pale blue-lavender.

flowers white
flowers whitefleshy, leaves obovate,
flowers yellow, closing
about noon, stamens 12-20,
style branches 3-5; mostly 4

F+S

Nov. 9 - Southwest Cay II
open coconut plantation on
sandy soil, northwest end

53869. *Fimbristylis cymosa* R.Br.
locally common in
70. *Chloris petraea*
occasional in
71. *Eragrostis domingensis* (Pers.) Steud.
locally common in
72. *Paspalum pleustachyum* Doell. *Lexum* Lam.
very local
73. *Paspalum distichum* L.
common near passage
beach
74. *Sporobolus virginicus*
dominating some areas
near beach.
75. *Spartina*? *patens* (Ait.) Thuhl.
dominating considerable
area near beach
76. *Euphorbia*
very common near
passage beach.
77. *Capraia biflora*
dominating large patches
78. *Lescurium portulacastrum* L.
local on and just back
of beaches
79. *Canavalia rosea* (Sw.) DC.
occasional in
80. *Stachytarpheta jamaicensis* (L.) Vahl
local, in places common
81. *Morinda citrifolia* L.
rare, 2 small plants seen

in dense, usually small
clumps, culms erect or ascending,
small tufts, culms ascending.

culms ascending, panicle
arching.

culms depressed to ascending.

culms erect, not tufted.

forming a loose sod,
fruiting culms erect from
buried rhizomes.

sterile

prostrate or almost
so, stems green, leaves
pale beneath.

erect, somewhat branched,
flowers white,
prostrate, stems reddish,
forming mats,
leaves very fleshy, flowers
rose pink.

prostrate, creeping,
flowers bright rose pink.
flowers rather light blue

shrub; flowers white.

53882

53882

①

Terminalia catappa L.one tiny, partly dead plant
seen back of beach crest,
plus one seedling.① 83. *Cabile lanceolata* (Willd.) Schult?
 & ~~seedling~~ small plants only in④ 84. *Cyperus planifolius* L. C. Rich.
common generally in④ 85. *Euphorbia mesembrianthemifolia* L.
fairly common, mostly
near beaches④ 86. *Passiflora suberosa* L.
very common, covering
ground locally in patches.④ 87. *Euphorbia blodgettii* Engelm. ex Hitchc.
very local in④ 88. *Iresine diffusa* H. B. K.
common④ 89. *Rivina humilis* L.
common, dominant in
~~much~~ of coconut grove.④ 90. *Conocarpus erectus* L.
~~largest tree~~, in edge of water
same - passage beachsame - sand flats in
coconut grove, near
south end of cay④ 91. *Cenchrus paniculatus* L.
occasional back of
lagoon beach④ 92. *Sporobolus percapitatus* var. *brasiliensis* (L.) var. *postelsii*.
occasional back of lagoon beach

sterile.

sterile

small tufts, culms ascending.

erect, spreading toward top.

vine, flowers ^{greenish} cream color,
corolla segments dark at base;
fruits immature.stems prostrate to ascending
and arching, reddish.

suffrutescent herb.

large tree, fallen but
still alive.

culms rather depressed

53893. *Suriana maritima*
 (4) very local just back of beach

(2) 94. *Coccoloba uvifera* L.
 one small plant just back of beach

(3) 95. *Eriothalis fruticosa* L.
 large patch on interior flat, a few plants on rubble ridge.

(10) 96. *Sporobolus macrantha* R. & S.
 very common in large patch on interior flat.

(10) 97. *Ageratum littorale* Gray
~~*maritimum* HBK.~~
 abundant in large patches

(6) 98. *Ernodea littoralis* Sw.
 one plant seen

(5) 99. *Cyperus planifolius* ^{L.C.} Rich.
 occasional

53900. *Tournefortia gnaphalodes* ^{RB.}
 (2) two small plants, only, seen.

(10) 01. *Sporobolus stolonifera*
 one dense patch not far from passage beach

(2) 02. *Chloris petraea*
 very local

(6) 03. *Wedelia trilobata* (L.) Hitchc.
 common in patches

same in ^{sea} water in passage

(14) 04. *Rhizophora mangle* L.
 small mangrove swamp, this species only

shrubs 2.5 m tall,
~~fruit~~ fruit immature.
 depressed shrub, 4 dm tall,
 sterile.

shrubs 1 m tall, flowers
 white, ripe fruit purple-
 black, glossy.

extensive twiner, flowers
 white, collapsed just
 after noon; accrescent
 sepals fleshy.
 flowers pale lavender to
 bluish lavender.

low mound-like bush
 0.5 m tall, of arching branches
 rooting at tips, flowers purplish
 white.

small spreading to ascending
 tufts.
 sterile

spreading, mat like,
 rhizomes superficial or
 slightly buried; sterile
 culms ascending.

prostrate, creeping,
 forming loose mats; heads yellow.

small sterile trees 4 m tall.

same - on rubble ridge
back of passage beach
53905. *Hymenocallis littoralis* (Jacq.)
(2) occasional very locally

same - on rotting coconut
logs

(2) 06 *Polyporus cinnabarinus*
common

F Nov. 12 - West Channel
(1) 07. *Thalassia testudinum* Koenig & Sims
open stand on sandy-rocky
bottom of channel, rhizomes
deeply buried

Nov. 12 - Long Cay
in open scrub on north
peninsula

(11) 08. *Tournefortia gnaphalodes* (L.)
very common

(10) 09. *Suriana maritima* L.
very common

(10) 10. *Sesuvium portulacastrum* L.
very common just back
of beach

53909 (7) sub-fleshy, ^{very fragrant}
; flowers white, ^{anthers}
orange.

million, pileus
orange and
banded.

led gray bushes,
lite, fragrant.
5 m tall, flowers
over become
pressed to stems
some and at night,
during day unless

prostrate, forming
leaves very
fleshy, green,
rose-pink.

same - on rubble ridge
back of passage beach

53905. *Hymenocallis littoralis* (Jacq.) Salisb.
(2) occasional very locally

same - on rotting coconut
logs

- (2) 06 *Polyporus cinnabarinus*
common

F

- (1) 07. *Thalassia testudinum* Koen. & Sims
open stand on sandy-rocky
bottom of channel, rhizomes
deeply buried

Nov. 12 - Long Cay
in open scrub on north
peninsula

F & S

- (11) 08. *Tournefortia gnaphalodes* (L.) R.Br.
very common

- (10) 09. *Luriana maritima* L.
very common

- (10) 10 *Sesuvium portulacastrum* L.
very common just back
of beach

leaves sub-fleshy, ^{very fragrant}
distichous; flowers white, ^{anthers}
and pollen orange.

gills vermillion, pileus
orange or orange and
whitish banded.

sterile

low rounded gray bushes,
flowers white, fragrant.
shrubs 1-1.5 m tall, flowers
yellow; leaves become
closely appressed to stems
during storms and at night,
spreading during day unless
too stormy.
stems prostrate, forming
mats, leaves very
fleshy, glossy, green,
flowers rose-pink.

Nov. 12 boat trip to leeward reef

A cattle egret flew parallel to course several hundred m south, mostly down near waves, but occasionally up to 20-30 m, looked at several patch reefs, first of which had a rock above surface, didn't stop.

Finally at near center of lagoon was a patch reef with a tiny gravel bar. Egret settled here. Flight seemed very direct and purposeful.

Middle Cay -

Largely planted to coconuts, but with substantial mangrove area with pond in middle. Seaward side of this partially stripped of mangroves and a tough peat layer exposed on inner part of reef flat. Mangroves between shore and pool are buried to a meter or more depth in coarse coral gravel, and looking very poor. (peat sample).

South of this swamp is a thicket of *Pithecellobium* with a few large trees of *Coccoloba*, *Terminalia*, etc. in it. *Sesuvium* and *Lurians* extremely scarce. *Paspalum* dominant ground cover in large area of coconut grove west of old house.

Mixed forest of *Nepa*, *Ficus*, etc. on boulder ridge, along with much *Tournefortia*. *Ernodea* very abundant on this cay. In north part practically pure stands forming a tangled low scrub.

Disturbance by human activity on Glover's Reef

Lobster fishing by Honduran boat and divers.

Conch collecting by Lomonts.

All cays planted to coconuts except for a few small areas, even attempted in mangrove swamps. A few coconut trees even on Small Cay. Cobble and boulders in groves piled up. In Long Cay Coconut leaves gathered and put in swamps and on boulder ridge. Husks piled in large piles on SW and NE cays. Coconuts removed for sale in Belize. Some fishing.

Houses built around periphery of Long Cay (about a dozen + dining hall).

Garbage and sewage regularly buried in interior.

Much lumber and misc. trash washed up on beaches. 2 dogs, 1 sheep, 1 cat, 3 rabbits, a few chickens & turkeys on island brought as pets or to eat.

Oil film on water of lagoon resulting from gasoline motors in boats.

Land crabs from Glover's Reef
det. H.B. Roberts

Sesarma (*Holometopus*)

nardi H. Milne Edwards

Cardiosoma quinquemaculatum Latreille

Oxyphaps quadrata (Fabricius)

same - in coconut

- 53911 *Ageratum maritimum* H.B.K. littoralis
 very abundant, forming
 most of ground cover.

- (2) 12. *Ageratum maritimum* H.B.K.
 (same as 53911 but apparently
 diseased)

- (10) 13. *Cyperus planifolius* L. Rich.
 common

same - on seaward boulder
 ridge

- (3) 14. *Cordia sebestena* L.
 a few low shrubby plants

- (5) 15. *Hymenocallis littoralis* (Jacq.) Halib.
 locally very abundant
 (also planted along paths)

same - at top of lagoon beach

- (3) 16. *Spartina*? *patens* (Vit.) Thunb.
 very sparsely scattered
 in stands of *thorobolus*.

First
 with
 D.R. Stoddart
 (June 53925)

Nov. 12 - Middle Cay
 in middle of cay
 in forest remnants

- (5) 17. *Pithecellobium keyense* Britt. & Schum.
 abundant

- (3) 18. *Erithalis fruticosa* L.
 common

- (2) 19. *Thrinax floridana* Lagr.
 one tree seen.

Sphinx radiata Lodd. & Schultes & Schultes

flowers pale lavender &
 bluish lavender.

small tufts, culms
 spreading.

flowers bright orange-red

scape compressed, sharp-
 angled; flowers white

erect, small tufts.

shrubs to 4 m tall,
 all seen sterile.

shrub to 1.5 m tall, flowers white

single stem 3 m tall,
 inflo panicle, drooping.

- 539 ~~20~~ ⁽²⁴⁾ *Sesuvium portulacastrum*
very local, seen only at
one place.
- (4) 21 *Hibiscus tiliaceus* L.
rare, one small plant seen.
- same - on north-east
point of cay
- (1) 22 *Diodia maritima* Thonn.
rare at top of beach, one
plant seen
- 23 same - on ~~beach~~ boulder
ridge on seaward side
- (5) 23 *Euthalis fruticosa* L.
common
- (5) 24 *Tournefortia gnaphalodes* (L.) B.
abundant
- (1) 24 ~~25~~ *Pisonia*
rare, seedlings only seen
same - in coconut plantation
on sand flat
- (5) 25 *Euphorbia*
very local.
- (1) F 26 Nov. 12 - Long Cay, end of north peninsula
Coccoloba uvifera L.
no small plant on new spit
built since 1969

stems prostrate, forming
mats, leaves very fleshy,
glossy, flowers rose pink.
shrub 2 m tall, sterile

depressed, flowers
white.

shrub 1 m tall, flowers
white, fruit black
when ripe

low rounded gray bushes,
fruit fleshy, pale
green, flowers white,
fragrant.

strictly erect shrub
0.6 m tall,

low sterile shrub about
6-7 dm long.

172

173

Dec. 24 - Shutesbury
Fosberg - Blunt property
and open blueberry barren
~~next~~ adjacent. 72°26'W 42°27'N

The 2 acres owned are
in rather young second-
growth woods of *Pinus*
strobus and associates,
crowded, mostly less
than 15 cm dbh.

Trees:

- a *Pinus strobus*
- c *Pinus rigida*
- o *Tsuga canadensis*
- c *Betula papyrifera*
- lc *Quercus coccinea*
- " *Quercus rubra*
- " *Quercus alba*
- c *Acer rubrum*
- Betula populifolia*

Shrubs

- lc *Vaccinium* sp. (low bush)
- lc *Kalmia latifolia*
- lc *Kalmia angustifolia*
- " *Vaccinium corymbosum*
- Gaultheria procumbens*

Herbs

- lc *Lycopodium obscurum* v. *obscure*
- lc *Cypripedium virginicum*
- lc *Epigaea repens*
- " *Mitchella repens*
- " *Lycopodium clavatum*
- " *Lycopodium complanatum*

Blueberry barren -
apparently an abandoned
pasture, may have been
burned but not very recently

Very low *Vaccinium* is
locally abundant, with
Cladonia, *Lycopodium*
obscurum var. *dendroideum*,
Lycopodium tristachyum,
scattered *Juniperus communis* var.
prostrata, *Gaultheria procumbens*

Pinus strobus in area
seems to have predominantly
very appressed needles,
on some trees more or less
spreading. Should be
correlated with annual
vs. biennial leaf-fall. Also
should be checked to see
if needles are appressed or
spreading in summer.

Barrens - *Betula populifolia*

Salix sp.

Lycopodium clavatum

Solidago

Andropogon scoparius

Other species nearby

Fagus grandifolia
Betula alleghaniensis
Prunus serotina
Osmunda claytoniana
Viburnum cassinoides?
Lycopodium complanatum
Vaccinium corymbosum
Osmunda cinnamomea

Swampy area which is the head of a stream running west begins on back part of lot immediately adjacent on south, perhaps 10 m from corner of Fodberg lot.

This swamp is a hummocky area of mostly

Betula alleghaniensis

B. populifolia?

B. papyrifera?

Acer rubrum

Fagus grandifolia

Pinus strobus

an open shrub layer up to 5 m tall of *Kalmia*

latifolia with some

Vaccinium corymbosum

Viburnum

Rhododendron vacconium

on ground

Cypripedium virginicum

Osmunda sp.

Sphagnum

Gaultheria procumbens

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

1

200

