

heller\_e\_0001-1018\_(loring)001.tif



Division of Birds



WHAT'S THE MATTER?

Oh, nothing in particular. Just a rumor—a report that T. R. will hunt next in Africa.



		1989	
		Apr. 26	
✓	1	♀	Lampornia
✓	2	♀	Dicrurus
✓	3	♀	Francolinus
✓	4	♀	"
✓	5	♂	Francolinus
✓	6	♂	Green Cuckoo
✓	7	♂	Cisticola strampei, Kapitiensis
✓	8	♂	Nilous
✓	9	♂	Corvus
✓	10	♂	
✓	11	♂	Meadow lark
✓	12	♀	" also Francolinus
✓	13	♂	Melospiza
✓	14	♀	Doves
✓	15	♀	"
✓	16	♂	White-necked Raven
✓	17	♂	Sand grouse
✓	18	♀	"
✓	19	♀	Shrike Lanius
✓	20	♀	"
✓	21	♂	Nidal bird <sup>Vidua</sup>
✓	22	♀	Pigeon <sup>Streptopelia</sup>
✓	23		Thraupis (alcoholic)
✓	24	♀	Poorewill
✓	25	♀	Owl
✓	26	♀	Sand grouse
✓	27	♀	Race <sup>Simmons</sup>
✓	28	♂	Starling
✓	29	♀	" <sup>Sprea</sup>
✓	30	♀	Cuckoo? <sup>Clamator</sup> also <sup>centropus</sup>
✓	31	♂	Lark <sup>macranga</sup>
✓	32	♂	Starling <sup>Sprea</sup>
✓	33	♀	<sup>melanipura</sup>
✓	34	♀	Lark <sup>macranga</sup> 2 skins this no.
✓	35	♂	Flower Lark <sup>chalcantia</sup>

Kapiti Plains, B.E.A.

1989  
Apr. 26

29  
30

May 1

2

3

4

9

11

mounted

Popi  
15.10  
A.S.D. small itipol

ps  
oe

Mounted

E

H

P

H

see notes with ...  
1. ...

(small ...)

✓	1	♂	Francolinus
✓	2	♀	"
✓	3	♀	"
✓	4	♀	"
✓	5	♂	"
✓	6	♂	"
✓	7	♂	"
✓	8	♂	"
✓	9	♂	"
✓	10	♂	"
✓	11	♂	Meadow lark
✓	12	♀	"
✓	13	♂	Melospiza
✓	14	♀	Doves
✓	15	♀	"
✓	16	♂	White-necked Raven
✓	17	♂	Sand grouse
✓	18	♀	"
✓	19	♀	Shrike
✓	20	♀	"
✓	21	♂	Nidal bird
✓	22	♀	Pigeon
✓	23		Thraupis
✓	24	♀	Poorewill
✓	25	♀	Owl
✓	26	♀	Sand grouse
✓	27	♀	Race
✓	28	♂	Starling
✓	29	♀	"
✓	30	♀	Cuckoo
✓	31	♂	Lark
✓	32	♂	Starling
✓	33	♀	"
✓	34	♀	Lark
✓	35	♂	Flower Lark



Loring		Kapiti Plains, B.C. A.	1919 Apr. 26
✓ 1	♀	<i>Lamprolaima?</i>	
✓ 2	♀	<i>Bicurus</i>	
✓ 3	♀	<i>Tranellina</i>	
✓ 4	♀	"	
✓ 5	♂	<i>Tranellina</i>	
✓ 6	♂	<i>Chrysoceryx flavus</i>	
✓ 7	♂	<i>Cisticola?</i>	
✓ 8	♂	<i>Melanus minor</i>	
✓ 9	♂	Crow	
10	♂		29
✓ 1	♂	<i>Meadow lark</i>	30
✓ 2	♀	" <i>Tranellina</i>	
✓ 3	♂	<i>Eminia <sup>delavallii</sup> <del>sepioides</del></i>	
✓ 4	♀	Dove	
✓ 5	♀	"	
✓ 6	♂	White-necked Raven	May 1
✓ 7	♂	Sand grouse	
✓ 8	♀	"	
✓ 9	♀	Shrike	
✓ 20	♀	"	
✓ 1	♂	Hidal bird	
✓ 2	♀	Pigeon	2
3		(alcoholic)	3
✓ 4	♀	Poorwill <i>Apimulpa</i>	
✓ 5	♀	Owl	4
✓ 6	♀	<i>Phainopepla?</i> Sand grouse	
✓ 7	♀	Rall (black) <i>Ammodramus niger</i>	7
8	♂	Starling	11
✓ 9	♀	" <i>spectabilis</i>	
✓ 10	♀	Cuckoo <i>Troglodytes aeneus</i>	
✓ 1	♂	<i>Mungo</i> Lark <i>Cuckoo (flammar?)</i> ♀	
✓ 2	♂	Starling <i>spectabilis</i>	
✓ 3	♀	<i>titmouse</i>	
✓ 4	♀	Lark	
✓ 5	♂	Flower sucker <i>cinerea</i>	

Some of these entries are mixed!

(asked of them)

584; 1330; 443; 210; 65 X 40; 83; 70. Iris dark brown; bill, feet, + claws, plumbeous-black, tip of bill horn color on both mandibles.

Mounted



✓	✓	36	♀	Runt <i>Barbat</i>	Kapiti Plains, B.E. Africa	May 11
✓	✓	37	♂	Flower sucker <i>Chalcomitra</i>	(nest sent in + No. 37)	
✓	✓	38	♂	" " <i>Melittophaga</i>	Juja (M. & Millers Place)	14
✓	✓	39	♂	Widdah <i>Vidua</i>		
✓	✓	40	♂	<i>Scolioptiza</i>		16
✓	✓	41	♂	Warbler <i>Cisticola</i>		
✓	✓	42	♂	<i>Pyromelana</i>		
✓	✓	43	♂	Wagtail <i>Motacilla</i>		
✓	✓	44	♀	Heron <i>Buteo</i>		18
✓	✓	45	♂	Heron		
✓	✓	46	♂	Sunbird <i>Chalcomitra</i>		
✓	✓	47	♀	Swallow <i>Hirundo</i>		
✓	✓	48	♂	Kingfisher <i>Halcyon</i>		
✓	✓	49	♀	Starling <i>Empidonax</i>		
✓	✓	50	♀	Sparrow		
✓	✓	51	♀	" <i>Mirafra</i>		
✓	✓	52	♂	Dove <i>Zenaidura</i>		
✓	✓	53	♀	Bulbul <i>Pyrenestes lagardi micrus</i>		
✓	✓	54	♂	Shrike <i>Cinnyris</i>	Juja Farm, Athi River	19
✓	✓	55	♂	Shrike <i>Lanius</i>		
✓	✓	56	♂	Little Kingfisher		
✓	✓	57	♀	Opelia		
✓	✓	58	♀	Batis		
✓	✓	59	♂	Batis		
✓	✓	60	♀	Barbatula <i>Bucconyx</i>		
✓	✓	61	♂	Sunbird <i>Anthreptes</i>		
✓	✓	62	♀	Kingfisher		
✓	✓	63	♂	<i>Argus</i>		
✓	✓	64	♂	<i>Dioptrornis</i>		
✓	✓	65	♂	<i>Terpistrichus</i>		
✓	✓	66	♂	Lark		
✓	✓	67	♂	Heron <i>Buteo</i>		
✓	✓	68	♀	" <i>Scopus</i>		
✓	✓	69	♂	Kapiti Bustard	Kapiti Plains, B.E.A.	May 21
✓	✓	70	♀	Night Hawk	Nisa Farm	

✓	✓	36	♀	Runt <i>Barbat</i>	Kapiti Plains, B.E. Africa	May 11
✓	✓	37	♂	Flower sucker <i>Chalcomitra</i>	(nest sent in + No. 37)	
✓	✓	38	♂	" " <i>Melittophaga</i>	Juja (M. & Millers Place)	14
✓	✓	39	♂	Widdah <i>Vidua</i>		
✓	✓	40	♂	<i>Scolioptiza</i>		16
✓	✓	41	♂	Warbler <i>Cisticola</i>		
✓	✓	42	♂	<i>Pyromelana</i>		
✓	✓	43	♂	Wagtail <i>Motacilla</i>		
✓	✓	44	♀	Heron <i>Buteo</i>		18
✓	✓	45	♂	Heron		
✓	✓	46	♂	Sunbird <i>Chalcomitra</i>		
✓	✓	47	♀	Swallow <i>Hirundo</i>		
✓	✓	48	♂	Kingfisher <i>Halcyon</i>		
✓	✓	49	♀	Starling <i>Empidonax</i>		
✓	✓	50	♀	Sparrow		
✓	✓	51	♀	" <i>Mirafra</i>		
✓	✓	52	♂	Dove <i>Zenaidura</i>		
✓	✓	53	♀	Bulbul <i>Pyrenestes lagardi micrus</i>		
✓	✓	54	♂	Shrike <i>Cinnyris</i>	Juja Farm, Athi River	19
✓	✓	55	♂	Shrike <i>Lanius</i>		
✓	✓	56	♂	Little Kingfisher		
✓	✓	57	♀	Opelia		
✓	✓	58	♀	Batis		
✓	✓	59	♂	Batis		
✓	✓	60	♀	Barbatula <i>Bucconyx</i>		
✓	✓	61	♂	Sunbird <i>Anthreptes</i>		
✓	✓	62	♀	Kingfisher		
✓	✓	63	♂	<i>Argus</i>		
✓	✓	64	♂	<i>Dioptrornis</i>		
✓	✓	65	♂	<i>Terpistrichus</i>		
✓	✓	66	♂	Lark		
✓	✓	67	♂	Heron <i>Buteo</i>		
✓	✓	68	♀	" <i>Scopus</i>		
✓	✓	69	♂	Kapiti Bustard	Kapiti Plains, B.E.A.	May 21
✓	✓	70	♀	Night Hawk	Nisa Farm	



2			
36	♀	<i>Barbatula</i> <i>opsis</i> Runt	Rapiti Plains, B.E. Africa
37	♀	Flower Sucker <i>Cinnyris</i>	(nest sent in: No. 37)
38	♂	" " <i>mitis</i>	Juja (M.E. Millers Place)
39	♂	Widdah	147
40	♂	<i>Sitta</i>	
41	♂	Warbler <i>Cisticola</i>	146
42	♂	<i>Pyrocephalus?</i>	
43	♂	Wartail	
44	♀	<i>Ardeotis</i> Heron	145
45	♂	Heron	
46	♂	Sunbird <i>Cinnyris</i>	
47	♀	Swallow	
48	♂	Kingfisher <i>Halcyon</i>	
49	♀	Starling	
50	♀	Sparrow	
51	♀	Lark	
52	♂	Dove	
53	♀	Bulbul	
54	♂	Sunbird <i>Cinnyris</i>	Juja Farm, Athi River
55	♂	Shrike	147
56	♂	Little Kingfisher <i>Ceryle</i>	
57	♀	<i>opsis?</i>	
58	♀	<i>ops.</i>	
59	♂	<i>ops.</i>	
60	♀	<i>Barbatula</i> <i>leucorhynchos</i>	
61	♂	Sunbird <i>cinnyris</i>	
62	♀	Kingfisher <i>Ceryle</i>	
63	♂	Ardeotis	
64	♂	<i>ops.</i>	
65	♂	<i>Sitta</i>	
66	♂	Lark	
67	♂	<i>Ardeotis</i> Heron	
68	♀	<i>Scoptes</i> <i>umbellata</i>	
69	♂	Whitethroated	Rapiti Plains B.E.A.
70	♀	Night Hawk <i>Ceryle</i>	Juja Farm
			May



✓	✓	71	♂!	<sup>uraeginthrus</sup> Blue Heaven bird	Juja Farm, B.E.A.	May 21
✓	✓	72	♂!	"		
✓	✓	73	♀	Passer ruficinctus		
✓	✓	74	♂	"		
✓	✓	75	♂	Heaven <sup>laganosticta</sup>		
✓	✓	76	♂	Cisticola		
✓	✓	77	♂	"		
✓	✓	78	♂	Herons		
✓	✓	79	♂	<sup>superciliosa</sup> Hydat Bird	Shot by T.R. to be mounted	22
✓	✓	80	♂	"	"	
✓	✓	81	♂	"	"	
✓	✓	82	♂	"	"	
✓	✓	83	♀	"	"	
✓	✓	84	♀	Night Hawk	"	
✓	✓	85	♀	Meadow lark <sup>macrurus</sup>	"	
✓	✓	86	♀	Setophilus africanus		
✓	✓	87	♀	Little Heaven <sup>estiva</sup>		
✓	✓	88	♀	Pseudopipilo "		
✓	✓	89	♂	Killdeer		
✓	✓	90	♀	Cisticola		
✓	✓	91	♂	" <sup>subruficapilla</sup> <sup>aequatorialis</sup>		
✓	✓	92	♂	Babbler <sup>xylolucos</sup>		
✓	✓	93	♂	Xanthophilus		
✓	✓	94	♂	Pratincola <sup>pallidus</sup> <sup>aurimus</sup>		
✓	✓	95	♂	Savanna <sup>alparia</sup>		
✓	✓	96	♂	Cisticola		
✓	✓	97	♂	"		
✓	✓	98	♀	mirafa		23
✓	✓	99	♀	"		
✓	✓	100	♂	Quinque <sup>viridatus</sup>		
✓	✓	101	♀	Chalchicomula <sup>afra</sup>		
✓	✓	102	♀	Halcyon <sup>semitaeniata</sup>		
✓	✓	103	♂	Leucophaea		
✓	✓	104	♀	Oedipodites <sup>vermiculatus</sup>		
✓	✓	105	♂	Amantail <sup>bleucolor</sup> <sup>desuperflua</sup>		

✓	✓	106	♂	Red-billed Tropicbird		
✓	✓	107	♀	Red-billed Tropicbird		
✓	✓	108	♂	Red-billed Tropicbird		
✓	✓	109	♀	Red-billed Tropicbird		
✓	✓	110	♂	Red-billed Tropicbird		
✓	✓	111	♀	Red-billed Tropicbird		
✓	✓	112	♂	Red-billed Tropicbird		
✓	✓	113	♀	Red-billed Tropicbird		
✓	✓	114	♂	Red-billed Tropicbird		
✓	✓	115	♀	Red-billed Tropicbird		
✓	✓	116	♂	Red-billed Tropicbird		
✓	✓	117	♀	Red-billed Tropicbird		
✓	✓	118	♂	Red-billed Tropicbird		
✓	✓	119	♀	Red-billed Tropicbird		
✓	✓	120	♂	Red-billed Tropicbird		
✓	✓	121	♀	Red-billed Tropicbird		
✓	✓	122	♂	Red-billed Tropicbird		
✓	✓	123	♀	Red-billed Tropicbird		
✓	✓	124	♂	Red-billed Tropicbird		
✓	✓	125	♀	Red-billed Tropicbird		
✓	✓	126	♂	Red-billed Tropicbird		
✓	✓	127	♀	Red-billed Tropicbird		
✓	✓	128	♂	Red-billed Tropicbird		
✓	✓	129	♀	Red-billed Tropicbird		
✓	✓	130	♂	Red-billed Tropicbird		
✓	✓	131	♀	Red-billed Tropicbird		
✓	✓	132	♂	Red-billed Tropicbird		
✓	✓	133	♀	Red-billed Tropicbird		
✓	✓	134	♂	Red-billed Tropicbird		
✓	✓	135	♀	Red-billed Tropicbird		
✓	✓	136	♂	Red-billed Tropicbird		
✓	✓	137	♀	Red-billed Tropicbird		
✓	✓	138	♂	Red-billed Tropicbird		
✓	✓	139	♀	Red-billed Tropicbird		
✓	✓	140	♂	Red-billed Tropicbird		
✓	✓	141	♀	Red-billed Tropicbird		
✓	✓	142	♂	Red-billed Tropicbird		
✓	✓	143	♀	Red-billed Tropicbird		
✓	✓	144	♂	Red-billed Tropicbird		
✓	✓	145	♀	Red-billed Tropicbird		
✓	✓	146	♂	Red-billed Tropicbird		
✓	✓	147	♀	Red-billed Tropicbird		
✓	✓	148	♂	Red-billed Tropicbird		
✓	✓	149	♀	Red-billed Tropicbird		
✓	✓	150	♂	Red-billed Tropicbird		



3

✓ 71 ♂ Blue Weaver bird

✓ 72 ♂ "

✓ 73 ♀ *Passer ruficinctus*

✓ 74 ♂ "

✓ 75 ♂ Weaver

✓ 76 ♂ *Cisticola*

✓ 77 ♂ "

✓ 78 ♂ Swallow

✓ 79 ♂ Hyacinth Bird

✓ 80 ♂ "

✓ 81 ♂ "

✓ 82 ♂ "

✓ 83 ♀ "

✓ 84 ♀ Night Hawk

✓ 85 ♀ Meadow Lark

✓ 86 ♀ *Acridothera tristis*✓ 87 ♀ Little Weaver *Cisticola*

✓ 88 ♀ "

✓ 89 ♂ *Agelaius*✓ 90 ♀ *Cisticola*

✓ 91 ♂ "

✓ 92 ♂ Bobbit *Bobolink jacksoni*✓ 93 ♂ *Hyphantornis?*

✓ 94 ♂ "

✓ 95 ♂ Swallow

✓ 96 ♂ *Cisticola*

✓ 97 ♂ "

✓ 98 ♀ Lark

✓ 99 ♀ "

✓ 100 ♂ *Oriolus cristatus*✓ 1 ♀ *Chalcophaps indica*✓ 2 ♀ *Halcyon senegalensis*✓ 3 ♂ *Centropus*✓ 4 ♀ *Oedipodites vermiculatus*✓ 5 ♂ *Long tail flycatcher*

Jaya Farm B.E.A.

May 21

Shot by T. R. &amp; mounted

22

23

Iris + eye-wattle yellow; bill black; feet vermilion, claws brownish gray.  
 Iris reddish brown; bill vinaceous brown; feet vinaceous, claws black.

Iris red; bill black; feet + claws plumbeous.



4	-								
106	♀	Red back flycatcher	Jinja. B. E. A.	May 23					201
107	♂	Same as 104							51
108	♀	Little Kingfisher							81
109	♂	<i>Ardea goliath</i>	Jinja Form, B. E. A.	May 25					81
110	♂	<i>Ardeola ralloides</i> ?	do	"					011
111	P	<del><i>Ardeola ralloides</i></del>	do	May 24					1
112	♀	<i>Trochilothera</i>							51
113	♀	<i>Phalacrocorax africanus</i>							51
114	♂	<i>Ardeola</i> <sup><i>ardea melanoleuca</i></sup>	Heatley	24					51
115	♂	Sand grouse							21
116	♂	Meadowlark <sup><i>macroura</i></sup>							51
117	♀	<i>Pluvier</i> <sup><i>adinaemus</i></sup>	Kapiti Plains, B. E. A.	May 3					51
118	♀	Meadowlark	"	PO					81
119	♀	Pigeon	Heatley	May 27					11
120	♀								51
121	♀								1
122	♀								51
123	♀								51
124	♀								2
125	♂	<i>Hypphantornis</i>							2
126	♂	<i>Colinus passer</i>							51
127	♂	<i>Zosterops</i>							51
128	♂	<i>Colinus passer</i> ? also <i>Synalaxis</i> ?							51
129	♂	<i>Chalcophaps</i>							51
130	♂	<i>Colinus passer</i> + also ♀							51
131	♂	<i>Passer</i> also <i>Colinus passer</i>							51
132	♂	<i>Tympanistris</i> also <i>Dryanoplectes</i> ?							51
133	♂	<i>Dryococcyz</i> ? also <i>Passer</i>							51
134	♂	<i>Campophaga</i>							2
135	♂	<i>Nectarinia</i> ? also <i>Colinus passer</i>							51
136	♀	<i>Buphaga</i>							51
137	♀	<i>Xanthophilus</i>							51
138	♂	<i>Dioptrornis</i>							51
139	♂	<i>Batis</i>							51
140	♀	<i>Dioptrornis</i>							51



4				
106	♀	Red back flycatcher	Jinja, B. E. A.	May 23
107	♂	<del>Red back flycatcher</del> same as 104		
108	♀	Little Kingfisher <sup>complanatus</sup>		
109	♂	Ardea goliath	Ju-Ju Hamm, B. E. A.	May 25
110	♂	Ardeola ralloides?	do	"
111	♀	<del>Ardeola ralloides?</del>	do	May 24
112	♀	Silvia		
113	♀	Phalacrocorax africana		
114	♂	<sup>Worm</sup> Ardeola	Heathlys	26
115	♂	Sand grame		
116	♂	Meadowlark		
117	♀	Plover <sup>es. ...</sup>	Kapiti Plain, B. E. A.	May 3
118	?	Meadowlark	"	" 10
119	♀	Pigeon	Heathlys	May 27
120	♀			
1	♀			
2	♀			
3	♀			
4	?			
5	♂			
6	♂			
7	♂			
8	♂			
9	♂			
130	♂			
1	♂			
2	♂			
3	♂			
4	♂			
5	♂			
6	?			
7	♀			
8	♂			
9	♂			
140	?			

Colors of soft parts in Dr. Means's notebook  
 Iris yellow. Base face greenish yellow, marked with black posteriorly.  
 Iris yellow. Base face greenish yellow. Bill black above, greenish below. Feet +  
 Iris carmine; bill brown at base, olive at tip, barred on sides with reddish, feet + claws black.



No.	Sex	Species	Location	Date	Field No.	Specimen No.	Remarks
141	♂	Swallow <sup>Hirundo</sup>	Heatleys	May 27	575	1141	
142	♂	"				1142	
143	♂	Cinnyris				1143	
144	♂	Colinus passer				1144	
145	♂	Cisticola				1145	
146	♂	Colinus passer				1146	
147	♂	"				1147	
148	??	Spurwing				1148	
149	?	macrurus				1149	
150	?	Plover	Juja Farm,	May 22		1150	
151	?	Camuroptera	Heatleys	27		1151	
152	?	Melanerpes				1152	
153	♂	Harlequin	Narisi,	June 1		1153	
154	♂	Franklin	Oljoro o Nyoro River	" 8		1154	
155	♂	Swift	50 miles N.W. of Lake Naivasha			1155	
156	♀	Lesser Bustard	S.N. guarro Nyoro River	12		1156	
157	♂	"				1157	
158	♀	Symnolizochis		13		1158	
159	♀	Crateropus				1159	
160	♂	Cuckoo				1160	
161	♂	Sunbird <sup>Phainopepla</sup>				1161	
162	♂	Eminia		14		1162	
163	♂	Grantia				1163	
164	♀	Oxyechus				1164	
165	♀	Campophaga				1165	
166	♂	Lance <sup>translucens</sup>				1166	
167	♀	"				1167	
168	♀	Crowned Crane				1168	
169	♀	Cuckoo		16		1169	
170	♀	Sunbird <sup>Phainopepla</sup>				1170	
171	♂	Lance				1171	
172	♀	Bustard				1172	
173	♀	Plover <sup>stephanitis</sup>				1173	
174	♀	Shear fowl <sup>franklini</sup>				1174	
175	♀	"				1175	



141	♂	Swallow	Heatleys	May 27
2	♂	"		
3	♂			
4	♂			
5	♂			
6	♂			
7	♂			
8	??			
9	?			
150	?	Plover	Juja Farm.	May 22
1	?		Heatleys	27
2	?			
3	♂	Houbrill	Narioli	June 1
4	♂	Franklin	Olyro o Nyon River	" 8
5	♂	Swift	50 miles N.W. of Kah. Nawasha	
6	♀	Lesser Bustard	S. N'guarro Nyiro River	12
7	♂	"		
8	♀			13
9	♀			
160	♂	Cuckoo		
1	♂	Swallow		
2	♂			14
3	♂			
4	♀			
5	?			
6	♂	Loon		
7	♀	"		
8	♀	Crowned Crane		
9	♀	Cuckoo		16
170	♀	Swallow		
1	♂	Loon		
2	♀	Bustard		
3	♀	Plover		
4	♀	Spur fowl		
5	♂			

Crown & throat wattles vinaceous red, legs, feet & claws black, iris white. Bill & face to enclose eye black; sides of head behind eye white; 11

} mated



Number	Sex	Species	Date	Notes	Count
176	♂	Bobbit	June 18		1
177	♂	"			1
178	♂	Purple Finch <sup>colaptes</sup>	19		1
179	♂	Chestnut-sided shrike <sup>nitens</sup>			1
180	♂	B. Coter			1
181	♂	Red-winged Blackbird			1
182	♂	Red-winged Blackbird			1
183	♀	Oxyphantes			1
184	♂	Pomatorhynchus			1
185	♀	Chloris <sup>strophilops</sup>			1
186	♀	Shin fowl			1
187	♀	Quail <sup>numida</sup>			1
188	♀	"			1
189	♂	Vulture			1
190	♀	Shrike <sup>nitens</sup>	21		1
191	♂	"			1
192	♂	Woodpecker			1
193	♀	Sand grouse <sup>cursor</sup>			1
194	♂	Cuckoo			1
195	♂	Chat <sup>sinuatus</sup>			1
196	♀	Vulture	22		1
197	♂	Heron <sup>scopus</sup>			1
198	♂	Grouse <sup>transalpinus</sup>		mated	1
199	♀	"			1
200	♂	Bush shrike <sup>pomatorhynchus</sup>			1
201	♂	"			1
202	♀	Whetstone <sup>campicola</sup>			1
203	♀	Kingfisher	23		1
204	♂	Bobbit			1
205	♂	Cuckoo <sup>subulani</sup>			1
206	♂	Chat <sup>sinuatus</sup>			1
207	♀	Black thrush <sup>myzomelas</sup>			1
208	♀	" <sup>myzomelas</sup>			1
209	♀	Shin fowl			1
210	♀	Eximium Goose			1



176	♂	Rabbit	
7	♂		
8	♂	Purple finch	
9	♂	Chestnut-sided shrike	
180	♂	B. Coter	
1	♂	Bobolink	
2	♂		
3	♀		
4	♂		
5	♀	Plow	
6	♀	Shrike	
7	♀	Shrike	
8	♀		
9	♂	Dulture	
190	♀	Shrike	21
1	♂		
2	♂	Woodpecker	
3	♀	Sand grouse	
4	♂	Cuckoo	
5	♂	Chat	
6	♀	Dulture	22
7	♂	Heron	
8	♂	Grouse	
9	♀	"	
200	♂	Bird shrike	
1	♂	"	
2	♀	Whiten	
3	♀	Kingfisher	23
4	♂	Bobbit	
5	♂	Cuckoo	
6	♂	Chat	
7	juv	Black thrush	
8	♀		
9	♀	Shrike	
210	♀	Egyptian Goose	24

June 15

19

21

22

23

24

} mated

Stomach contained 2 grass hopper legs.



- ✓ 211 ♂ *Sumbird* *rectarinsia*
- ✓ 212 ♀ *Pip* *Bustard*
- ✓ 213 ♂ *Kingfisher*
- ✓ 214 ♀ *Whellin* *campicola*
- ✓ 215 ♀ *Sand grouse*
- ✓ 216 ♂ *Jay* *canina*
- ✓ 217 ♂ *Chat* *orthoptera*
- ✓ 218 ♀ " "
- ✓ 219 ♂ *Oriole*
- ✓ 220 ♀ " "
- ✓ 221 ♂ *Chat* *indicator*
- ✓ 222 ♂ *Shrike* *lanianus*
- ✓ 223 ♀ " "
- ✓ 224 *Sumbird* *Beater*
- ✓ 225 *Burnesia*
- ✓ 226 *Bluebird*
- ✓ 227 *Starling*
- ✓ 228 ♂ *Beater*
- ✓ 229 ♂ " "
- ✓ 230 ♂ *Finch* *crithega*
- ✓ 231 *Sparrow*
- ✓ 232 *Bluebird*
- ✓ 233 ♂ *Bustard* *Notis caprea* *vide* *Abert.*
- ✓ 234 ♀ *Dove*
- ✓ 235 ♂ *Plover*
- ✓ 236 ♀ " "
- ✓ 237 ♂ *Small sand piper* *oxyechus?*
- ✓ 238 ♀ " *oxyechus*
- ✓ 239 ♀ " "
- ✓ 240 ♂ *Chat* *not* *schimura* *des* *beinip*
- ✓ 241 ♀ *Sand grouse*
- ✓ 242 ♂ *Sparrow* *Emberiza*
- ✓ 243 ♀ *Black bird*
- ✓ 244 ♂ *Titic* *pitina?*
- ✓ 245 ♂ *Linnia* *numida*

Ngani Narok River

Probably same species as 17999 mammals.  
alcoholic

S. Ng'warro Nyiro River

... gel uppl mag s hemistru ...

June 26  
27

~~28~~

30

July 2

3

4

5

*[Faint handwritten notes and a list of numbers on the right page, possibly a continuation of the bird collection records. The text is mostly illegible due to fading and bleed-through.]*



211 ♂ Sunbird

2 ♀ Bunting

3 ♂ Kingfisher

4 ♀ Whistler

5 ♀ Sand grasser

6 ♂ Jay

7 ♂ Chat

8 ♀ "

9 ♂ Oriole

220 ♀

1 ♂ Chat

2 ♂ Shrike

3 ♀ "

4 Sunbird Bunting

5 Bunting?

6 Bluebird Pseudornis

7 Starling Tympanocichla

8 ♂ Bunting

9 ♂ "

230 ♂ Finch Pseudornis

1 ♂ Sparrow Passer

2 ♀ "

3 ♂ Bunting

4 ♀ Dove

5 ♂ Plover

6 ♀ "

7 ♂ Small sand piper

8 ♀ "

9 ♀ "

240 ♂ Chat not

1 ♀ Sand grasser

2 ♂ Sparrow

3 ♀ Black bird

4 ♂ Lark

5 ♂ Lark

June 26  
27

28

30

July 2

Ngari Nari River

S. Niquasso Nijis River

Stomach filled with grasshoppers

Stomach filled with grasshoppers

Skinned as alcohol

Stomach filled with grasshoppers, bugs + insects



Number	Sex	Species	Location	Date	Notes	Measurements
246	♂	<i>numida</i>	S. N'g'iasso Nyiro	July 5		
247	♂	Sunflower		July 8		
248	♂	Swift	Ngarri Narok River	July 9		
249	♂	"				
250	♂	Warbler <i>zosterops</i>				
251	♀	"				
252	♀	<i>numida</i>				
253	♂	<i>numida</i>				
254	♀	<i>Tringa</i>				
255	♂	Plantain eater	Lake Naivasha	July 13		
256	♀	<i>Caudotantalus</i>				
257	♀	Owl		17		
258	♂	Hawk		15		
259	♀	Tail				
260	♀	Hawk				
261	♀	Hoops				
262	♀	Sec. Bird				
263	♀	Reddy duck <i>thalassini</i>				
264	♂	Shin fow <i>trachinotus</i>		18		
265	♂	Water hen				
266	♀	<i>Gallus Colymbus</i>	Naivasha Station	23		
267	♂	"				
268	♀	"				
269	♂	"				
270	♀	"				
271	♀	Egypt. goose				
272	♀	"				
273	♀	Heron				
274	♂	Loon		24		
275	♀	"				
276	♀	Ibis				
277	♀	"				
278	♀	"				
279	♀	Coot				
280	♂	Pratincole				



246	♂	Humming	S. N. Guinea N. Guinea	July 5
7	♀	Swift		July 6
8	♂	Swift	Ngari Narak River	July 7
9	♂	"		
250	♂	Wrenbler		
1	♀	"		
2	♂	Guinea		
3	♂	Guinea		
4	♀	Plumbeous catbird		
5	♂		Lake Naivasha	July 13
6	♀	Owl		
7	♂	Hawk		17
8	♂	Teal		15
9	♀	Hawk		
260	♂	Hoops		
1	♀	See Bird		
2	♀	Ruddy duck		
3	♂	Shore Jay		18
4	♂	Water hen		
5	♀	Gibbe <i>Paliocephalus ruficollis capensis</i>		
6	♀	Gull	Naivasha Station	23
7	♂	"		
8	♀	"		
9	♂	"		
270	♀			
1	♀	Egypt. goose		
2	♀	" "		
3	♀	Heron		
4	♂	Loon		24
5	♀	"		
6	♀	Ibis		
7	♀	"		
8	♀	"		
9	♀	Coot		
280	♂	Pintail		

Stomach contained beetle, a few.

Stomach contained 1 rat + grasshoppers

Shot by Theodore Roosevelt Esq., P.D.I.

"

"

"

"

"

"

This + No. 281 were mated







281 ♀ Pastorella

Nariasha Station

July 25

2 ♂ Dove

3 ♀ Pelican

4 juv. Gull

5 ♀ "

6 ♀ "

7 ♀ Raven

8 ♂ Sparrow

9 ♂ "

290 ♂ Heron

1 ♂ Water hen

2 ♂ Hawk

3 ♂ Gull

4 ♀ Pastorella

5 ♂ Plover

6 ♀ Roller

7

8 ♀ Kingfisher

9 ♀ Sparrow

300 ♀ Duck

1 ♀ "

2 ♀ "

3 ♂ Kite

4 ♀ Cattle egret

5 ♂ "

6 ♀ "

7 ♂ Franklin

8 ♂ What not

9 ♀ Bob-it

310 ♂ Little bird

1 ♂ Kingfisher

2 ♀ Sec. bird

3 ♀ Little kingfisher

4 ♂ "

5 ♂ Sandpiper

28

30

Aug 6

8

9

Shot by Dr. E. A. Mearns.

Shot 4 miles from water; crop full of grasshoppers

Stomach contained grasshoppers  
Stomach contained grasshoppers + 1 rat  
Stomach contained beetle + bug shells







316	♂	Least bittern	Nairobi Station	Aug 9
7	♂	Blk + Whit Kingfisher		
8	♂	Rail		
9	♂	Black tern		
320	♂	"		
1	♂	Blk. cap tern		
2	♂	"		
3	♀	Blk + white Kingfisher		
4	♂	"		
5	♂	"		
6	♂	Spur wing goose		
7	♂	Rumb. W. " (?)		
8	♂	Gallinule		
9	♀			
330	♂			
1	♀			
2	♂	Night heron		
3	♂	"		
4	♂	"		
5	♂	Duck		
6	♂	Hornbill	Nairobi	" 19
7	♀	"		" 20
8	♀	Large swift	Nairobi Station	" 15
9	♂	Thorn <i>franklinii</i>	S. Ngara & Ngara	Sept 20
340	♀	Small hornbill	Nairobi	
1	♀	Owl	Thika, Altitude 4500	Sept
2	♂	Swamp bird		
3	♂	Swamp		
4	♂	Swamp bird		
5	♀	Greenish Flycatcher		
6	♀	Gray Flycatcher		
7	♀	Little brown "		
8	♀	" " "		
9	♀	Swamp bird		
350	♂	Shrike		

336  
119  
217

(Mated to bird in Dr. Mearns' catalogue 16610  
← ?? same



✓ 351	♂	Hawk	Theka. Altitude 4500	Sept. 7
✓ 352	♀	Pigeon		
✓ 353	♂	Sandpiper		
✓ 354	♂	Shrike <i>Pomatorhynchus</i>		
✓ 355	♂	Barbet		
✓ 356	♂	"		
✓ 357	♂	"		
✓ 358	♀	"		
✓ 359	♀	Puller		
✓ 360	♂	Green dove <i>Vinago</i>		
✓ 361	♂	New shrike		
✓ 362	♀			
✓ 363	♂	Barbit		
✓ 364	♂	Weaver <i>Orthoptera</i>		
✓ 365	♂	Sparrow <i>Mniotilta</i>		
✓ 366	♂	Bittern		
✓ 367	♂	Cuckoo <i>Catantop</i>		9
✓ 368	♂	Catantop	Fort Hall	
✓ 369	♀	<i>Dicrurus</i>		
✓ 370	♀	Weaver <i>Colinus</i>	Theka	
✓ 371	♀	Shrike	Fort Hall	
✓ 372	♂	<i>Pomatorhynchus</i>	Theka	
✓ 373	♂	Night hawk		
✓ 374	♂	Shrike <i>Pomatorhynchus</i>		
✓ 375	♂	" <i>Oryzopsis</i>		
✓ 376	♂	Shrike <i>Lanius</i>		
✓ 377	♂	Catantop		
✓ 378	♀	<i>Pomatorhynchus</i>		
✓ 379	♂	Hawk		
✓ 380	♂	Swallow <i>Hirundo</i>	Theka	
✓ 381	♂	Wren <i>Colinus</i>	"	
✓ 382	♂	" <i>Myiophobus</i>	"	
✓ 383	♂	Blackbird	Theka	
✓ 384	♀	Wren <i>Myiophobus</i>	"	
✓ 385	♂	Sparrow <i>Passer</i>		11

Stomach contained 14 <i>Hydrophilus</i> <i>adulT</i>	adult	♂	12E
	adult	♀	2
	adult	♂	3
	adult	♂	4
	adult	♂	2
	"	♂	2
	"	♂	5
	"	♀	8
	adult	♀	9
	not seen	♂	08E
	shrike all	♂	1
		♀	2
	shrike	♂	3
	shrike	♂	4
	shrike	♂	2
	shrike	♂	2
	shrike	♂	5
	shrike	♀	8
	shrike	♀	9
	shrike	♀	05E
	shrike	♀	1
	"	♂	5
	"	♂	5
Stomach contained 1 lizard & grasshopper	shrike	♂	4
	"	♂	2
	"	♂	2
	"	♂	9
	"	♀	8
	"	♀	9
	shrike	♂	08E
	"	♂	1
	"	♂	5
	"	♂	5
	"	♀	4
	"	♂	2



351	♂	Hawk	Thika, altitude 4500	Sept. 7
2	♀	Pigeon		
3	♂	Sandpiper		
4	♂	Shrike		
5	♂	Barbet		8
6	♂	"		
7	♂	"		
8	♀	"		
9	♀	Roller		
360	♂	Green dove		
1	♂	New shrike		
2	♀			
3	♂	Barbit		
4	♂	Weaver		
5	♂	Lamprolaima		
6	♂	Butterfly		
7	♂	Cuckoo		9
8	♀		Fort Hall	
9	♀			
370	♀	Weaver	Thika	
1	♀	Shrike	Fort Hall	
2	♂	"		
3	♂	Night hawk	Thika	
4	♂	Shrike		
5	♂	"		
6	♂	Shrike		
7	♂			
8	♀			
9	♂	Hawk		
380	♂	Swallow	Thika	8
1	♂	Vidua	"	
2	♂	"		
3	♂	Blk. br. bunting	Thika	
4	♀	Vidua	"	
5	♂	Sparrow		11

Stomach contained grasshoppers

Stomach contained lizard & grasshoppers



Number	Sex	Species	Location	Date	Time	Notes	Species	Sex	Number
386	♀	Shrike <i>monticola</i>	Fort Hall	Sept 11	11:42		Shrike	♀	386
387	♀	<i>melanochroa</i>						♀	
388	♂	Crow					Crow	♂	8
389	♂	Kingfisher					Kingfisher	♂	9
390	♀	Cuckoo		12	12		Cuckoo	♀	390
391	♂	Flycatcher <i>resonans</i>	10 miles N.W. of Fort Hall	13	13		Flycatcher	♂	1
392	♂	Bush shrike		14	14		Bush shrike	♂	2
393	♀	Shrike					Shrike	♀	3
394	♀	Heaver <i>pygmaea</i>					Heaver	♀	4
395	♀	Bush shrike <i>resonans</i>					Bush shrike	♀	2
396	♀	Blue bird <i>tranchesi</i>	Near	15	15		Blue bird	♀	1
397	♀	Shurfowl	Plains on W. side of Mt. Kenia 7000ft	18	18		Shurfowl	♀	5
398	♂	Bush shrike	10 miles N.W. of Fort Hall	Sept 19	19		Bush shrike	♂	8
399	♂	Whiskered <i>californicus</i>					Whiskered	♂	9
400	♂	"		15	15		"	♂	400
401	♀	Dove <i>zinnikeri</i>					Dove	♀	1
402	♂	Cuckoo <i>campylorhynchus</i>					Cuckoo	♂	2
403	♂	Heaver <i>pygmaea</i>					Heaver	♂	3
404	♂	Whiskered <i>californicus</i>					Whiskered	♂	4
405	♂	Dove <i>zinnikeri</i>					Dove	♂	2
406	♂	Cuckoo					Cuckoo	♂	8
407	♂	"					"	♂	3
408	♀	Bush shrike <i>resonans</i>					Bush shrike	♀	8
409	♂	Scrubbird <i>nectarina</i>	West Side Mt. Kenia Alt 13500	Sept 25	25		Scrubbird	♂	9
410	♂	Chat <i>cinereus</i>					Chat	♂	10
411	♂	Thrush <i>spizella piaggii kenensis</i>	" " 10,000ft				Thrush	♂	1
412	♂	Redstart <i>pygmaea</i>	West Side Mt. Kenia 8500	Oct 8	8		Redstart	♂	2
413	♂	Red wing		9	9		Red wing	♂	3
414	♂	"					"	♂	4
415	♂	"					"	♂	2
416	♂	Hawk					Hawk	♂	1
417	♂	Flycatcher <i>phoeniceus</i>					Flycatcher	♂	8
418	♂	Bush shrike <i>resonans</i>					Bush shrike	♂	8
419	♀	"					"	♀	9
420	♀	Wood hoopoe					Wood hoopoe	♀	10



386	♀	Shrike	Fort Hall	Sept 11
7	♀			
8	♂	Crow		
9	♂	Kingfisher		
390	♀	Cuckoo		12
1	♂	Flycatcher	10 miles N.W. of Fort Hall	13
2	♂	Bush shrike		14
3	♀	Shrike		
4	♀	Heaven		
5	♀	Bush shrike		
6	♀	Blue bird	Near	15
7	♀	Shrike	Plains on N. side of Mt. Lewis 7000ft	18
8	♂	Bush shrike	10 miles N.W. of Fort Hall	Sept 14
9	♂	Widdah		
400	♂	"		15
1	♀	Song		
2	♂	Cuckoo		
3	♂	Heaven		
4	♂	Widdah		
5	♂	Song		
6	♂	Cuckoo		
7	♂			
8	♀	Bush shrike		
9	♂	Sunbird	West Side Mt. Lewis Oct 13500	Sept 25
410	♂	Chat		
1	♂	Thrush <i>Geothlypis trichas</i>	" " 10000	27
2	♂	Redstart	West Side Mt, Lewis 8500	Oct 8
3	+	Redstart <i>Bradypterus</i>		9
4	+	"		
5	+	"		
6	♂	Hawk	Swatara River & on stream Swatara	Swatara
7	♂	Flycatcher		
8	♂	Shrike		
9	♀	"		
420	♀	Wood hoopoe		

Caught in mammal trap

Caught in mousetrap (Alcohol.)

Cook contained legs & head chambers in alcohol No 416



✓ 421 ♀ Wood hoop  
 ✓ 422 ♀  
 ✓ 423 ♂ Lark <sup>chrysomitris</sup>  
 ✓ 424 ♂ Warbler <sup>cyathopiza</sup>  
 ✓ 425 ♂ Black weaver <sup>capitata?</sup>  
 ✓ 426 ♂ Sunbird <sup>cinerea</sup>  
 ✓ 427 ♀ Sunbird <sup>cinerea</sup>  
 ✓ 428 ♀ Starling <sup>amplius</sup>  
 ✓ 429 ♀ Hey headed whet bird <sup>amplicollis</sup>  
 ✓ 430 ♀  
 ✓ 431 ♀ Red tailed my yellow <sup>pygmaea</sup>  
 ✓ 432 ♂ Red wren <sup>andrypterus cin.</sup>  
 ✓ 433 ♂  
 ✓ 434 ♂ Purple finch <sup>shirazi</sup>  
 ✓ 435 ♂ Parrot  
 ✓ 436 ♂  
 ✓ 437 ♀  
 ✓ 438 ♀ ~~Rail~~ Jackson's grouse  
 ✓ 439 ♀ Rail  
 ✓ 440 ♂ Trogon  
 ✓ 441 ♂ Robin  
 ✓ 442 ♀ Parrot  
 ✓ 443 ♀  
 ✓ 444 ♀  
 ✓ 445 ♀ Planter eater  
 ✓ 446 ♀  
 ✓ 447 ♂ Warbler <sup>polioptila</sup>  
 ✓ 448 ♀ Flycatcher <sup>amplicollis</sup>  
 ✓ 449 ♂ Hawk  
 ✓ 450 ♀ Small flycatcher <sup>malincolana</sup>  
 ✓ 451 ♀ Phylloscopus <sup>SIN M Indus m</sup>  
 ✓ 452 ♀ Bird <sup>andrypterus cin.</sup>  
 ✓ 453 ♀ Flycatcher <sup>oleaceus?</sup>  
 ✓ 454 ♂  
 ✓ 455 ♀ Starling <sup>amplius?</sup>

West Side Mt. Kenia  
alt. 8500 ft

Oct 9

Oct, 13

14

15

✓ 421 ♀ Wood hoop  
 ✓ 422 ♀  
 ✓ 423 ♂ Lark <sup>chrysomitris</sup>  
 ✓ 424 ♂ Warbler <sup>cyathopiza</sup>  
 ✓ 425 ♂ Black weaver <sup>capitata?</sup>  
 ✓ 426 ♂ Sunbird <sup>cinerea</sup>  
 ✓ 427 ♀ Sunbird <sup>cinerea</sup>  
 ✓ 428 ♀ Starling <sup>amplius</sup>  
 ✓ 429 ♀ Hey headed whet bird <sup>amplicollis</sup>  
 ✓ 430 ♀  
 ✓ 431 ♀ Red tailed my yellow <sup>pygmaea</sup>  
 ✓ 432 ♂ Red wren <sup>andrypterus cin.</sup>  
 ✓ 433 ♂  
 ✓ 434 ♂ Purple finch <sup>shirazi</sup>  
 ✓ 435 ♂ Parrot  
 ✓ 436 ♂  
 ✓ 437 ♀  
 ✓ 438 ♀ ~~Rail~~ Jackson's grouse  
 ✓ 439 ♀ Rail  
 ✓ 440 ♂ Trogon  
 ✓ 441 ♂ Robin  
 ✓ 442 ♀ Parrot  
 ✓ 443 ♀  
 ✓ 444 ♀  
 ✓ 445 ♀ Planter eater  
 ✓ 446 ♀  
 ✓ 447 ♂ Warbler <sup>polioptila</sup>  
 ✓ 448 ♀ Flycatcher <sup>amplicollis</sup>  
 ✓ 449 ♂ Hawk  
 ✓ 450 ♀ Small flycatcher <sup>malincolana</sup>  
 ✓ 451 ♀ Phylloscopus <sup>SIN M Indus m</sup>  
 ✓ 452 ♀ Bird <sup>andrypterus cin.</sup>  
 ✓ 453 ♀ Flycatcher <sup>oleaceus?</sup>  
 ✓ 454 ♂  
 ✓ 455 ♀ Starling <sup>amplius?</sup>

p 30  
 small Mt. Kenia  
 alt. 8500 ft

Stomach contained chips, was feeding in open patch of tobacco  
 bushes in heavy forest, very close to ground  
 2 x red breasted sunbird

El. 2000: 93, 48, 15, 30, 32  
 Head photograph

14

15



421	♀	Wood hoopoe	West Side Mt. Kenia	Oct 9
2	♀		alt. 8500 ft	
3	♀	Robin		
4	♂	Warbill		
5	♂	Black weaver		
6	♂	Sunbird		
7	♀	Sunbird		11
8	♀	Starling		
9	♀	Leg-headed whist bird		
430	♀			
1	♀	Redstart w/ yellow		
2	♂	Red wren		
3	♂			
4	♂	Purple finch		
5	♂	Parrot		
6	♂			
7	♀			
8	♀	Road Jackson's grouse		
9	♀	Road Lophortyx		Oct 13
440	♂	Trogon		
1	♂	Robin		
2	♀	Parrot		14
3	♀			
4	♂			
5	♀	Plantain eater		
6	♀			
7	♂	Goatsuck		
8	♀	Flycatcher		15
9	♂	Hawk		
450	♀	Small flycatcher		
1	♂			
2	♀	Bird		
3	♀	Flycatcher		
4	♂			
5	♀	Starling		

Stomach contained slugs, was feeding in open patch of tall grass, weeds & bushes in heavy forest; very close to ground.  
 ♀ to red breasted sunbird

Basal half of mandible. Tarsus, feet, + claws uniform buffish grey. Caught in trap.  
 188; 300; 93; 48; 15; 30; 32. Iris brown. Bill purplish grey, flesh color on.  
 Head photograph



456	♂	Hoops <sup>Swain</sup>	West Side Mt Kenia 5500ft	Oct 15
457	♂	Tinamou <sup>Scapula piazzi ximenesii</sup>		
458	♂	Hoops		
459	♂	Red wren <sup>erythronus cin.</sup>		
460	♂	Warbler <sup>Swain</sup>		
461	♂	Marsh Hawk	Plains bordering Timber on West Side	17
462	♂	Spears <sup>exp. white</sup>	Mt. Kenia, Near West Flavia	
463	♀	"	Forest Station, alt. 7500ft	
464	♂	Lambert	West Side Mt. Kenia, alt. 8000ft	15
465	♂	Soot Tit <sup>citicola</sup>	" " Plains at West Kenia	
466	♂	"	Forest Stat. alt. 7500ft	
467	♀	Shin fowl	Plains West of Kenia on Karoroni	
468	♀	"	River, alt. 6500	
469	♀	"		
470	♀	"		
471	♀	"		
472	♂	Wheatear <sup>capitata</sup>		
473	♀	Sandpiper		
474	♂	Starling	Timber 7 miles E. of Nairobi	20
475	♂	Stiff rump <sup>capitata</sup>		
476	♂	Wheatear <sup>capitata</sup>	<del>Forest</del>	2
477	♀	Deppe's		
478	♀	"		
479	♂	"		
480	♂	Pipit <sup>audax</sup>		
481	♂	"		
482	♂	"		
483	♀	"		
484	♀	"		
485	♂	Batis		
486	♀	Duck	Hambour Ori	
487	♂	"	Hambour	21
488	♂	Treebeak <sup>albogularis</sup>	Hambour	21
489	♂	"		
490	♂	Green Cuckoo		

470	♂	Hoops	West Side Mt Kenia 5500ft	Oct 15
471	♂	Hoops		
472	♂	Hoops		
473	♂	Hoops		
474	♂	Hoops		
475	♂	Hoops		
476	♂	Hoops		
477	♂	Hoops		
478	♂	Hoops		
479	♂	Hoops		
480	♂	Hoops		
481	♂	Hoops		
482	♂	Hoops		
483	♂	Hoops		
484	♂	Hoops		
485	♂	Hoops		
486	♂	Hoops		
487	♂	Hoops		
488	♂	Hoops		
489	♂	Hoops		
490	♂	Hoops		



456	♂	Hoops	West Side Mt Kenia 8500ft	Oct 15
7	♂	Thrush		
8	♂	Hoops		
9	♂	Red wren		
460	♂	Waxbill		
1	♂	Marsh Hawk	Plains bordering Timber on West Side	17
2	♂	Waxbill	Mt. Kenia, Near West Forest	
3	♀	"	Forest Station, alt. 7500ft	
4	♂	Parula	West Side Mt. Kenia, alt. 8000ft	15
5	♂	List	" " " Plains at West Kenia	
6	♂	"	Forest Stat. alt. 7500ft	
7	♀	Spur fowl	Plains West of Kenia on Kaseronigiri	
8	♀	"	River, alt. 6500	
9	♀	"		
470	♀	"		
1	♀	"		
2	♂	Wheatear		
3	♀	Sandpiper		
4	♂	Starling	Timber 7 miles E. of Nairobi	200
5	♂	Stiff wing		
6	♂	Wheatear	Nairobi	21
7	♀	Deppe's		
8	♀	"		
9	♂	"		
480	♂	Pipit		
1	♂			
2	♂			
3	♀			
4	♀			
5	♂			
6	♀	Dulture	Nairobi Ori	
7	♂		Nairobi	21
8	♂	Grubbe's	Nairobi	21
9	♂			
490	♂	Green Cuckoo		

470 812  
 836 532  
 194 140

Photographed of head

Photographs



491	♂	Flycatcher <sup>Andrytes. see chlorocera</sup>	Wambreyer	Oct. 21
492	♂	Stiff <sup>remif</sup> <sup>Comptolaga.</sup>		
493	♂	Wag tail		
494	♀	Warbler <sup>Andrytes</sup>		
495	♀	Limbird <sup>Andrytes</sup>		
496	♀			
497	♀	Sparrow <sup>calistoga</sup>		
498	♂	Bluebird <sup>diptromis</sup>		
499	♂	Shrike		
500	♂	Bluebird <sup>diptromis</sup>		
501	♀	Robin		
502	♂	Cuckoo		
503	♂	Ch. pecker		
504	♂			
505	♀			
506	♂			
507	♂	Robin		
508	♂	Limbird <sup>superciliosus</sup>		
509	♀	Peewee <sup>multicolor</sup>		
510	♀	"		
511	♀	Chrysothrix		
512	♀	Wren		
513	♂	Puffin	Nearie	Oct 21
514	♂	Meadow hawk	Wambreyer	25
515	♂	Wren <sup>serotinus</sup>		
516	♂	"		
517	♂	Shrike		
518	♂	Longtail		
519	♂	Bark shrike		
520	♂	Wren <sup>caliopterus</sup>		
521	♂	Crow		
522	♂	"		
523	♀	Hawk	Fort Hall	Oct 28
524	♀	Green pigeon <sup>ringo</sup>		
525	♂	Landpiper		

194	♂	Warbler		
195	♂	Warbler		
196	♂	Warbler		
197	♂	Warbler		
198	♂	Warbler		
199	♂	Warbler		
200	♂	Warbler		
201	♂	Warbler		
202	♂	Warbler		
203	♂	Warbler		
204	♂	Warbler		
205	♂	Warbler		
206	♂	Warbler		
207	♂	Warbler		
208	♂	Warbler		
209	♂	Warbler		
210	♂	Warbler		
211	♂	Warbler		
212	♂	Warbler		
213	♂	Warbler		
214	♂	Warbler		
215	♂	Warbler		
216	♂	Warbler		
217	♂	Warbler		
218	♂	Warbler		
219	♂	Warbler		
220	♂	Warbler		
221	♂	Warbler		
222	♂	Warbler		
223	♂	Warbler		
224	♂	Warbler		
225	♂	Warbler		



791	♂	Flycatcher	Wambugu	Oct 21
2	♂	Stiff neck		
3	♂	Longtail		
4	♀	<i>Sternestes leucocaps</i> <sup>kenienseis</sup> <del>philipinensis</del>		
5	♀	Sunbird		
6	♀			
7	♀	Starling		
8	♂	Bluebird		
9	♂	Shrike		
500	♂	Bluebird		
1	♀	Robin		
2	♂	Cuckoo		
3	♂	Ch. pecker		
4	♂			
5	♀			
6	♂			
7	♂	Robin		
8	♂	Sunbird		
9	♀	Re-eater		
510	♀			
1	♀			
2	♀	Weaver		
3	♂	Puffin		
4	♂	Mand hawk	Nearie Wambugu	Oct 21 - 5
5	♂	Weaver		
6	♂	"		
7	♂	Shrike		
8	♂	Longtail		
9	♀	Bush shrike		
520	♂	Weaver		
1	♂	Crow		
2	♀	"		
3	♀	Hawk		
4	♀	Green pigeon	Chicago	Oct 22
5	♂	Sandpiper	Fort Hall	







526	♂	Oriole	Fort Hall	Oct. 26
7	♀	Bush shrike		
8	♀	Sandpiper Roller		
9	♂			
530	♀	Nuthatch		
1	♂			
2	♀	Guinea		29
3	♀	Green pigeon <u>Virago</u>		
4	♀	Barbit		
5	♀			
6	♂	Green pigeon <u>Virago</u>		
7	♂	Kingfisher		
8	♂	?		
9	♀	Bush shrike		
540	♂	Heaver		
1	♂	?		
2	♀	?		
3	♂	Maxbill "		
4	♀	Cuckoat	Saba Saba	Nov. 1
5	♀	Roller		
6	♀	Quail		
7	♀	Quater		
8	♂	Shrike		
9	♀			
550	♀			
1	♀			
2	♂	Quater		
3	♂	Widdah		
4	♂			
5	♀	Shrike		
6	♀	Sandpiper		
7	♀	Woytard		
8	♀			
9	♀			
560	♂			



Number	Sex	Species	Location	Date	Notes	Specimen ID	Count
561	♀	Whistler <i>Socialis</i>	Saba Saba	Nov. 1		W 102	1
562	♂	? <i>Quena</i>				W 103	2
563	♂	Warbill <i>Lophortyx</i>				W 104	3
564	♀	Hornbill	Truka			W 105	4
565	♀	Falcon				W 106	2
566	♀	"				W 107	3
567	♂	Crowcrane				W 108	4
568	♀	Goose <i>Franklin</i>				W 109	5
569	♂	Middah <i>Colinus</i>				W 110	6
570	♂	"				W 111	7
571	♂	Warbill <i>Lophortyx</i>				W 112	8
572	♀	Kingfisher				W 113	9
573	♀	? <i>Randonia pallidus murinus</i>				W 114	10
574	♀	Whistler <i>Socialis</i>				W 115	11
575	♀	Pigeon <i>Scapularis</i>	Brush-covered Hills, N. Side Mt. Kenia Fort Hall	Sep. 15	Brush-covered Hills, N. Side Mt. Kenia Fort Hall	W 116	12
576	♂	Flycatcher <i>550</i>		Oct 15		W 117	13
577	♀	? <i>Eminia</i>		28		W 118	14
578	♀	Heaver <i>Xanthophila</i>				W 119	15
579	♀	Sparrow Hawk	Nairobi	Nov. 16		W 120	16
580	♂	Whistler	Athi River Station			W 121	17
581	♂	Leard <i>acticola</i>				W 122	18
582	♂	Eremopteris				W 123	19
583	♀	Whistler <i>Campicola</i>				W 124	20
584	♂	Eremopteris				W 125	21
585	♂	Cuckoo	Ulukuma Hill	17		W 126	22
586	♂	Falcon	(South End)	18		W 127	23
587	♀	Eagle <i>agilis</i>		21		W 128	24
588	♂	"				W 129	25
589	♂	"				W 130	26
590	♂	"				W 131	27
591	♂	Whistler				W 132	28
592	♀	Whistler <i>50</i>		22		W 133	29
593	♂	Owl				W 134	30
594	♂	Shrike <i>(cf. no. 490)</i>		24		W 135	31
595	♀	Boubou				W 136	32



474  
396  
1  
78

237  
78 mountain

561	♀	Wheatie	Saba Saba	Nov. 1
2	♂	?		
3	♂	Warbill		
4	♀	Hornbill	Traka	
5	♀	Falcon		
6	♀♀	"		
7	♂	Crane		
8	♀	Grouse		
569	♂	Niddah		
570	♂			
1	♂	Warbill		
2	♀	Kingfisher		
3	♀	?		
4	♀	Wheatie		
5	♀	Pigeon	Brush-covered Hills, W. Side Mt. Kenia	Sep. 15
6	♂	Flycatcher		Oct 15
7	♀	?		28
8	♀	Waver		
9	♀	Sparrow Hawk	Nairobi	Nov. 16
580	♂	Wheatie	Atki River Station	
1	♂	See		
2	♂			
3	♀	Wheatie		
4	♂			
5	♂	Cuckoo	Ulukenia Hill	17
6	♂	Falcon	(South End)	18
7	♀	Eagle		21
8	♂?			
9	♂			
590	♂			
1	♂	Vulture		
2	♀			22
3	♂	Deer		
4	♂	Spurfoot		24
5	♀	Boubt		

Stomach contained grasshoppers

Stomach filled with large ants after sliding wings  
" " " " " " " "

Stomach contained beetle & mouse hair



No.	Sex	Species	Location	Date
596	♂	Barn owl	Ulukinia Hills.	No. 25
597	♂	Middel Vind	South End	
598	♂	Secretary		26
599	♀	Eagle <i>Aquila verreauxi</i>		
600	♂	Wren <i>Aquila</i>		27
601	♂	Longspur <i>Amphispiza</i>		
602	♂	Wren <i>Aquila</i>		
603	♀	Sparrow <i>Passer.</i>		
604	♀	Quail <i>Turnix</i>		
605	♀	Stilt		
606	♂	Eagle <i>Aquila</i>		
607	♂	Vulture		
608	♂	Spurford <i>Otornestes leucoscepus infuscatus</i>		
609	♂	Partridge <i>turnix</i>		
610	♀	Partridge		
611	♂	Spurford <i>Otornestes leucoscepus infuscatus</i>		28
612	♂	Sea bird		
613	♂	Wren <i>Hoplantornis</i>		29
614	♂	Long tail <i>Sturnella?</i>		
615	♂	Stilt		
616	♂	"		
617	♀	"		
618	♂	Cuckoo		
619	♂	Wren bird		
620	♂	Wren <i>Stranctio castropertra</i>		
621	♂	Lark <i>triceps</i>		
622	♂	Bustard		
623	♀	Osprey		
624	♂	"		
625	♂	Large tailed bird		
626	♂	Smaller (microspus)		
627	♂	Osprey		
628	♀	"		
629	♂	" <i>Aquila verreauxi?</i>		
630	♂	"		

No.	Sex	Species	Location	Date
25	♂	Secretary	Ulukinia Hills	
26	♂	Secretary	Ulukinia Hills	
27	♂	Secretary	Ulukinia Hills	
28	♂	Secretary	Ulukinia Hills	
29	♂	Secretary	Ulukinia Hills	
30	♂	Secretary	Ulukinia Hills	
31	♂	Secretary	Ulukinia Hills	
32	♂	Secretary	Ulukinia Hills	
33	♂	Secretary	Ulukinia Hills	
34	♂	Secretary	Ulukinia Hills	
35	♂	Secretary	Ulukinia Hills	
36	♂	Secretary	Ulukinia Hills	
37	♂	Secretary	Ulukinia Hills	
38	♂	Secretary	Ulukinia Hills	
39	♂	Secretary	Ulukinia Hills	
40	♂	Secretary	Ulukinia Hills	
41	♂	Secretary	Ulukinia Hills	
42	♂	Secretary	Ulukinia Hills	
43	♂	Secretary	Ulukinia Hills	
44	♂	Secretary	Ulukinia Hills	
45	♂	Secretary	Ulukinia Hills	
46	♂	Secretary	Ulukinia Hills	
47	♂	Secretary	Ulukinia Hills	
48	♂	Secretary	Ulukinia Hills	
49	♂	Secretary	Ulukinia Hills	
50	♂	Secretary	Ulukinia Hills	

Stomach of Secretary bird contained 2 snakes, 2 lizards, several large grasshoppers, a multitude of winged ants, other insects, and one large insect spider.



No.	Sex	Species	Location	No.
596	♂	Barn owl	Ulukhuia Hills,	No. 25
7	♂	Widdell	South East	
8	♂	Sentinel		26
9	♀	Eagle		27
600	♂	Widder		
1	♂	Longspur		
2	♂	Wheaver		
3	♀	Sparrow		
4	♀	Quail		
5	♀	Stilt		
6	♂	Eagle		
7	♂	Vulture		
8	♂	Shurfowl		
9	♂	Partridge		
610	♀	Partridge		
1	♂	Shurfowl		28
2	♂	Shurfowl	young larvae, several, etc. <sup>just mentioned</sup>	
3	♂	Wheaver	young larvae, etc. <sup>also mentioned</sup>	
4	♂	Long tail	subsp.	
5	♂	Stilt		
6	♂	"		
7	♀	"		
8	♂	Cuckoo		
9	♂	Whet bird	alcohol	
620	♂	Wheaver	<i>Stranania ipanthinogaster</i> alcohol	
1	♂	Duck	<i>Tringa</i>	
2	♂	Bentwing		
3	♀	Eagle		
4	♂	"		
5	♂	Large tailed bird	<i>Suaenia</i>	
6	♂	Swallow	<i>Micropus</i>	
7	♂	Eagle		
8	♀	"		
9	♂	"		
630	♂	"		

Stomach saved in alcohol. Contained 2 snakes, 2 lizards several large grasshoppers & a multitude of winged ants & insects, 1 large spider

Caught in trap

Alcoholic. Caught in trap

" Not skinned (skinned) alcoholic 20140, afterwards skinned.

Stomach contained many large beetles & insects including winged ants also 1 quartz stone  
Stomach contained winged ants

alcoholic caught in trap

" (skinned)







631	♂	Marsh Hawk		Nov. 30
2	♂	White Ibis		
+ 3		Sweet bird	Succinia Alcohol	
+ 4		"	(two birds. Have given one 636. W.D. computer)	
+ 5		Toucan	"	
+ 6		"		Dec 1
7	♂	Marsh Hawk		
8	♀	Sparrow hawk		2
9	♀	Duck		
640	♀	Quail		
1	♂	Heron	Athi River Station	
2	♂	Oryx		
3	♂	Snake bird		
4	♂	Shrike	Nairobi	
5	♀		Athi River Station	Nov. 16
6	♀	Hawk	Nairobi	Dec 9
7	♂	"	"	10
8		Crested Hawk	Kampala	
9		Kingfisher		
650	♀	Kite	2 Camp Kikandawa	25
1	♂			
2	♂	Large hornbill	3 Camp Kiamuna	26
3	♀	Small parrot	4 Camp Kibulamiro	27
4	♀	Heron	1	
5	♀	Mom's bird	2 Camp Kikandawa	25
6	♂	Guinea	6 Camp Kisungu	29
7	♀	"		
8	♂	Kite		
9	♀	Crested bird		
660	♂	"		
1	♀	Shrike	Rigoma	30
2	♂	Oryx		
3	♂	Crested Hawk		
4	♀	White-rumped swallow		
5	♀	Kingfisher	Distaba	Jan 6

637  
574  
58

Stomach contained grasshoppers only

Alcoholic }  
" } Caught in traps  
" }  
" }



✓ 666	♂	Kingfisher <sup>Ceryle</sup>	Butaba Uganda	Jan 6
✓ 667	♀	"		
✓ 668	♀	" <sup>Ceryle</sup>		
✓ 669	♀	"		
✓ 670	♀	Heron		
✓ 671	♀	Duck		
✓ 672	♂	Comorant		
✓ 673	♀	Ibis		
✓ 674	♂	<i>Ardeotis</i> <sup>variegatus</sup> <i>loringi</i> <sup>Nearns</sup>	Type.	
✓ 675	♀	Heron		
✓ 676	♀	Plover		
✓ 677	♂	"		
✓ 678	♀	Stilt		
✓ 679	♂	"		
✓ 680	♂	"		
✓ 681	♂	Woodpecker	Rhino Camp, Congo, Nile.	10
✓ 682	♂	Snipe bird		
✓ 683	♂	Bird		
✓ 684	♀	Guinea Hen		
✓ 685	♂	"		
✓ 686	♀	Heron		14
✓ 687	♂	Coccyz		
✓ 688	♂	Meadowlark		16
✓ 689	♂	Wingtail		
✓ 690	♀	Woodpecker		23
✓ 691	♀	"		
✓ 692	♀	Heron		24
✓ 693	♂	White Heron		
✓ 694	♀	Rail		
✓ 695	♀	Gibbon Vulture		27
✓ 696	♂	Long "		
✓ 697	♀	Redwing		
✓ 698	♀	Red breast		29
✓ 699	♂	Shrike <sup>white</sup>		
✓ 700	♀	"		

✓ 666	♂	Kingfisher	Butaba Uganda	Jan 6	000
✓ 667	♀	"			1
✓ 668	♀	"			2
✓ 669	♀	"			3
✓ 670	♀	Heron			4
✓ 671	♀	Duck			5
✓ 672	♂	Comorant			6
✓ 673	♀	Ibis			7
✓ 674	♂	<i>Ardeotis</i> <sup>variegatus</sup> <i>loringi</i> <sup>Nearns</sup>	Type.		8
✓ 675	♀	Heron			9
✓ 676	♀	Plover			10
✓ 677	♂	"			11
✓ 678	♀	Stilt			12
✓ 679	♂	"			13
✓ 680	♂	"			14
✓ 681	♂	Woodpecker	Rhino Camp, Congo, Nile.	10	15
✓ 682	♂	Snipe bird			16
✓ 683	♂	Bird			17
✓ 684	♀	Guinea Hen			18
✓ 685	♂	"			19
✓ 686	♀	Heron			20
✓ 687	♂	Coccyz			21
✓ 688	♂	Meadowlark			22
✓ 689	♂	Wingtail			23
✓ 690	♀	Woodpecker			24
✓ 691	♀	"			25
✓ 692	♀	Heron			26
✓ 693	♂	White Heron			27
✓ 694	♀	Rail			28
✓ 695	♀	Gibbon Vulture			29
✓ 696	♂	Long "			30
✓ 697	♀	Redwing			31
✓ 698	♀	Red breast			32
✓ 699	♂	Shrike <sup>white</sup>			33
✓ 700	♀	"			34



666	♂	Kingfisher	Buteaba Uganda	Jan 6
7	♀			
8	♀			
9	♀			
670	♀	Heron		
1	♀	Duck		
2	♂	Comorant		
3	♀	Ibis		
4	♂	Beater		! effort
5	♀	Heron		
6	♀	Plover		
7	♂			
8	♀	Stilt		
9	♂			
680	♂			
1	♂	Woodpecker	Rhine Camp, Congo, Nile.	10
2	♂	Small bird		
3	♂	Bustard		
4	♀	Guinea Hen		
5	♂			
6	♀	Heron		14
7	♂	Cocall		
8	♂	Meadowlark		16
9	♂	Wagtail		
690	♀	Woodpecker		23
1	♂	"		
2	♀	Heron		24
3	♂	White Heron		
4	♀	Rail		
5	♀	Giffin Vulture		27
6	♂	Lark		
7	♀	Redwing		
8	♀	Red breast		29
9	♀	Shrike		
700	♂	"		







		<i>Sado Release?</i>	1910
701	Heron	Rhino Camp Congo	Jan 29
2	? Bustard		
3	♀ Cuckoo		
4	♀ Bustard		30
5	♀ Heron <i>Ardea goliath</i>		
6	♂ Vulture		
7	♀ Ibis		
8	♂ Eagle		
9	♂ Plover		
710	♂		
1	♂		31
2	?		
3	♀		
4	♂		Feb 1
5	♂ Rail		
6	♂ Shrike		
7	? Oriole		
8	♀ Bushshrike		11 2
9	♂		
720	♂		
1	♂ ?		
2	♂ Titmouse		
3	♂ Whistler <i>Saxicola</i>		
4	♂ Hornbill	Nimule, Uganda	4
5	♀ Hawk		
6	♂ "		
7	♂ Green		5
8	♂ Raven		
9	♂ Hornbill	Tombuki River Uganda	10
730	♂ Hoopoe		
1	♀ Vulture		
2	♂ Green pigeon		
3	♂ Weaver	Uma	
4	♂ Oriole		11
5	♂ Honey guide		

*Alcedo*



✓ 736	♀	Ant thrush	Uma Uganda	Feb 11
✓ 737	♀	Hadbill <sup>Analen</sup>		
✓ 738	♀	Analen		
✓ 739	♂	"		
✓ 740	♂	"		
✓ 741	♀	"		
✓ 742	♂	"		
✓ 743	♂	"		
✓ 744	♀	Kite		12
✓ 745	♂	Night Hawk	Myouri Jardin	12
✓ 746	♂	Bobrot		
✓ 747	♀	Shrike		
✓ 748	♀	"		
✓ 749	♂	Mona bird <sup>Wanolin</sup>		
✓ 750	♂	Sand paper		
✓ 751	♂	Roller		
✓ 752	♂	Kingfisher <sup>H. Sagan</sup>		
✓ 753	♂	Hadbill <sup>Analen</sup>		
✓ 754	♀	Analen		
✓ 755	♀	"		
✓ 756	♀	"		
✓ 757	♀	"		
✓ 758	♀	"		
✓ 759	♀	"		
✓ 760	♀	"		
✓ 761	♀	"		
✓ 762	♀	♀ <sup>Andymis?</sup>		
✓ 763	♀	Yellow warbler <sup>Serim</sup>		
✓ 764	♀	Pratincla		
✓ 765	♀	Phoenicurus		
✓ 766	♀	"		
✓ 767	♀	Cisticola <sup>752</sup>		
✓ 768	♀	Portard <sup>753</sup>		
✓ 769	♀	Thimms <sup>754</sup>		
✓ 770	♀	"		

11 de 7	abugat amu	Small bird	♀	265
		Hadbill	♀	5
		"	♂	8
		"	♂	9
		"	♂	045
		"	♀	1
		"	♂	2
		"	♂	3
		"	♀	4
21		Hadbill	♀	7
21	Missouri garden	Small bird	♂	6
		Shrike	♀	5
		"	♀	8
		"	♀	7
		Small bird	♂	025
		Sand paper	♂	1
		Roller	♂	2
		Kingfisher	♂	3
		Hadbill	♂	4
		"	♀	7
		"	♀	6
		"	♀	5
		"	♀	025
		"	♀	1
		"	♀	2
		"	♀	3
		"	♀	4
		"	♀	5
		"	♀	6
		"	♀	7
		"	♀	8
		"	♀	9
		"	♀	055



736	♀	Ant thrush	Uma Uganda	Feb 11
7	♀	Warbill		
8	♀			
9	♂			
740	♂			
1	♀			
2	♂			
3	♂			
4	♀	Rite		12
5	♂	Night Hawk	Myouri Jardin	12
6	♂	Parrot		
7	♀	Shrike		
8	♀			
9	♂	Mourner bird		
750	♂	Sand piper		
1	♂	Roller		
2	♂	Kingfisher		
3	♂	Warbill		
4	♀			
5	♀			
6	♀			
7	♀			
8	♀			
9	♀			
760	♀			
1	♀			
2	♀	?		
3	♀	Yellow warbill		
4	♀			
5	♀			
6	♂			
7	♂	Chestnut		
8	♂	Partridge		
9	♂	Guinea		
770	♂			

Shot by Heller



No.	Sex	Species	Location	Date
771	♂	Hornbill	Munyvie Garden, Uganda	Feb. 12.
772	♂	Toucan	"	"
773	♂	"	"	"
774	♂	Heron <small>ardea melanocorypha</small>	"	"
775	♂	Parrot	Lokk Degga	13.
776	♂	Shrike <small>urochloa</small>	"	"
777	♀	Breaster <small>dicoramus</small>	"	"
778	♂	"	"	"
779	♂	Moosebird <small>woodhew</small>	"	"
780	♂	"	"	"
781	♂	"	"	"
782	♀	"	"	"
783	♀	Bird <small>thamium</small>	"	"
784	♂	Pigeon	"	"
785	♂	Harsh	Lokk Degga	14.
786	♂	Hornbill	"	"
787	♂	Roller	"	"
788	♂	Bullbird <small>lamprolin</small>	"	"
789	♂	Starling <small>cretophara</small>	"	"
790	♂	"	"	"
791	♂	"	"	"
792	♂	Eagle	"	"
793	♂	Bushshrike <small>tiline</small>	Ledgus	15.
794	♂	<del>Amalagator</del>	"	"
795	♀	<del>sunice</del>	"	"
796	♂	Hornbill	"	"
797	♀	Heaver	"	"
798	♀	"	"	"
799	♂	Moosebird <small>woodhew</small>	"	"
800	♂	"	"	"
801	♂	Raven	"	"
802	♂	Marsh hawk	"	"
803	♂	Goshawk	Logos	16.
804	♂	? <small>anthus orientalis</small>	"	"
805	♂	Heaver	"	"

1910

Munyvie Garden, Uganda Feb. 12.

Lokk Degga 13.

Lokk Degga 14.

Ledgus 15.

Logos 16.

No.	Sex	Species	Location	Date
151	♂	Hornbill	Munyvie Garden, Uganda	Feb. 12.
152	♂	Toucan	"	"
153	♂	"	"	"
154	♂	Heron	"	"
155	♂	Parrot	Lokk Degga	13.
156	♂	Shrike	"	"
157	♀	Breaster	"	"
158	♂	"	"	"
159	♂	Moosebird	"	"
160	♂	"	"	"
161	♂	"	"	"
162	♀	"	"	"
163	♀	Bird	"	"
164	♂	Pigeon	"	"
165	♂	Harsh	Lokk Degga	14.
166	♂	Hornbill	"	"
167	♂	Roller	"	"
168	♂	Bullbird	"	"
169	♂	Starling	"	"
170	♂	"	"	"
171	♂	"	"	"
172	♂	Eagle	"	"
173	♂	Bushshrike	Ledgus	15.
174	♀	<del>Amalagator</del>	"	"
175	♀	<del>sunice</del>	"	"
176	♂	Hornbill	"	"
177	♀	Heaver	"	"
178	♀	"	"	"
179	♂	Moosebird	"	"
180	♂	"	"	"
181	♂	Raven	"	"
182	♂	Marsh hawk	"	"
183	♂	Goshawk	Logos	16.
184	♂	? <small>anthus orientalis</small>	"	"
185	♂	Heaver	"	"

Logos

151 ♂ Hornbill  
152 ♂ Toucan

155 ♂ Parrot  
156 ♂ Shrike  
157 ♀ Breaster  
158 ♂ "

165 ♂ Harsh  
166 ♂ Hornbill  
167 ♂ Roller  
168 ♂ Bullbird  
169 ♂ Starling  
170 ♂ "

173 ♂ Bushshrike  
174 ♀ ~~Amalagator~~  
175 ♀ ~~sunice~~

183 ♂ Goshawk  
184 ♂ ? anthus orientalis  
185 ♂ Heaver



771	♂	Hornbill	Manyoni Garden, Uganda	Feb. 12	1910
2	♂	Guinea			
3	♂				
4	♂	Heron			
5	♂	Parrot			
6	♂	Shrike	Lokk Dugga	Feb. 13	
7	♀	Beater			
8	♂				
786	♂	Mourne bird			
1	♂				
2	♀				
3	♀	Bird			
4	♂	Pigeon			
5	♂	Hawk	Lokk Dugga		14
6	♂	Hornbill			
7	♂	Roller			
8	♂	Bullbird			
790	♂	Starling			
1	♂	"			
2	♂	Eagle			
3	♂	Birdshrike	Lodges		15
4	♂	"			
5	♂	"			
6	♂	Hornbill			
7	♀	Heaven			
8	♂				
790	♂	Mourne bird			
800	♂				
1	♂	Raven			
2	♂	Marsh hawk			
3	♂	Shrike	Lodges		16
4	♂	"			
5	♂	Heaven			

Lodges

mounted.  
} a mated pair



✓ 806	♂	Weaver	Logor, Bah-el-Jebel, Uganda. Feb. 16	
✓ 807	♂			
✓ 808	♂			
✓ 809	♂	<i>Colinus striatus</i> <sup>colinus</sup> <i>gabonensis</i> <sup>various</sup>		
✓ 810	♂	<i>Colinus striatus</i> <sup>woodhousei</sup> <i>jebelensis</i>		
✓ 811	♂	"		
✓ 812	♂	"		
✓ 813	♂	"		
✓ 814	♂	"		
✓ 815	♂	"		
✓ 816	♂	"		
✓ 817	♂	"		
✓ 818	♀	<i>Colinus striatus</i> <sup>Colinus</sup> <i>jebelensis</i>		
✓ 819	♂	Barbit		
✓ 820	♂	"		
✓ 821	♂	"		
✓ 822	♂	"		
✓ 823	♂	Shrike		
✓ 824	♀	Bushshrike <sup>argya</sup>		
✓ 825	♂	Sparrow <sup>passer</sup>		
✓ 826	♂	? <sup>canariensis</sup>		
✓ 827	♂	? <sup>anthracina</sup> <i>orientalis</i> ♀		
✓ 828	♀	Weaver <sup>inter</sup>		
✓ 829	♂	Big weaver <sup>europaeus</sup>		
✓ 830	♂	Godhawk	Kondokoro	19
✓ 831	♂	Swallow		21
✓ 832	♂	"		
✓ 833	♂	"		
✓ 834	♂	Swallow		
✓ 835	♂	"		
✓ 836	♂	Bush shrike		
✓ 837	♂	Swallow		
✓ 838	♂	"		
✓ 839	♂	"		
✓ 840	♂	"		

di. det

Logor

weaver

208

Type!

*Colinus striatus - woodhousei*

Barbit

208

Barbit

Shrike

Bushshrike

Sparrow

?

?

Weaver

Big weaver

Godhawk

Swallow

"

Bush shrike

Swallow

"

"

White shrike



806	♂	Weaver	Logan	Feb. 16
7	♀			
8	♀			
9	♂	Mom bird	→ Alcoholic - Vincennes	! <del>Logan</del>
810	♀			
1	♀			
2	♀			
3	♀			
4	♀			
5	♀			
6	♀			
7	♀			
8	♀			
9	♂	Barbit		
820	♀			
1	♀			
2	♂			
3	♀	Shrike		
4	♀	Bush shrike		
825	♂	Sparrow		
826	♂	?		
827	♂	?		
828	♀	Weaver		
829	♀	Big weaver		
830	♂	Gorhawk	Kondokoro	19
831	♀	Limbirds		21
832	♂			
833	♂			
834	♂	Swallow		
835	♂			
836	♂	Bush shrike		
837	♂	Sw bird		
838	♂			
839	♂			
840	♀	Bush shrike		



No.	Sex	Species	Location	Date
841	♂	Hornbill	Tondokoro	Feb. 21
842	♀	Weaver		
843	♂	? <i>arostrophus</i>		
844	♀	Crested Hoopoe		
845	♂	Weaver <i>Hypphantornis</i>		22
846	♂	Linnie		
847	♀	Swallow		
848	♀	"		
849	♀	Mombasa <i>Woodlin</i>		
850	♀	<i>Lanius cristata chinensis simplex</i>		
851	♀	Bulbul <i>Pyrenonotus layardi minor</i>		
852	♂	Kite		
853	♀	Becker <i>melis.</i>		
854	♂	Shrike		
855	♂	Mombasa <i>Woodlin</i>		
856	♂	Sunbird		
857	♂	"		
858	♂	"		
859	♂	Weaver		
860	♂	Starling <i>Bustard</i>		23
861	♀	? <i>cinerea</i>		
862	♂	Bulbul <i>Pyrenonotus layardi minor</i>		
863	♂	Landpiper <i>activa</i>		
864	♀	Bluebird <i>bradygaster?</i>		
865	♂	Warbler <i>bradygaster?</i>		
866	♂	Buntail		
867	♂	Mombasa <i>Woodlin</i>		
868	♂	Woodpecker		
869	♂	"		
870	♀	Becker <i>melis.</i>		
871	♂	Warbler		
872	♂	Shrike <i>red breast</i>		
873	♀	"		
874	♂	"		
875	♂	Starling <i>laureola</i>		

No.	Sex	Species	Date
8148	♂	Hornbill	21
8149	♀	Weaver	
8150	♀	"	
8151	♀	"	
8152	♀	"	
8153	♀	"	
8154	♀	"	
8155	♀	"	
8156	♀	"	
8157	♀	"	
8158	♀	"	
8159	♀	"	
8160	♀	"	
8161	♀	"	
8162	♀	"	
8163	♀	"	
8164	♀	"	
8165	♀	"	
8166	♀	"	
8167	♀	"	
8168	♀	"	
8169	♀	"	
8170	♀	"	
8171	♀	"	
8172	♀	"	
8173	♀	"	
8174	♀	"	
8175	♀	"	



1910.

Feb. 21

- 841 ♂ Hornbill      Gondokoro  
 842 ♀ Weaver  
 843 ♂ ?  
 844 ♀ Crested hawk  
 845 x Weaver, striped *Hyphantornis*  
 846 x Lanius - *Lanius*  
 847 ♀ Swallow  
 848 ♀  
 849 ♀ Mombird  
 850 ♀ *Lanius* *Lanius* *minor*  
 851 ♀ Bullbulb *Pycnonotus lagardi minor*  
 852 ♂ Kite  
 853 ♀ Weaver  
 854 ♂ Shrike  
 855 ♂ Mombird  
 856 ♂ Mombird  
 857 ♂  
 858 ♂  
 859 ♂ Weaver  
 860 ♂ Startling Bunting  
 861 ??  
 862 ♂ Bullbulb *Pycnonotus lagardi minor*  
 863 ♂ Sandpiper  
 864 ♀ Bluebird  
 865 ♂ Mallard  
 866 ♂ Barbet  
 867 ♂ Mombird  
 868 ♂ Woodpecker  
 869 ♂  
 870 ♀ Bunting  
 871 ♂ Mallard  
 872 ♂ Shrike  
 873 ♀  
 874 ♂  
 875 ♂ Startling

22

Alcoholic

"

23

3863



✓	876	♀	Starling <i>Lamprolaima</i>	by Jon dokov	Feb. 23
✓	877	♂	Small bird <i>Cisticola</i>		24
✓	878	♂	Vireo <i>acrostictus</i>		
✓	879	♂	Blue bell <i>Sporopipes frontalis</i>		
✓	880	♀	"	"	
✓	881	♀	Kite		
✓	882	♀	? <i>Erythropygia</i>		
✓	883	♀	Heaven		
✓	884	♂	? <i>Phoenicurus</i>		
✓	885	♂	Swallow		
✓	886	♂	Parrot <i>melitt.</i>		
✓	887	♂	Parrot		
✓	888	♂	Shrike		
✓	889	♂	Wood pecker		
✓	890	♂	<i>Helimysphya erythrorouca</i>		
x	891	♂	<i>Oena capensis</i>	alcohol	27
x	892	♂	Vireo		
x	893	♂	Shrike <i>Laniarius</i>		
x	894	♂	<i>Pomatorhinus</i>		
>	895	♂	Warbler		
x	896	♀	? <i>Euprimoides</i>	alcoholic We have two skins of this	
alc.	897	♂	Swallow		
✓	898	♀	Swallow <i>Metarhinia pulchella</i>		
✓	899	♀	Hawk		
	900				
	901				
	902				
	903				
	904				
	905				
	906				
	907				
	908				
	909				
	910				

.0191	888	♀	Wood pecker		
08.127	889	♂	Swallow		
NR	890	♂	Swallow		
	891	♂	Swallow		
	892	♂	Swallow		
	893	♂	Swallow		
	894	♂	Swallow		
	895	♂	Swallow		
	896	♂	Swallow		
	897	♂	Swallow		
	898	♂	Swallow		
	899	♂	Swallow		
	900	♂	Swallow		
	901	♂	Swallow		
	902	♂	Swallow		
	903	♂	Swallow		
	904	♂	Swallow		
	905	♂	Swallow		
	906	♂	Swallow		
	907	♂	Swallow		
	908	♂	Swallow		
	909	♂	Swallow		
	910	♂	Swallow		



1910.

Feb. 23  
24

- 876 ♀ Starling      *Lundkors*
- 877 ♂ Small bird
- 878 ♂ Vireo
- 879 ♂ Wax bill
- 880 ♀
- 881 ♀ Kite
- 882 ♂ ?
- 883 ♀ Weaver
- 884 ♂ ?
- 885 ♂ Sunbird
- 886 ♂ Weaver
- 887 ♂ Barbic
- 888 ♂ Shrike
- 889 ♂ Woodpecker
- 890 ♂ Sunbird
- 891 ♂ House Pigeon
- x 892 Vireo Aethiops
- x 893 Shrike Laniarius
- x 894 Pomatorhynchus
- 895 Warbler Camaroptera
- 896 ? Cypripedium      *alcoholic*  
*We have two pairs of this sp.*
- v 897 Sunbird
- xv 898 ♀ Sunbird *Metanina pulchella*
- 899 ♀ Hawk.
- 900
- 901
- 902
- 903
- 904
- 905
- 906
- 907
- 908
- 909
- 910

886	3170
3063	891
<u>4951</u>	<u>4061</u>

Alcoholic

"

"

"

"

"

Same species as No. 888.

L7



981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999

Edmund Heller

Catalogue made up by W. D. Carpenter at the National Museum, Washington from labels - otherwise unrecorded - on alcoholic specimens of birds collected by Edmund Heller. Through directions of Dr. Edgar A. Mearns.

x	1000	<i>Trochila elgonensis</i>	Mt. Kenia, 7000 ft. West side, Brit. E. Af. August 17 <sup>th</sup> 1909
x	1001	<i>Arizelocichla</i>	" " " " " " " " " 24 <sup>th</sup> 1909
x	1002	<i>Campicola</i>	" " " " " " " " " 1909
x	1003	<i>Flycatcher - Pseudomornis</i>	" " " " " " " " " 1909
	1004	<i>Francolin</i>	" " " " " " " " "
x	1005	<i>Robin Swicichla</i>	Brit. Kenia Oct. 1909
x	1006	<i>Shrike Dryocopus</i>	" " " " " " " " "
x	1007	<i>Passer</i>	" " " " " " " " "
x	1008	"	" " " " " " " " "
x	1009	<i>Nectarinia taceae unispilendens</i>	Brit. East Africa
x	1010	"	" " " " " " " " "
x	1011	<i>Pinarochroa</i>	Brit. Kenia, Oct. 1909
x	1012	<i>Cisticola</i>	Brit. East Africa
x	1013	<i>Cryptolopha mackenziana</i>	Brit. Kenia, Oct. 1909
x	1014	<i>Wheatear Saxicola</i>	Brit. East Africa
x	1015	"	" " " " " " " " "

Sack No. 3. (Sack #3 = an alcoholic packet not accounted for by Loring or Mearns. The only fragment of label decipherable, gives "British East Africa".)

Sack #4. (Sack #4 = an alcoholic packet which contained fragments of labels showing "Mt. Kenia - Oct. 7<sup>th</sup> 1909 - Heller".)

Sack #3

Sack #4

Sack #3

Sack #4

Sack #3

"

189  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220

0001  
1001  
2001  
3001  
4001  
5001  
6001  
7001  
8001  
9001  
0101  
1001  
2001  
3001  
4001  
5001  
6001  
7001



1016	<i>Cisticola</i>	<i>British East Africa</i>	<i>Sack #3</i>
1017	"	"	"
1018	"	<i>Int. Kenya Oct. -1- 1909.</i>	" #4.
1019			
1020			
1021			
1022			
1023			
1024			
1025			
1026			
1027			
1028			
1029			
1030			
1031			
1032			
1033			
1034			
1035			
1036			
1037			
1038			
1039			
1040			
1041			
1042			
1043			
1044			
1045			
1046			
1047			
1048			
1049			
1050			

2101  
 8101  
 8101  
 9101  
 0201  
 1101  
 5101  
 8101  
 2101  
 2101  
 8101  
 8101  
 8101  
 0201  
 1101  
 5101  
 3101  
 2101  
 2101  
 8101  
 8101  
 8101  
 8101  
 0201  
 1101  
 5101  
 3101  
 2101  
 2101  
 2101  
 8101  
 8101  
 8101  
 0201



Africa.

2571  
2592  
2592  
2594  
2595  
2596  
2597  
2598  
2599  
2600  
2601  
2602  
2603  
2604  
2605  
2606  
2607  
2608  
2609  
2610  
2611  
2612  
2613  
2614  
2615  
2616  
2617  
2618  
2619  
2620  
2621  
2622  
2623  
2624  
2625


204 - 1 Snake  
Cassidix 1 Springhaus  
98 - 1 bird  
161 - 5 "  
202 - 1 "  
210 - Snake  
104 - 5 birds  
220 - 2 " 1 lizard  
Coccyzina - 1 bird.  
12 - 1 Eggt. Kite  
13 - 1 pigeon  
Gunda 1 pigeon  
135 - Snake

R

2625



Will Loring ever reach this point in his  
bird catalogue? Never filled, May 3-04; but look out  
for mammals.



78  
145  

---

273  
145

265  
118  

---

147





Loring data.

Lanius. no. no. (213640) Kapiti Pl. ♂. — date?

Alouatta. " " (213875) ♀ — ? Loring?

Otia (#69) " " (213925) ♂ Kapiti Pl. May 8. Loring.

Dryocopus ♀ (214318) } Loring?

" ♀ (214319)

Streptopelia } 214658-9 }  
" } etc. }

Loring's nos. not rec'd with 1st lot (unless in alcohol).

4.

9.

10.

12.

16. "White-necked Raven."

17. "Sand-horn"

23 "alcoholic."

28. "Starling."

50. "Sparrow."

69. "Greater Ouzard."

99.

106. "Red-back Flycatcher."



Heller - African Alcoholics

- 1000 *Tringa elgonensis*  
1001 *Arzelocichla*  
1002 *Campicola*  
1003 Flycatcher  
1004 Francolin  
1005 Robin  
1006 Shrike  
1007 Passer  
1008 "  
1009 ♀ *Nectarinia theaxze unisplendens*  
1010 ♂ "  
1011 *Pinarochroa*  
1012 *Cisticola*  
1013 *Cryptolopha mackenziana*  
1014 Wheatear  
1015 "  
1016 *Cisticola* Sack #3  
1017 "  
1018 " Sack #4



Loring. Africa. Alcoholics.

- >223 [Pigeon?] *Tringa*  
 >224. Weaver.  
 >225. [ - ? ]  
 >226. Bluebird. Flyc.  
 >227. Starling.  
 >416. Crop of hawk (containing bugs & horned chameleon).  
 >619. What bird. (caught in trap. Ulukwin Hills.)  
 >620. Weaver. "not entered". " " "  
 >621. Lark. " " " "  
 >625. Large tail bird. caught in trap.  
 >626 Swallow. *several unidentified stomachs.*  
 612. Sec. bird. Stomach in alc. [contents given in Cat. Loring.]  
 >633. Small bird. *Butiaba*  
 >634. *Nighthawk* "  
 >635. " "  
 >636. *Sylvia* "  
 >723 *Wheaten.*  
 >845. *Weaver. Gondokoro.*  
 >846. *Titicola??* "  
 >891 *Pigeon.*  
 >892 *Vireo*  
 >893 *Shrike.*  
 >894 [ " ? ]  
 >895 *Warbler.* *JK.*  
 >896 ?  
 >897. *Sunbird. labeled 898!*  
 899<sup>a</sup> *Culiv.*



Loring. spurs. not accounted for.

Probably some are alcoholics, this not so stated here.

10. ♂. ——— ?  
28. ♂. Starling.  
50. ♀. Sparrow. (tag rec'd, but no bird!)  
99. ♀. [Mirafra was preceding sp.]  
106. ? . Red-back Flycatcher.  
119. ♀. Pigeon.  
120. ♀. [ .. ? ]  
121. ♀. [ .. ? ]  
122. ♀. [ .. ? ]  
123. ♀. [ .. ? ]  
124. ? . [ .. ? ]  
171. ♂. Guinea.  
175. ♂. Sparrow [ Franklin's ~~parrot~~ <sup>mated with 174.</sup> ]  
A 231. — Sparrow.  
A 232. — [ .. ? ]  
243. ♀. Black bird.  
297. — [ Coracias pectorata. ]  
305. ♂. [ Cathartes .. ] may be Elanus tagged "303" which is also a Milvina.  
392. ♂. Bush Shrike [ = Arremonops? checked off as no. 391? ]  
A 413. + Red ~~bird~~ <sup>weaver</sup>. } Aradypterus crinamomus }  
A 414. + " } caught in trap. } prob. alc.  
A 415. + " } Mt. Kenia. }  
512. ♀. weaver.  
580. ♂. whistler.  
594. ♂. Sparrow.  
595. ♀. Barbat.  
637. ♂. marsh Hawk.  
644. ♂. Shrike. (Nairobi).  
648. — crested Hawk.  
649. — Kingfisher.  
678. ♀. Stilt.  
679. ♂. "  
682. ♂. Small bird.  
701. — Heron.  
711. ♂. ~~Arremonops~~.  
712. ?



728. ♂ Raven.

735. ♀ Honeycreeper.

768. ♂ Bustard.